



Open Source MANO

REST API

February 18, 2017

CONTENTS

- REST API – Introduction** **3**
- Terminology¹ 4
- Normal Operations 6
- REST Examples 9
- Additional JSON POST Examples 19
- Event Streams and Notifications 24
- YANG Node to JSON Conversion 32

- Orchestration API** **48**
- NS and VNF Package Management (rw-pkg-mgmt:rw-pkg-mgmt) 49
- NS Descriptor Management (nsd:nsd) 52
- NS Lifecycle Management (nsr:nsd) 111
- VNF Descriptor Management (vnfd:vnfd) 176
- VNF Lifecycle Management (vnfr:vnfr) 242
- API Examples 371

REST API – Introduction

This guide describes the client interface of the REST Application Programming Interface. This guide also provides examples on how to communicate with the REST server.

Terminology¹

- anyxml: A data node that can contain an unknown chunk of XML data.
- augment: Adds new schema nodes to a previously defined schema node. augment is useful for adding vendor-specific parameters to standard data models.
- base type: The type from which a derived type was derived, which may be either a built-in type or another derived type.
- built-in type: A YANG data type defined in the YANG language, such as uint32 or string.
- choice: A schema node where only one of a number of identified alternatives is valid.
- configuration data: The set of writable data that is required to transform a system from its initial default state into its current state [[RFC4741](#)].
- conformance: A measure of how accurately a device follows a data model.
- container: An interior data node that exists in at most one instance in the data tree. A container has no value, but rather a set of child nodes.
- data definition statement: A statement that defines new data nodes. One of container, leaf, leaf-list, list, choice, case, augment, uses, and anyxml.
- data model: A data model describes how data is represented and accessed.
- data node: A node in the schema tree that can be instantiated in a data tree. One of container, leaf, leaf-list, list, and anyxml.
- data tree: The instantiated tree of configuration and state data on a device.
- derived type: A type that is derived from a built-in type (such as uint32), or another derived type.
- device deviation: A failure of the device to implement the module faithfully.
- extension: An extension attaches non-YANG semantics to statements. The extension statement defines new statements to express these semantics.
- feature: A mechanism for marking a portion of the model as optional. Definitions can be tagged with a feature name and are only valid on devices that support that feature.
- grouping: A reusable set of schema nodes, which may be used locally in the module, in modules that include it, and by other modules that import from it. The grouping statement is not a data definition statement and, as such, does not define any nodes in the schema tree.
- identifier: Used to identify different kinds of YANG items by name.
- instance identifier: A mechanism for identifying a particular node in a data tree.
- interior node: Nodes within a hierarchy that are not leaf nodes.
- leaf: A data node that exists in at most one instance in the data tree. A leaf has a value but no child nodes.

- leaf-list: Like the leaf node but defines a set of uniquely identifiable nodes rather than a single node. Each node has a value but no child nodes.
- leaf node: Contains simple data like an integer or a string. It has exactly one value of a particular type and no child nodes.
- list: An interior data node that may exist in multiple instances in the data tree. A list has no value, but rather a set of child nodes.
- module: A YANG module defines a hierarchy of nodes that can be used for NETCONF-based operations. With its definitions and the definitions it imports or includes from elsewhere, a module is self-contained and "compilable".
- RPC: A Remote Procedure Call, as used within the NETCONF protocol.
- RPC operation: A specific Remote Procedure Call, as used within the NETCONF protocol. It is also called a protocol operation.
- schema node: A node in the schema tree. One of container, leaf, leaf-list, list, choice, case, rpc, input, output, notification, and anyxml.
- schema node identifier: A mechanism for identifying a particular node in the schema tree.
- schema tree: The definition hierarchy specified within a module.
- state data: The additional data on a system that is not configuration data such as read-only status information and collected statistics [[RFC4741](#)].
- submodule: A partial module definition that contributes derived types, groupings, data nodes, RPCs, and notifications to a module. A YANG module can be constructed from a number of submodules.
- top-level data node: A data node where there is no other data node between it and a module or submodule statement.
- uses: The "uses" statement is used to instantiate the set of schema nodes defined in a grouping statement. The instantiated nodes may be refined and augmented to tailor them to any specific needs.

¹Resource: [YANG - A Data Modeling Language for the Network Configuration Protocol \(NETCONF\)](#)

Normal Operations

URL targets

REST URL targets can be one of the following:

URL Target	Description
<code>/api/config</code>	Targets the config data store.
<code>/api/operational</code>	Targets operational data.
<code>/api/operations</code>	Targets remote procedure calls (RPCs).
<code>/api/schema</code>	Converts YANG node described by the URL path into its JSON representation

The subsequent parts of the URL are used to select the YANG object. For example, to associate a cloud account with your Orchestrator instance, append target `/api/config` with the YANG object `cloud`:

```
https://<orchestrator_ip/fqdn>:8008/api/config/cloud
```

Authentication

All requests to the REST API require you to authenticate.

Provide a username/password pair encoded using [HTTP basic auth](#) access in the request header.

Query parameters

Optionally use the following query parameters with GET operations to filter the results of a REST API request:

- `deep` – Use to select an entire sub-tree. To retrieve all elements, use the deep query parameter.

For example, GET a top-level container with `?deep`:

```
/api/running/top-container-deep?deep
```

- `select` – Use to select specific leaves of a list or container.

Mime types

The API supports the following MIME types:

MIME Type	Description
<code>application/vnd.yang.data+json</code>	Data being given or received is encoded in JSON.
<code>application/vnd.yang.collection+json</code>	Data being given or received is encoded in JSON, with a special element aggregating the top-level list objects.
<code>application/vnd.yang.data+xml</code>	Data being given or received is encoded in XML.
<code>application/vnd.yang.collection+xml</code>	Data being given or received is encoded in XML, with a special element aggregating the top-level list objects.

Example request header

```
GET /api/running/misc/int-leaf HTTP/1.1
Host: example.example.com
Accept: application/yang.api+xml
```

Operations

The API supports the following operations:

Operation	Description
GET	<p>Retrieves data.</p> <p>GET is equivalent to a NETCONF <code>get</code>, or <code>get_config</code> operation, depending on the target.</p> <hr/> <p>Note: When you perform GET operations on containers, the results are pruned if the container is a top-level object in its module. The pruning removes all non-key leaves from the result.</p> <hr/>
POST	<p>Creates new data.</p> <p>POST is equivalent to a NETCONF <code>create</code> operation, or if the target is an RPC, they are a RPC dispatch.</p>
PUT	<p>Updates data.</p> <p>PUT is equivalent to a NETCONF <code>replace</code> operation.</p>
DELETE	<p>Deletes data.</p> <p>DELETE is equivalent to a NETCONF <code>delete</code> operation.</p>

See also

Netconf Central [Documentation](#) and [RPC Methods](#)

REST Examples

This topic provides a sample YANG scheme and examples for common calls to the REST API.

REST YANG Model

The YANG used for the examples in this guide is as follows.

Module example

```
{
  namespace "http://example.com/ns/example";
  prefix "example";

  container top-container-shallow {
    leaf a {
      type string;
    }
  }

  list top-list-shallow {
    key "k";
    leaf k {
      type string;
    }
  }

  container top-container-deep {
    leaf a {
      type string;
    }

    list inner-list-shallow {
      key "k";
      leaf k {
        type string;
      }
    }
  }

  container inner-container {
    leaf a{
      type string;
    }
    list inner-list {
      key "k";
      leaf k {
        type string;
      }
    }
  }

  list inner-list-deep {
    key "k";
```

```

    leaf k {
      type string;
    }
    container inner-container-shallow {
      leaf a {
        type string;
      }
    }
    container inner-container-deep {
      list bottom-list-shallow {
        key "k";
        leaf k {
          type string;
        }
      }
    }
  }
}

list top-list-deep {
  key "k";
  leaf k {
    type string;
  }
  list inner-list {
    key "k";
    leaf k {
      type string;
    }
    leaf a {
      type string;
    }
    container inner-container {
      leaf a{
        type string;
      }
    }
  }
}

container inner-container-shallow {
  leaf a{
    type string;
  }
}
container inner-container-deep {
  list bottom-list-shallow {
    key "k";
    leaf k {
      type string;
    }
  }
}
}

list multi-key {

```

```
key "foo bar";
leaf foo {
  type string;
}
leaf bar {
  type string;
}

leaf treasure {
  type uint32;
}

}

rpc in-and-out {
  input {
    leaf in {
      type string;
    }
  }
  output {
    leaf out {
      type string;
    }
  }
}

rpc in-no-out {
  input {
    leaf in {
      type string;
    }
  }
}

identity identity-base {
  description "Testing base identity";
}

identity identity-sub {
  base "identity-base";
}

container misc {

  leaf binary-leaf {
    type binary {
      length "1..20";
    }
  }

  leaf bool-leaf {
    type boolean;
  }

  leaf decimal-leaf {
```

```
    type decimal64 {
      fraction-digits 2;
    }
  }

  leaf empty-leaf {
    type empty;
  }

  leaf enum-leaf {
    type enumeration {
      enum a;
      enum b;
    }
  }

  leaf identityref-leaf {
    type identityref {
      base "identity-base";
    }
  }

  leaf int-leaf {
    type int32;
  }

  leaf instance-identifier-leaf {
    type instance-identifier;
  }

  list list-a {
    key "id";
    leaf id {
      type uint8;
    }
    leaf foo {
      type string;
    }
  }

  list list-b {
    key "id";
    leaf id {
      type uint8;
    }
    leaf leafref-to-list-a {
      type leafref {
        path "../..../list-a[id=current()/../id]/foo";
      }
    }
  }
}
```

GET examples

GET a leaf

URL

```
/api/running/misc/int-leaf
```

JSON response

```
{
  "example:int-leaf": 42
}
```

XML response

```
<misc xmlns="http://example.com/ns/example"
      xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <int-leaf>42</int-leaf>
</misc>
```

GET a top-level container

URL

```
/api/running/top-container-deep
```

JSON response

```
{
  "example:top-container-deep": {
    "inner-container": {
      "inner-list": [
        {
          "k": "another key thing"
        }
      ]
    }
  }
}
```

XML response

```
<top-container-deep xmlns="http://example.com/ns/example"
                  xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <inner-container>
    <inner-list>
      <k>another key thing</k>
    </inner-list>
  </inner-container>
</top-container-deep>
```

GET a top-level container with ?deep

URL

```
/api/running/top-container-deep?deep
```

JSON response

```
{
  "example:top-container-deep": {
    "inner-container": {
      "inner-list": [
        {
          "k": "another key thing"
        }
      ],
      "a": "another string"
    }
  }
}
```

XML response

```
<top-container-deep xmlns="http://example.com/ns/example"
  xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <inner-container>
    <a>another string</a>
    <inner-list>
      <k>another key thing</k>
    </inner-list>
  </inner-container>
</top-container-deep>
```

GET a container

URL

```
/api/running/top-container-deep/inner-container
```

JSON response

```
{
  "inner-list": [
    {
      "k": "another key thing"
    }
  ],
  "a": "another string"
}
```

XML response

```
<top-container-deep xmlns="http://example.com/ns/example"
  xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <inner-container>
```

```

    <a>another string</a>
    <inner-list>
      <k>another key thing</k>
    </inner-list>
  </inner-container>
</top-container-deep>

```

GET a whole list

URL

```
/api/running/top-list-shallow
```

JSON response

```

{
  "example:top-list-shallow": [
    {
      "k": "asdf"
    },
    {
      "k": "fdsa"
    }
  ]
}

```

JSON collection response

```

{
  "collection": {
    "example:top-list-shallow": [
      {
        "k": "asdf"
      },
      {
        "k": "fdsa"
      }
    ]
  }
}

```

XML response

```

<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0"
  xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <top-list-shallow xmlns="http://example.com/ns/example">
    <k>asdf</k>
  </top-list-shallow>
  <top-list-shallow xmlns="http://example.com/ns/example">
    <k>fdsa</k>
  </top-list-shallow>
</data>

```

XML collection response

```
<collection>
  <top-list-shallow xmlns="http://example.com/ns/example"
    xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
    <k>asdf</k>
  </top-list-shallow>
  <top-list-shallow xmlns="http://example.com/ns/example"
    xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
    <k>fdsa</k>
  </top-list-shallow>
</collection>
```

GET a specific list entry

URL

```
/api/running/top-list-shallow/asdf
```

JSON response

```
{
  "example:top-list-shallow": [
    {
      "k": "asdf"
    }
  ]
}
```

JSON collection response

```
{
  "collection": {
    "example:top-list-shallow": [
      {
        "k": "asdf"
      }
    ]
  }
}
```

XML response

```
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0"
  xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <top-list-shallow xmlns="http://example.com/ns/example">
    <k>asdf</k>
  </top-list-shallow>
</data>
```

XML collection response

```
<collection>
  <k xmlns="http://example.com/ns/example"
    xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">asdf</k>
</collection>
```


POST/PUT examples

POST/PUT a leaf

URL

```
/api/running/top-container-shallow
```

JSON body

```
{
  "a" : "some leaf 0"
}
```

XML body

```
<example:top-container-shallow xmlns:example="http://example.com/ns/example">
  <a xmlns="http://example.com/ns/example">some leaf 0</a>
</example:top-container-shallow>
```

POST/PUT a container

URL

```
/api/config/top-container-deep/inner-container
```

JSON body

```
{
  "a":"another string",
  "inner-list":[
    {
      "k":"another key thing"
    }
  ]
}
```

XML body

```
<example:inner-container xmlns:example="http://example.com/ns/example">
  <a xmlns="http://example.com/ns/example">another string</a>
  <inner-list >
    <k xmlns="http://example.com/ns/example">another key thing</k>
  </inner-list>
</example:inner-container>
```

POST/PUT a list entry

URL

```
/api/running/top-list-shallow/asdf
```

JSON body

```
{
  "top-list-shallow" :
  [
    {
      "k" : "asdf"
    }
  ]
}
```

XML body

```
<top-list-shallow xmlns="http://example.com/ns/example">
  <k xmlns="http://example.com/ns/example">asdf</k>
</top-list-shallow>
```

POST an RPC

URL

```
/api/operations/in-no-out
```

JSON body

```
{
  "input" : {
    "in" : "asdf"
  }
}
```

XML body

```
<input>
  <in="http://example.com/ns/example">asdf</in>
</input>
```

DELETE examples

The DELETE operation has the same URL structure as the GET operation. You cannot perform a DELETE operation on containers

Additional JSON POST Examples

URL

```
/api/config/top-container-shallow
```

JSON response

```
{
  "a" : "some leaf 0"
}
```

URL

```
/api/config/top-list-shallow/some%20key
```

JSON response

```
{
  "top-list-shallow" :
  [
    {
      "k" : "some key"
    }
  ]
}
```

URL

```
/api/config/top-container-deep
```

JSON response

```
{
  "a":"some kind of string",
  "inner-list-shallow":[
    {
      "k":"some key thing"
    },
    {
      "k":"some other key thing"
    }
  ],
  "inner-container":{
    "a":"another string",
    "inner-list":[
      {
        "k":"another key thing"
      }
    ]
  },
  "inner-list-deep":[
    {
```

```
    "k":"inner key",
    "inner-container-shallow":{
      "a":"an inner string"
    },
    "inner-container-deep":{
      "bottom-list-shallow":[
        {
          "k":"bottom key"
        }
      ]
    }
  ]
}
```

URL

```
/api/config/top-list-deep
```

JSON response

```
{
  "top-list-deep" :
  [
    {
      "k" : "some key",
      "inner-list" :
      [
        {
          "k" : "some other key",
          "a" : "some string",
          "inner-container" : {
            "a" : "some other string"
          }
        }
      ]
    },
    "inner-container-shallow" :
    {
      "a" : "yet a third string"
    },
    "inner-container-deep":
    {
      "bottom-list-shallow" :
      [
        {
          "k" : "yet a third key"
        }
      ]
    }
  ]
}
```

URL

```
/api/config/multi-key/foo,bar
```

JSON response

```
{
  "multi-key" :
  [
    {
      "foo" : "key part 1",
      "bar" : "key part 2",
      "treasure" : 32
    }
  ]
}
```

URL

```
/api/config/top-list-deep/key1/inner-list/some%20key%20thing
```

JSON response

```
{
  "inner-list-shallow": [
    {
      "k": "some key thing"
    }
  ]
}
```

URL

```
/api/config/top-container-deep/inner-list-shallow/some%20key
```

JSON response

```
{
  "inner-list-shallow": [
    {
      "k": "some key"
    }
  ]
}
```

URL

```
/api/config/top-list-deep/key1/inner-list/key2
```

JSON response

```
{
  "inner-list": [
    {
```

```
        "k": "key2"
      }
    ]
  }
}
```

URL

```
/api/config/top-container-deep/inner-container
```

JSON response

```
{
  "a": "another string",
  "inner-list": [
    {
      "k": "another key thing"
    }
  ]
}
```

URL

```
/api/config/top-list-deep/some%20key/inner-container-shallow
```

JSON response

```
{
  "a" : "yet a third string"
}
```

URL

```
/api/config/misc
```

JSON response

```
{
  "bool-leaf": true,
  "empty-leaf": [
    null
  ],
  "enum-leaf": "a",
  "int-leaf": 42,
  "list-a": [
    {
      "id": 0,
      "foo": "asdf"
    }
  ],
  "list-b": [
    {
      "id": 0
    }
  ],
  "numbers": [
```

```
{
  "int8-leaf":0,
  "int16-leaf":0,
  "int32-leaf":0,
  "int64-leaf":0,
  "uint8-leaf":0,
  "uint16-leaf":0,
  "uint32-leaf":0,
  "uint64-leaf":0,
  "decimal-leaf":0
},
{
  "int8-leaf":"1",
  "int16-leaf":"0",
  "int32-leaf":"0",
  "int64-leaf":"0",
  "uint8-leaf":"0",
  "uint16-leaf":"0",
  "uint32-leaf":"0",
  "uint64-leaf":"0",
  "decimal-leaf":"0"
}
]
```

```
}
```

Event Streams and Notifications

NETCONF notifications are asynchronous, one-way message notifications that originate from the NETCONF server. Clients can subscribe to event-streams defined in the server using a subscription mechanism.

By default, the Management Agent implements a `uagent_notification` notification stream.

An event notification can be generated by a tasklet using the Distributed Transaction System (DTS). The MgmtAgent listens for all event notifications generated by DTS and publishes them to Confd. Confd then publishes the event through `uagent_notification` NETCONF event stream. The published notification can be consumed by a web application through REST using either a Websockets or HTTP event source.

Note: The REST notification is implemented based on the RESTCONF Protocol [draft-ietf-netconf-restconf-09](#). See also the Internet Engineering Task Force (IETF) YANG - A Data Modeling Language for the Network Configuration Protocol (NETCONF) [RFC6020](#).

The sections that follow describe an HTTP-based programmatic interface for accessing data defined in YANG, using the data stores defined in NETCONF.

Terms used:

- **Element** — XML Element.
- **Subscription** — An agreement and method to receive event notifications over a NETCONF session. A concept related to the delivery of notifications (if there are any to send) involving destination and selection of notifications. A subscription is bound to the lifetime of a session.
- **Operation** — Refers to NETCONF protocol operations defined in support of NETCONF notifications.
- **Event** — Something that occurs that might be of interest, such as a configuration change, a fault, a change in status, crossing a threshold, or an external input to the system. An event often results in an asynchronous message, sometimes referred to as a notification or event notification. The message is sent to interested parties to notify them that this event has occurred.
- **Replay** — The ability to send/re-send previously-logged notifications, upon request. These notifications are sent asynchronously. This feature is implemented by the NETCONF server and invoked by the NETCONF client.
- **Stream** — A set of event notifications that matches some forwarding criteria and available to NETCONF clients for subscription.
- **Filter** — A parameter that indicates which subset of all possible events are of interest. A filter is defined as one or more filter elements [NETCONF], each of which identifies a portion of the overall filter.

State

State is operational data provided by RESTCONF. The schema `ietf-restconf-monitoring` for this operational data is defined in the RESTCONF Protocol [draft-ietf-netconf-restconf-09](#).

GET operations that use `/api/operational/restconf-state` can be used to retrieve the streams and their properties.

GET streams

URL

```
/api/operational/restconf-state/streams
```

Each stream can be accessed using the following methods.

Stream	Method
WebSocket access, streaming using XML messages	[wss://host:port/ws_streams/STREAM-NAME]
WebSocket access, streaming using JSON messages	[wss://host:port/ws_streams/STREAM-NAME-JSON]
HTTP event source access, streaming using XML data	[https://host:port/streams/STREAM-NAME]
HTTP event source access, streaming using JSON data	[https://host:port/streams/STREAM-NAME-JSON]

JSON body example

```
{
  "ietf-restconf-monitoring:streams" : {
    "stream" : [
      {
        "access" : [
          {
            "encoding" : "ws_xml",
            "location" : "wss://10.0.1.7:8888/ws_streams/NETCONF"
          },
          {
            "encoding" : "ws_json",
            "location" : "wss://10.0.1.7:8888/ws_streams/NETCONF-JSON"
          }
        ]
      }
    ]
  }
}
```

```

    },
    {
      "encoding" : "xml",
      "location" : "https://10.0.1.7:8888/streams/NETCONF"
    },
    {
      "encoding" : "json",
      "location" : "https://10.0.1.7:8888/streams/NETCONF-JSON"
    }
  ],
  "description" : "default NETCONF event stream",
  "replay-support" : "false",
  "name" : "NETCONF"
},
{
  "access" : [
    {
      "encoding" : "ws_xml",
      "location" :
"wss://10.0.1.7:8888/ws_streams/uagent_notification"
    },
    {
      "encoding" : "ws_json",
      "location" :
"wss://10.0.1.7:8888/ws_streams/uagent_notification-JSON"
    },
    {
      "encoding" : "xml",
      "location" : "https://10.0.1.7:8888/streams/uagent_notification"
    },
    {
      "encoding" : "json",
      "location" : "https://10.0.1.7:8888/streams/uagent_notification-
JSON"
    }
  ],
  "description" : "RW Uagent notifications",
  "replay-support" : "true",
  "replay-log-creation-time" : "2016-03-02T10:02:42+00:00",
  "name" : "uagent_notification"
}
]
}
}
}

```

XML body example

```

<data>
  <restconf-state xmlns="urn:ietf:params:xml:ns:yang:ietf-restconf-
monitoring">
    <streams>
      <stream>
        <stream>
          <name>NETCONF</name>
          <description>default NETCONF event stream</description>
          <replay-support>false</replay-support>
          <access>

```

```

    <encoding>ws_xml</encoding>
    <location>wss://10.0.1.7:8888/ws_streams/NETCONF</location>
  </access>
  <access>
    <encoding>ws_json</encoding>
    <location>wss://10.0.1.7:8888/ws_streams/NETCONF-JSON</location>
  </access>
  <access>
    <encoding>xml</encoding>
    <location>https://10.0.1.7:8888/streams/NETCONF</location>
  </access>
  <access>
    <encoding>json</encoding>
    <location>https://10.0.1.7:8888/streams/NETCONF-JSON</location>
  </access>
</stream>
<stream>
  <name>uagent_notification</name>
  <description>RW Uagent notifications</description>
  <replay-support>true</replay-support>
  <replay-log-creation-time>2016-03-02T10:02:42+00:00</replay-log-
creation-time>
  <access>
    <encoding>ws_xml</encoding>

<location>wss://10.0.1.7:8888/ws_streams/uagent_notification</location>
  </access>
  <access>
    <encoding>ws_json</encoding>
    <location>wss://10.0.1.7:8888/ws_streams/uagent_notification-
JSON</location>
  </access>
  <access>
    <encoding>xml</encoding>

<location>https://10.0.1.7:8888/streams/uagent_notification</location>
  </access>
  <access>
    <encoding>json</encoding>
    <location>https://10.0.1.7:8888/streams/uagent_notification-
JSON</location>
  </access>
</stream>
</streams>
</restconf-state>
</data>

```

GET stream location

URL

```
/api/operational/restconf-state/streams/stream/{stream-
name}/access/{encoding}/location
```

Encoding can be one of [xml, json, ws_xml, ws_json]

URL example

```
/api/operational/restconf-  
state/streams/stream/NETCONF/access/ws_json/location
```

JSON body example

```
{"ietf-restconf-monitoring:location" :  
"wss://10.0.1.7:8888/ws_streams/NETCONF-JSON"}
```

XML body example

```
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0"  
xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">  
  <restconf-state xmlns="urn:ietf:params:xml:ns:yang:ietf-restconf-  
monitoring">  
    <streams>  
      <stream>  
        <name>NETCONF</name>  
        <access>  
          <encoding>ws_json</encoding>  
          <location>wss://10.0.1.7:8888/ws_streams/NETCONF-JSON</location>  
        </access>  
      </stream>  
    </streams>  
  </restconf-state>  
</data>
```

Event Source

The REST interface serves as an event source for NETCONF notifications.

Query parameters

The following query parameters are optional in the GET URL for both WebSocket and HTTP calls.

Query parameter	Description
filter	Event content filter (based on XPath 1.0)
start-time	Replay event start time
stop-time	Replay event stop time

WebSocket event source

In a WebSocket event source, streaming occurs through WebSocket transport.

URL format

Opening the WebSocket with the following URL format enables subscription to events for the given stream.

```
wss://HOST:PORT/ws_streams/STREAM-NAME [ ?QUERY-PARAMS ]
```

If the *STREAM-NAME* value contains a **JSON** suffix (*STREAM-NAME-JSON*), notifications are reported in JSON format. Otherwise, notifications are reported in XML format.

JSON event format

```
{
  "notification": {
    "eventTime" : "YYYY-MM-DDThh:mm:ss.microsec[TZ-Offset]",
    "...." : {...}
  }
}
```

XML event format

```
<notification>
  <eventTime>YYYY-MM-DDThh:mm:ss.microsec[TZ-Offset]</eventTime>
  ... ..
</notification>
```

JavaScript example

```

var client = new WebSocket('wss://localhost:8888/ws_streams/NETCONF-JSON');

client.onerror = function() {
    alert('Connection Error');
};

client.onopen = function() {
    alert('WebSocket Client Connected');
};

client.onclose = function() {
    alert('Websocket Client Closed');
};

client.onmessage = function(e) {
    if (typeof e.data === 'string') {
        alert("Received: '" + e.data + "'");
    }
};

```

JSON stream example

The following notification is reported when a configuration is changed.

```

{
  "notification" : {
    "eventTime" : "2016-03-02T05:49:51.986098-05:00",
    "ietf-netconf-notifications:netconf-config-change" : {
      "datastore" : "running",
      "changed-by":{
        "username" : "admin",
        "source-host" : "127.0.0.1",
        "session-id" : 11
      },
      "edit" : [
        {
          "operation" : "replace",
          "target" : "/rwlog-mgmt:logging/rwlog-mgmt:console/rwlog-
mgmt:filter/rwlog-mgmt:category[rwlog-mgmt:name='rw-mgmtagt-log']/rwlog-
mgmt:severity"
        }
      ]
    }
  }
}

```

XML stream example

The following notification is reported when a configuration is changed.

```

<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
  <eventTime>2016-03-02T05:49:51.986098-05:00</eventTime>
  <netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-
notifications">

```

```

<changed-by>
  <username>admin</username>
  <session-id>11</session-id>
  <source-host>127.0.0.1</source-host>
</changed-by>
<datastore>running</datastore>
<edit>
  <target xmlns:rwlog-mgmt="http://example.com/ns/version-1.0/rwlog-
mgmt"/>/rwlog-mgmt:logging/rwlog-mgmt:console/rwlog-mgmt:filter/rwlog-
mgmt:category[rwlog-mgmt:name='rw-mgmtagt-log']/rwlog-mgmt:severity</target>
  <operation>replace</operation>
</edit>
</netconf-config-change>
</notification>

```

HTTP event source

The HTTP event source is based on based on [W3C.CR-eventsource](#).

Run HTTP GET using the following URL format to subscribe to events for the given stream.

URL format

```
https://HOST:PORT/streams/STREAM-NAME [ ?QUERY-PARAMS ]
```

If the *STREAM-NAME* value contains a `JSON` suffix (*STREAM-NAME-JSON*), notifications are reported in JSON format. Otherwise, notifications are reported in XML format.

GET request headers

The following headers specify that the accepted content is an event stream and the connection must be persisted.

```

Accept: text/event-stream
Cache-Control: no-cache
Connection: keep-alive

```

In both JSON and XML event formats, the `data:` tag appears for each line in the response.

JSON event format

```

data: {
  data: "notification": {
    data:   "eventTime" : "YYYY-MM-DDThh:mm:ss.microsec[TZ-Offset]",
    data:   "...." : {...}
  }
}

```

XML event format

```

data: <notification>
  data:   <eventTime>YYYY-MM-DDThh:mm:ss.microsec[TZ-Offset]</eventTime>
  data:   ... ..
data: </notification>

```

YANG Node to JSON Conversion

This section describes how to use the REST API to convert a YANG node, described by the URL path, into its JSON representation.

Note: Conversion works only for CONFIG nodes. All other node types are ignored by rwyanglib.

URL target

Use the following target to convert a YANG node to JSON.

```
/api/schema/....
```

The following table describes the JSON representation of a particular node.

URL path	Description
/api/schema/X/Y/Z	Returns the JSON representation of YANG node Z
/api/schema	Returns the JSON representation of all the top-level nodes of the schema

General examples

leaf

```
/api/schema/nd:nsd-catalog/nsd:nsd/nsd:id

{
  "id": {
    "name": "id",
    "type": "leaf",
    "description": "Identifier for the NSD.",
    "cardinality": "0..1",
    "data-type": "string"
  }
}
```

list

```
/api/schema/nsd:nsd-catalog/nsd:nsd/connection-point

{
  "connection-point": {
```



```

"name": "connection-point",
"type": "list",
"description": "...." // Not printing for doc brevity
"cardinality": "0..N",
"properties": [
  {
    "name": "name",
    "type": "leaf",
    "description": "Name of the NS connection point.",
    "cardinality": "0..1",
    "data-type": "string"
  },
  {
    "name": "type",
    "type": "leaf",
    "description": "Type of the connection point.",
    "cardinality": "0..1",
    "data-type": {
      "enumeration": {
        "enum": {
          "VPORT": {
            "value": 0
          }
        }
      }
    }
  }
]
}
}

```

leafref

```
/api/schema/nsd:nsd-catalog/nsd:nsd/constituent-vnfd/vnfd-id-ref
```

```

{
  "vnfd-id-ref": {
    "name": "vnfd-id-ref",
    "type": "leaf",
    "description": "Identifier for the VNFD.",
    "cardinality": "0..1",
    "data-type": {
      "leafref": {
        "path": "/vnfd:vnfd-catalog/vnfd:vnfd/vnfd:id"
      }
    }
  }
}
}

```

enumeration

```
/api/schema/nd:nsd-catalog/nsd:nsd/monitoring-param/json-query-method
```

```

{
  "json-query-method": {
    "name": "json-query-method",

```

```

"type": "leaf",
"description": "",
"cardinality": "0..1",
"data-type": {
  "enumeration": {
    "enum": {
      "NAMEKEY": {
        "value": 0
      },
      "JSONPATH": {
        "value": 1
      },
      "OBJECTPATH": {
        "value": 2
      }
    }
  }
}
}
}
}

```

Detailed mapping examples

YANG module used

```

module test-yang-json
{
  namespace "http://example.com/ns/version-1.0/test-yang-json.yang";
  prefix "tyj";

  identity company {
    description "A company";
  }

  identity riftio {
    base company;
    description "";
  }

  container top {
    description "Top Container";

    leaf-list leaflist {
      type string;
    }

    leaf idrefex {
      type identityref { base "tyj:company"; }
    }

    leaf bin {
      type binary;
    }

    leaf leaf-1 {
      type string;
    }
  }
}

```

```

}
leaf leaf-2 {
  description "Leaf number 2";
  type uint32;
}

leaf linstid { type instance-identifier; }

leaf n1 {config true; type int8 {range "-12..14";} }

leaf leaf-4 {
  type enumeration {
    enum I_E_A { value 991; }
    enum I_E_B { value 992; }
    enum I_E_C { value 993; }
  }
}

list list-1 {
  description "List no. 1";
  key "id";

  leaf id {
    type uint16;
  }

  container list-cont {
    description
      "List 1 Container for the lack of good names";
    leaf yours-truly {
      type string;
    }
  }

  list int-list-1 {
    description "Internal list to list 1";
    key "item";
    leaf item {
      type string;
    }
    leaf name {
      type string;
    }
  }
}

leaf leaf-5 {
  description "Leafref example";
  type leafref {
    path "../tyj:leaf-2";
  }
}

container leaf_bin {
  description "for test RwYangDom.EmptyLeaf";
  leaf empty1 { type empty; }
}

```

```

leaf empty2 { type empty; }
leaf bool1 { type boolean; }
leaf bool2 { type boolean; }
leaf bool3 { type boolean; }
}

leaf bit-leaf {
  description "Bit leaf ";
  type bits {
    bit aggregate {
      position 0;
    }
    bit timeout {
      position 1;
    }
    bit sync {
      position 2;
    }
  }
}

leaf bindata {
  type binary;
}

}

augment /tyjab:base-cont/tyjab:person {
  list company-list {
    key "iref1";
    leaf iref1 { type identityref { base "company"; } }
    leaf iref2 { type identityref { base "product"; } }
  }
}
}

```

JSON attributes

Attribute	Description
"name"	Name of the YANG node.
"type"	YANG data type, such as leaf, list, leaf-list, and leafref.
"description"	Text description provided in the YANG module for that node.
"cardinality"	Number of elements contained by the node. Cardinality is set to 0..n for list and leaf list and 0..1 for all other nodes.

Attribute	Description
"mandatory"	True if the YANG node is marked mandatory in the YANG specification.
"keys"	Key name for the list node (present in list node only). Keys have cardinality of 1.
"properties"	List describing the YANG node with regard to the composite data type.
"data-type"	Enumerates a YANG data type.

Mapping a simple leaf

YANG node

```
leaf leaf-2 {
  description "Leaf number 2";
  type uint32;
}
```

JSON node

```
{
  "name": "leaf-2",
  "type": "leaf",
  "description": "Leaf number 2",
  "cardinality": "0..1",
  "data-type": "uint32"
  "properties": []
}
```

Mapping an empty leaf

YANG node

```
leaf empty1 { type empty; }
```

JSON node

```
{
  "name": "empty1",
  "type": "leaf",
  "description": "",
  "cardinality": "0..1",
  "data-type": "empty"
  "properties": []
}
```

Mapping a leaf range

YANG node

```
leaf n1 {type int8 {range "-12..14";} }
```

JSON node

```
{
  "name": "n1",
  "type": "leaf",
  "description": "",
  "cardinality": "0..1",
  "data-type": "int8"
  "properties": []
}
```

Note: Currently the range is not shown in the corresponding JSON representation.

Mapping a binary leaf

YANG node

```
leaf bindata {
  type binary;
}
```

JSON node

```
{
  "name": "bindata",
  "type": "leaf",
  "description": "",
  "cardinality": "0..1",
  "data-type": "binary"
  "properties": []
}
```

Mapping leaf bits

YANG node

```
leaf bit-leaf {
  description "Bit leaf ";
  type bits {
    bit aggregate {
      position 0;
    }
    bit timeout {
      position 1;
    }
    bit sync {
      position 2;
    }
  }
}
```

```

    }
  }
}

```

JSON node

```

{
  "name": "bit-leaf",
  "type": "leaf",
  "description": "Bit leaf ",
  "cardinality": "0..1",
  "data-type": {
    "bits": {
      "bit": {
        "aggregate": {
          "position": 0
        },
        "timeout": {
          "position": 1
        },
        "sync": {
          "position": 2
        }
      }
    }
  }
  "properties": []
}

```

Mapping a leaf list**YANG node**

```

leaf-list leaflist {
  type string;
}

```

JSON node

```

{
  "name": "leaflist",
  "type": "leaf_list",
  "description": "",
  "cardinality": "0..N",
  "data-type": "string"
  "properties": []
}

```

Mapping a leafref

YANG node

```
leaf leaf-2 {
    description "Leaf number 2";
    type uint32;
}

leaf leaf-5 {
    description "Leafref example";
    type leafref {
        path "../tyj:leaf-2";
    }
}
```

JSON node

```
{
  "name": "leaf-5",
  "type": "leaf",
  "description": "Leafref example",
  "cardinality": "0..1",
  "data-type": {
    "leafref": {
      "path": "../tyj:leaf-2"
    }
  }
  "properties": []
}
```

Mapping a list

YANG node

```
list list-1 {
    description "List no. 1";
    key "id name";

    leaf id {
        type uint16;
        mandatory "false";
    }

    leaf name {
        type string;
        mandatory "false";
    }

    container list-cont {
        description
            "List 1 Container for the lack of good names";
        leaf yours-truly {
            type string;
        }
    }
}
```



```

list int-list-1 {
  description "Internal list to list 1";
  key "item";
  leaf item {
    type string;
  }
  leaf name {
    type string;
  }
}

```

JSON node

```

{
  "name": "list-1",
  "type": "list",
  "description": "List no. 1",
  "cardinality": "0..N",
  "keys": [
    {
      "value": "id"
    },
    {
      "value": "name"
    }
  ],
  "properties": [
    {
      "name": "id",
      "type": "leaf",
      "description": "",
      "cardinality": "0..1",
      "mandatory": "true",
      "data-type": "uint16"
      "properties": []
    },
    {
      "name": "name",
      "type": "leaf",
      "description": "",
      "cardinality": "0..1",
      "mandatory": "true",
      "data-type": "string"
      "properties": []
    },
    {
      "name": "list-cont",
      "type": "container",
      "description": "List 1 Container for the lack of good names",
      "cardinality": "0..1",
      "properties": [
        {
          "name": "yours-truly",
          "type": "leaf",

```

```

        "description": "",
        "cardinality": "0..1",
        "data-type": "string"
        "properties": []
    }
]
},
{
    "name": "int-list-1",
    "type": "list",
    "description": "Internal list to list 1",
    "cardinality": "0..N",
    "keys": [
        {
            "value": "item"
        }
    ],
    "properties": [
        {
            "name": "item",
            "type": "leaf",
            "description": "",
            "cardinality": "0..1",
            "mandatory": "true",
            "data-type": "string"
            "properties": []
        },
        {
            "name": "name",
            "type": "leaf",
            "description": "",
            "cardinality": "0..1",
            "data-type": "string"
            "properties": []
        }
    ]
}
]
}
}

```

Mapping a container

YANG node

```

container leaf_bin {
    description "for test RwYangDom.EmptyLeaf";
    leaf empty1 { type empty; }
    leaf empty2 { type empty; }
    leaf bool1 { type boolean; }
    leaf bool2 { type boolean; }
    leaf bool3 { type boolean; }
}

```

JSON node

The "properties" attribute is a list of JSON nodes that represents the types that the list will hold.

```
{
  "name": "leaf_bin",
  "type": "container",
  "description": "for test RwYangDom.EmptyLeaf",
  "cardinality": "0..1",
  "properties": [
    {
      "name": "empty1",
      "type": "leaf",
      "description": "",
      "cardinality": "0..1",
      "data-type": "empty"
      "properties": []
    },
    {
      "name": "empty2",
      "type": "leaf",
      "description": "",
      "cardinality": "0..1",
      "data-type": "empty"
      "properties": []
    },
    {
      "name": "bool1",
      "type": "leaf",
      "description": "",
      "cardinality": "0..1",
      "data-type": "boolean"
      "properties": []
    },
    {
      "name": "bool2",
      "type": "leaf",
      "description": "",
      "cardinality": "0..1",
      "data-type": "boolean"
      "properties": []
    },
    {
      "name": "bool3",
      "type": "leaf",
      "description": "",
      "cardinality": "0..1",
      "data-type": "boolean"
      "properties": []
    }
  ]
}
```

Mapping an identity ref

YANG node

```
identity company {
  description "A company";
}

leaf idrefex {
  type identityref { base "tyj:company"; }
}
```

JSON node

```
{
  "name": "idrefex",
  "type": "leaf",
  "description": "",
  "cardinality": "0..1",
  "data-type": {
    "idref": {
      "base": "tyj:rftio"
    }
  }
  "properties": []
}
```

Mapping an enumeration

YANG node

```
leaf leaf-4 {
  type enumeration {
    enum I_E_A { value 991; }
    enum I_E_B { value 992; }
    enum I_E_C { value 993; }
  }
}
```

JSON node

```
{
  "name": "leaf-4",
  "type": "leaf",
  "description": "",
  "cardinality": "0..1",
  "data-type": {
    "enumeration": {
      "enum": {
        "I_E_A": {
          "value": 991
        },
        "I_E_B": {
          "value": 992
        },
        "I_E_C": {
          "value": 993
        }
      }
    }
  }
}
```

```

    }
  }
}
"properties": []
}

```

Mapping an instance identifier

YANG node

```
leaf linstid { type instance-identifier; }
```

JSON node

```

{
  "name": "linstid",
  "type": "leaf",
  "description": "",
  "cardinality": "0..1",
  "data-type": "instance_id"
  "properties": []
}

```

Mapping augmented nodes

YANG node

```

container base-cont {
  list person {
    key "name";

    leaf name {
      description
        "Name of the person";
      type string;
    }

    leaf phone-no {
      description
        "Phone number of the person";
      type string;
    }
  }
}

// Augmented node
augment /tyjab:base-cont/tyjab:person {
  list company-list {
    key "iref1";
    leaf iref1 { type identityref { base "company"; } }
    leaf iref2 { type identityref { base "product"; } }
  }
}

```

JSON node

```

{
  "person": {
    "name": "person",
    "type": "list",
    "description": "",
    "cardinality": "0..N",
    "keys": [
      {
        "value": "name"
      }
    ],
    "properties": [
      {
        "name": "name",
        "type": "leaf",
        "description": "Name of the person",
        "cardinality": "0..1",
        "mandatory": "true",
        "data-type": "string",
        "properties": []
      },
      {
        "name": "phone-no",
        "type": "leaf",
        "description": "Phone number of the person",
        "cardinality": "0..1",
        "data-type": "string",
        "properties": []
      },
      {
        "name": "test-yang-json:company-list",
        "type": "list",
        "description": "",
        "cardinality": "0..N",
        "keys": [
          {
            "value": "iref1"
          }
        ],
        "properties": [
          {
            "name": "iref1",
            "type": "leaf",
            "description": "",
            "cardinality": "0..1",
            "mandatory": "true",
            "data-type": {
              "idref": {
                "base": "tyj:rftio"
              }
            }
          }
        ],
        "properties": []
      },
      {

```

```
    "name": "iref2",
    "type": "leaf",
    "description": "",
    "cardinality": "0..1",
    "data-type": {
      "idref": {
        "base": "tyj:cloud-platform"
      }
    }
    "properties": []
  }
]
}
]
```

Notes and limitations

- Union and choice-case are not currently supported.
- In the JSON output, node names are not prefixed.

Orchestration API

The Orchestration API is your interface to network service lifecycle management functions and service instantiation functions. The **resource orchestrator** interfaces with the Network Service Orchestrator and resource orchestration engines through secured REST interfaces.

Use the open northbound APIs for service management and orchestration:

- Onboard, instantiate, and terminate network services (**NFVO** MANO `Os-Ma-nfvo` reference point)
- Onboard, instantiate, update, and delete virtual network functions (**VNFM** MANO `Or-Vnfm` reference point)

NS and VNF Package Management (rw-pkg-mgmt:rw-pkg-mgmt)

REST wrapper for the **NS** and **VNF** package service. Provides methods for onboarding, updating and downloading service and virtual network function packages.

Note: These APIs are different than the other REST APIs. In particular, onboarding and updating NS and VNF packages follow pull semantics rather than push semantics. The API user must host a `tgz` file on an HTTP file server of his/her choosing and then call the API to instruct the package management service to pull the package from this server.

Methods and relative URLs

rw-pkg-mgmt:rw-pkg-mgmt

Operation	Method	Relative URL	Description
Package onboard	POST	/api/operations/package-create	<p>Onboard a network service descriptor package to the catalog.</p> <p>When you send a POST request, the backend downloads the <code>tgz</code> file, expands it, validates the <code>checksum.txt</code> file and pushes the descriptor in the package to the <code>nsd:nsd</code> endpoint specified further in this document, which validates the presence of:</p> <ul style="list-style-type: none"> • VNF packages for the list of VNFs in the network service • Mandatory elements • External connection points required by the NS in the VNF descriptor <p>The content of the body of the POST request must contain the following items:</p> <ul style="list-style-type: none"> • 'external-url': HTTP endpoint where the package (<code>tgz</code>) file is hosted • 'package-type': NSD/VNFD • 'package-id': unique identifier for this package

Operation	Method	Relative URL	Description
Package update	POST	/api/operations/package-update	<p>Similar to the package-create API above.</p> <p>The content of the body of the POST request must contain:</p> <ul style="list-style-type: none">• 'external-url': HTTP endpoint where the package (tgz) file is hosted• 'package-type': NSD/VNFD,• 'package-id': unique identifier for this package
Package onboard/update status	GET	/api/operational/download-jobs	Retrieve information about onboarding (create or update) jobs.

Operation	Method	Relative URL	Description
Package export	POST	/api/operations/package-export	<p>Create an export request for a package.</p> <p>The content of the body of the POST request must contain the following items:</p> <ul style="list-style-type: none"> • "package-type": NSD/VNFD, • "package-id": ID of the package to be downloaded, • "export-format": YAML, • "export-grammar": OSM/TOSCA, • "export-schema": MANO/RIFT <p>Once this POST operation is executed, the backend starts the process of generating a tgz for the package (NS or VNF) that is being requested. The status of this operation can be checked by issuing GET requests on <a href="https://<launchpad_ip>:4567/api/export/707fef01-7bf0-40cc-a33b-c65947173e10/state">https://<launchpad_ip>:4567/api/export/707fef01-7bf0-40cc-a33b-c65947173e10/state.</p> <p>If successful, the response will contain a property "status" with a value of success and a property with filename.</p> <p>Next the requester must perform a GET request at <a href="https://<launchpad_ip>:4567/api/export/<filename>">https://<launchpad_ip>:4567/api/export/<filename> to grab the package.</p> <p>Note: The status and actual package export is provided by a different server which runs on a different port than the remainder of the REST API service.</p>

NS Descriptor Management (nsd:nsd)

REST wrapper for the **NSD** service (nsd:nsd-catalog). Provides methods for onboarding, updating, querying, and deleting a network service descriptor.

Methods and relative URLs

nsd:nsd

Method	Relative URL	Description
POST	/api/running/nsd-catalog	<p>Onboard a network service descriptor to the catalog.</p> <p>When you send a POST request, the backend validates the presence of:</p> <ul style="list-style-type: none"> • VNF packages for the list of VNFs in the network service • Mandatory elements • Eternal connection points required by the NS in the VNF descriptor
GET	/api/running/nsd-catalog/nsd/{UUID}	Query a network service descriptor.
GET	/api/running/nsd-catalog/nsd	Retrieve a list of all network descriptors in the catalog.
PUT	/api/running/nsd-catalog/nsd/{UUID}	<p>Update a network service descriptor.</p> <p>The orchestrator verifies that NSD or its constituent VNFDs are not in use by a running instances of either the VNF or network service.</p>
DELETE	/api/running/nsd-catalog/nsd/{UUID}	<p>Delete a network service descriptor.</p> <p>When you send a DELETE request, the orchestrator verifies that the specified NSD is not in use by a running instance of the network service.</p>

nsd:vnffg

Method	Relative URL	Description
GET	/api/running/vnffgd-catalog/vnffgd{UUID}	Query a VNF forwarding graph (VNFFG).
GET	/api/running/vnffgd-catalog/vnffgg	Retrieve a list of all VNFFGs in the catalog.
POST	/api/running/vnffgd-catalog/vnffgd	Create a VNFFG.
PUT	/api/running/vnffgd-catalog/vnffgd{UUID}	Update a VNFFG.
DELETE	/api/running/vnffgd-catalog/vnffgd{UUID}	Delete a VNFFG.

nsd:vld

Method	Relative URL	Description
GET		Retrieve a list of a virtual links from the catalog

Fields

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the Network Service Descriptor (NSD).
name	string	1	NSD name.

ID	Type	Cardinality	Description
short-name	string	1	NSD short name to use as a label in the UI.
vendor	string	1	Vendor of the NSD.
logo	string	1	<p>File path of the vendor-specific logo. For example, icons/mylogo.png</p> <p>The logo should be part of the network service package.</p> <p>SVG format is preferred, but PNG is supported.</p> <p>Although there is no hard limit on size and dimension, a square image under 200px by 200px is preferred.</p>
description	string	1	Description of the NSD.
version	string	1	Version of the NSD.
connection-point	list	0..n	<p>A list of references to network service connection points.</p> <p>See "nsd:connection-point" on page 74.</p>
vld	list	0..n	<p>List of Virtual Link Descriptors (VLDs).</p> <p>See "nsd:vld" on page 75.</p>
constituent-vnfd	list	0..n	<p>List of Virtual Network Function Descriptors (VNFDs) that are part of this network service.</p> <p>See "nsd:constituent-vnfd" on page 79.</p>
config-parameter-map	list	0..n	<p>A mapping of VNF configuration parameter requests and sources within this network service.</p> <p>See "nsd:config-parameter-map" on page 80.</p>

ID	Type	Cardinality	Description
scaling-group-descriptor	list	0..n	Scaling group descriptor within this network service. See "nsd:scaling-group-descriptor" on page 82.
placement-groups	list	0..n	List of placement groups at the NS level. See "nsd:placement-groups" on page 86.
ip-profiles-list	list	0..n	List of IP profiles. See "nsd:ip-profiles" on page 88.
vnf-dependency	list	0..n	List of VNF dependencies. See "nsd:vnf-dependency" on page 89.
vnffgd	list	0..n	List of VNF forwarding graph descriptor (VNFFGD). See "nsd:vnffgd" on page 91.
monitoring-param	list	0..n	List of monitoring parameters at the network service level. See "nsd:monitoring-param" on page 96.
input-parameter-xpath	list	0..n	List of XPath to parameters inside the NSD that can be customized during instantiation. See "nsd:input-parameter-xpath" on page 100.
parameter-pool	list	0..n	Pool of parameter values that must be pulled from during configuration. See "nsd:parameter-pool" on page 101.
service-primitive	list	0..n	Network service level configuration primitives. See "nsd:service-primitive" on page 102.

ID	Type	Cardinality	Description
initial-config-primitive	list	0..n	Set of configuration primitives to be executed when the network service comes up. See "nsd:initial-config-primitive" on page 107.
terminate-config-primitive	list	0..n	Set of configuration primitives to be executed before during termination of the network service. See "nsd:terminate-config-primitive" on page 108.
key-pair	list	0..n	Used to configure the list of public keys to be injected as part of network service instantiation. See "nsd:key-pair" on page 109.
user	list	0..n	List of users to be added through cloud-config. See "nsd:user" on page 110.

MANO reference points

Os-Ma-nfvo

Schema

```

module nsd
{
  namespace "urn:ietf:params:xml:ns:yang:nfvo:nsd";
  prefix "nsd";

  import rw-pb-ext {
    prefix "rwpb";
  }

  import vld {
    prefix "vld";
  }

  import vnfd {
    prefix "vnfd";
  }

  import ietf-inet-types {
    prefix "inet";
  }
}

```



```
}

import ietf-yang-types {
  prefix "yang";
}

import mano-types {
  prefix "manotypes";
}

revision 2014-10-27 {
  description
    "Initial revision. This YANG file defines
    the Network Service Descriptor (NSD)";
  reference
    "Derived from earlier versions of base YANG files";
}

typedef scaling-trigger {
  type enumeration {
    enum pre-scale-in {
      value 1;
    }
    enum post-scale-in {
      value 2;
    }
    enum pre-scale-out {
      value 3;
    }
    enum post-scale-out {
      value 4;
    }
  }
}

typedef scaling-policy-type {
  type enumeration {
    enum manual {
      value 1;
    }
    enum automatic {
      value 2;
    }
  }
}

typedef scaling-criteria-operation {
  type enumeration {
    enum AND {
      value 1;
    }
    enum OR {
      value 2;
    }
  }
}
```

```
grouping primitive-parameter {
  leaf name {
    description
      "Name of the parameter.";
    type string;
  }

  leaf data-type {
    description
      "Data type associated with the name.";
    type manotypes:parameter-data-type;
  }

  leaf mandatory {
    description "Is this field mandatory";
    type boolean;
    default false;
  }

  leaf default-value {
    description "The default value for this field";
    type string;
  }

  leaf parameter-pool {
    description "NSD Parameter pool name to use for this parameter";
    type string;
  }
}

grouping nsd-descriptor {
  leaf id {
    description "Identifier for the NSD.";
    type string;
  }

  leaf name {
    description "NSD name.";
    mandatory true;
    type string;
  }

  leaf short-name {
    description "NSD short name.";
    type string;
  }

  leaf vendor {
    description "Vendor of the NSD.";
    type string;
  }

  leaf logo {
    description
      "File path for the vendor specific logo. For example
```

```
icons/mylogo.png.
    The logo should be part of the network service";
    type string;
}

leaf description {
    description "Description of the NSD.";
    type string;
}

leaf version {
    description "Version of the NSD";
    type string;
}

list connection-point {
    description
        "List for external connection points.
        Each NS has one or more external connection
        points. As the name implies that external
        connection points are used for connecting
        the NS to other NS or to external networks.
        Each NS exposes these connection points to
        the orchestrator. The orchestrator can
        construct network service chains by
        connecting the connection points between
        different NS.";

    key "name";
    leaf name {
        description
            "Name of the NS connection point.";
        type string;
    }

    leaf type {
        description
            "Type of the connection point.";
        type manotypes:connection-point-type;
    }
}

/* Model limitation,
   see the comments under vnf-d-connection-point-ref
*/
list vld {
    description
        "List of Virtual Link Descriptors.";

    key "id";

    leaf id {
        description
            "Identifier for the VLD.";
        type string;
    }
}
```

```
leaf name {
  description
    "Virtual Link Descriptor (VLD) name.";
  type string;
}

leaf short-name {
  description
    "Short name for VLD for UI";
  type string;
}

leaf vendor {
  description "Provider of the VLD.";
  type string;
}

leaf description {
  description "Description of the VLD.";
  type string;
}

leaf version {
  description "Version of the VLD";
  type string;
}

leaf type {
  type manotypes:virtual-link-type;
}

leaf root-bandwidth {
  description
    "For ELAN this is the aggregate bandwidth.";
  type uint64;
}

leaf leaf-bandwidth {
  description
    "For ELAN this is the bandwidth of branches.";
  type uint64;
}

list vnfd-connection-point-ref {
  description
    "A list of references to connection points.";
  key "member-vnf-index-ref vnfd-connection-point-ref";

  leaf member-vnf-index-ref {
    description "Reference to member-vnf within constituent-vnfd";
    type leafref {
      path "../.../constituent-vnfd/member-vnf-index";
    }
  }
}
```

```

leaf vnfd-id-ref {
  description
    "A reference to a vnfd. This is a
    leafref to path:
      ../../nsd:constituent-vnfd
      + [nsd:id = current()/../../nsd:id-ref]
      + /nsd:vnfd-id-ref
    NOTE: An issue with confd is preventing the
    use of xpath. Seems to be an issue with leafref
    to leafref, whose target is in a different module.
    Once that is resolved this will switched to use
    leafref";
  type leafref {
    path " ../../../../constituent-vnfd" +
      "[member-vnf-index = current()/../../member-vnf-index-ref]" +
      "/vnfd-id-ref";
  }
}

leaf vnfd-connection-point-ref {
  description
    "A reference to a connection point name
    in a vnfd. This is a leafref to path:
      /vnfd:vnfd-catalog/vnfd:vnfd
      + [vnfd:id = current()/../../nsd:vnfd-id-ref]
      + /vnfd:connection-point/vnfd:name
    NOTE: An issue with confd is preventing the
    use of xpath. Seems to be an issue with leafref
    to leafref, whose target is in a different module.
    Once that is resolved this will switched to use
    leafref";
  type string;
}

// replicate for pnfd container here
uses manotypes:provider-network;

leaf mgmt-network {
  description "Flag indicating whether this network is a VIM
management network";
  type boolean;
  default false;
}

choice init-params {
  description "Extra parameters for VLD instantiation";

  case vim-network-ref {
    leaf vim-network-name {
      description
        "Name of network in VIM account. This is used to indicate
        pre-provisioned network name in cloud account.";
      type string;
    }
  }
}

```

```
    case vim-network-profile {
      leaf ip-profile-ref {
        description "Named reference to IP-profile object";
        type string;
      }
    }
  }
}

list constituent-vnfd {
  description
    "List of VNFDs that are part of this
    network service.";

  key "member-vnf-index";

  leaf member-vnf-index {
    description
      "Identifier/index for the VNFD. This separate id
      is required to ensure that multiple VNFs can be
      part of single NS";
    type uint64;
  }

  leaf vnfd-id-ref {
    description
      "Identifier for the VNFD.";
    type leafref {
      path "/vnfd:vnfd-catalog/vnfd:vnfd/vnfd:id";
    }
  }

  leaf start-by-default {
    description
      "VNFD is started as part of the NS instantiation";
    type boolean;
    default true;
  }
}

list scaling-group-descriptor {
  description
    "scaling group descriptor within this network service.
    The scaling group defines a group of VNFs,
    and the ratio of VNFs in the network service
    that is used as target for scaling action";

  key "name";

  leaf name {
    description "Name of this scaling group.";
    type string;
  }
}
```

```
list scaling-policy {  
    key "name";  
  
    leaf name {  
        description  
            "Name of the scaling policy";  
        type string;  
    }  
  
    leaf scaling-type {  
        description  
            "Type of scaling";  
        type scaling-policy-type;  
    }  
  
    leaf enabled {  
        description  
            "Specifies if the scaling policy can be applied";  
        type boolean;  
        default true;  
    }  
  
    leaf scale-in-operation-type {  
        description  
            "Operation to be applied to check between scaling criteria to  
            check if the scale in threshold condition has been met.  
            Defaults to AND";  
        type scaling-criteria-operation;  
        default AND;  
    }  
  
    leaf scale-out-operation-type {  
        description  
            "Operation to be applied to check between scaling criteria to  
            check if the scale out threshold condition has been met.  
            Defaults to OR";  
        type scaling-criteria-operation;  
        default OR;  
    }  
  
    leaf threshold-time {  
        description  
            "The duration for which the criteria must hold true";  
        type uint32;  
        mandatory true;  
    }  
  
    leaf cooldown-time {  
        description  
            "The duration after a scaling-in/scaling-out action has been  
            triggered, for which there will be no further optional";  
        type uint32;  
        mandatory true;  
    }  
}
```

```
list scaling-criteria {
  description
    "list of conditions to be met for generating scaling
    requests";
  key "name";

  leaf name {
    type string;
  }

  leaf scale-in-threshold {
    description
      "Value below which scale-in requests are generated";
    type uint64;
  }

  leaf scale-out-threshold {
    description
      "Value above which scale-out requests are generated";
    type uint64;
  }

  leaf ns-monitoring-param-ref {
    description
      "Reference to the NS level monitoring parameter
      that is aggregated";
    type leafref {
      path "../.../.../monitoring-param/id";
    }
  }
}

list vnfd-member {
  description "List of VNFs in this scaling group";
  key "member-vnf-index-ref";

  leaf member-vnf-index-ref {
    description "member VNF index of this member VNF";
    type leafref {
      path "../.../.../constituent-vnfd/member-vnf-index";
    }
  }

  leaf count {
    description
      "count of this member VNF within this scaling group.
      The count allows to define the number of instances
      when a scaling action targets this scaling group";
    type uint32;
    default 1;
  }
}

leaf min-instance-count {
  description
```



```
        "Minimum instances of the scaling group which are allowed.  
        These instances are created by default when the network service  
        is instantiated.";  
    type uint32;  
    default 0;  
}  
  
leaf max-instance-count {  
    description  
        "Maximum instances of this scaling group that are allowed  
        in a single network service. The network service scaling  
        will fail, when the number of service group instances  
        exceed the max-instance-count specified.";  
    type uint32;  
    default 10;  
}  
  
list scaling-config-action {  
    description "List of scaling config actions";  
    key "trigger";  
  
    leaf trigger {  
        description "scaling trigger";  
        type scaling-trigger;  
    }  
  
    leaf ns-config-primitive-name-ref {  
        description "Reference to the NS config name primitive";  
        type leafref {  
            path "../..../service-primitive/name";  
        }  
    }  
}  
  
list placement-groups {  
    description "List of placement groups at NS level";  
  
    key "name";  
    uses manotypes:placement-group-info;  
  
    list member-vnfd {  
        description  
            "List of VNFs that are part of this placement group";  
  
        key "member-vnf-index-ref";  
  
        leaf member-vnf-index-ref {  
            description "member VNF index of this member VNF";  
            type leafref {  
                path "../..../constituent-vnfd/member-vnf-index";  
            }  
        }  
  
        leaf vnfd-id-ref {  
            description
```

```

        "Identifier for the VNFD.";
    type leafref {
        path "../.../constituent-vnfd" +
            "[member-vnf-index = current()/../member-vnf-index-ref]" +
            "/vnfd-id-ref";
    }
}
}
}

uses manotypes:ip-profile-list;

list vnf-dependency {
    description
        "List of VNF dependencies.";
    key vnf-source-ref;
    leaf vnf-source-ref {
        type leafref {
            path "../.../constituent-vnfd/vnfd-id-ref";
        }
    }
    leaf vnf-depends-on-ref {
        description
            "Reference to VNF that source VNF depends.";
        type leafref {
            path "../.../constituent-vnfd/vnfd-id-ref";
        }
    }
}

list vnffgd {
    description
        "List of VNF Forwarding Graph Descriptors (VNFFGD).";

    key "id";

    leaf id {
        description
            "Identifier for the VNFFGD.";
        type string;
    }

    leaf name {
        description
            "VNFFGD name.";
        type string;
    }

    leaf short-name {
        description
            "Short name for VNFFGD for UI";
        type string;
    }

    leaf vendor {
        description "Provider of the VNFFGD.";
    }
}

```

```

    type string;
  }

  leaf description {
    description "Description of the VNFFGD.";
    type string;
  }

  leaf version {
    description "Version of the VNFFGD";
    type string;
  }

  list rsp {
    description
      "List of Rendered Service Paths (RSP).";

    key "id";

    leaf id {
      description
        "Identifier for the RSP.";
      type string;
    }

    leaf name {
      description
        "RSP name.";
      type string;
    }

    list vnfd-connection-point-ref {
      description
        "A list of references to connection points.";
      key "member-vnf-index-ref vnfd-connection-point-ref";

      leaf member-vnf-index-ref {
        description "Reference to member-vnf within constituent-vnfd";
        type leafref {
          path "../..../..../constituent-vnfd/member-vnf-index";
        }
      }

      leaf order {
        type uint8;
        description
          "A number that denotes the order of a VNF in a chain";
      }

      leaf vnfd-id-ref {
        description
          "A reference to a vnfd. This is a
          leafref to path:
          ../../../../nsd:constituent-vnfd
          + [nsd:id = current()../../nsd:id-ref]
          + /nsd:vnfd-id-ref";
      }
    }
  }

```

```

        NOTE: An issue with confd is preventing the
        use of xpath. Seems to be an issue with leafref
        to leafref, whose target is in a different module.
        Once that is resolved this will switched to use
        leafref";
    type leafref {
        path "../..../..../constituent-vnfd" +
            "[member-vnf-index = current()/../member-vnf-index-
ref]" +
            "/vnfd-id-ref";
    }
}

leaf vnfd-connection-point-ref {
    description
        "A reference to a connection point name
        in a vnfd. This is a leafref to path:
        /vnfd:vnfd-catalog/vnfd:vnfd
        + [vnfd:id = current()/../nsd:vnfd-id-ref]
        + /vnfd:connection-point/vnfd:name
        NOTE: An issue with confd is preventing the
        use of xpath. Seems to be an issue with leafref
        to leafref, whose target is in a different module.
        Once that is resolved this will switched to use
        leafref";
    type leafref {
        path "/vnfd:vnfd-catalog/vnfd:vnfd" +
            "[vnfd:id = current()/../vnfd-id-ref]/" +
            "vnfd:connection-point/vnfd:name";
    }
}
} //rsp

list classifier {
    description
        "List of classifier rules.";

    key "id";

    leaf id {
        description
            "Identifier for the classifier rule.";
        type string;
    }

    leaf name {
        description
            "Name of the classifier.";
        type string;
    }

    leaf rsp-id-ref {
        description
            "A reference to the RSP.";
        type leafref {

```

```

    path "../../../rsp/id";
  }
}

leaf member-vnf-index-ref {
  description "Reference to member-vnf within constituent-vnfds";
  type leafref {
    path "../../../constituent-vnfd/member-vnf-index";
  }
}

leaf vnfd-id-ref {
  description
    "A reference to a vnfd. This is a
    leafref to path:
      ../../../nsd:constituent-vnfd
      + [nsd:id = current()/../nsd:id-ref]
      + /nsd:vnfd-id-ref
    NOTE: An issue with confd is preventing the
    use of xpath. Seems to be an issue with leafref
    to leafref, whose target is in a different module.
    Once that is resolved this will switched to use
    leafref";
  type leafref {
    path "../../../constituent-vnfd" +
      "[member-vnf-index = current()/../member-vnf-index-ref]"
+
      "/vnfd-id-ref";
  }
}

leaf vnfd-connection-point-ref {
  description
    "A reference to a connection point name
    in a vnfd. This is a leafref to path:
      /vnfd:vnfd-catalog/vnfd:vnfd
      + [vnfd:id = current()/../nsd:vnfd-id-ref]
      + /vnfd:connection-point/vnfd:name
    NOTE: An issue with confd is preventing the
    use of xpath. Seems to be an issue with leafref
    to leafref, whose target is in a different module.
    Once that is resolved this will switched to use
    leafref";
  type leafref {
    path "/vnfd:vnfd-catalog/vnfd:vnfd" +
      "[vnfd:id = current()/../vnfd-id-ref]/" +
      "vnfd:connection-point/vnfd:name";
  }
}

list match-attributes {
  description
    "List of match attributes.";

  key "id";
}

```

```
leaf id {
  description
    "Identifier for the classifier match attribute rule.";
  type string;
}

leaf ip-proto {
  description
    "IP Protocol.";
  type uint8;
}

leaf source-ip-address {
  description
    "Source IP address.";
  type inet:ip-address;
}

leaf destination-ip-address {
  description
    "Destination IP address.";
  type inet:ip-address;
}

leaf source-port {
  description
    "Source port number.";
  type inet:port-number;
}

leaf destination-port {
  description
    "Destination port number.";
  type inet:port-number;
}
} //match-attributes
} // classifier
} // vnffgd

list monitoring-param {
  description
    "List of monitoring parameters from VNFs that should be
    propagated up into NSR";
  key "id";

  leaf id {
    type string;
  }

  leaf name {
    type string;
  }

  uses manotypes:monitoring-param-value;
  uses manotypes:monitoring-param-ui-data;
  uses manotypes:monitoring-param-aggregation;
```

```

list vnfd-monitoring-param {
  description "A list of VNFD monitoring params";
  key "member-vnf-index-ref vnfd-monitoring-param-ref";

  leaf vnfd-id-ref {
    description
      "A reference to a vnfd. This is a
      leafref to path:
      ../../../../nsd:constituent-vnfd
      + [nsd:id = current()/../nsd:id-ref]
      + /nsd:vnfd-id-ref
      NOTE: An issue with confd is preventing the
      use of xpath. Seems to be an issue with leafref
      to leafref, whose target is in a different module.
      Once that is resolved this will switched to use
      leafref";
    type leafref {
      path "../../../../../constituent-vnfd" +
        "[member-vnf-index = current()/../member-vnf-index-ref]" +
        "/vnfd-id-ref";
    }
  }

  leaf vnfd-monitoring-param-ref {
    description "A reference to the VNFD monitoring param";
    type leafref {
      path "/vnfd:vnfd-catalog/vnfd:vnfd"
        + "[vnfd:id = current()/../vnfd-id-ref]"
        + "/vnfd:monitoring-param/vnfd:id";
    }
  }

  leaf member-vnf-index-ref {
    description
      "Mandatory reference to member-vnf within constituent-vnfds";
    type leafref {
      path "../../../../../constituent-vnfd/member-vnf-index";
    }
  }
}

uses manotypes:input-parameter-xpath;

list parameter-pool {
  description
    "Pool of parameter values which must be
    pulled from during configuration";
  key "name";

  leaf name {
    description
      "Name of the configuration value pool";
    type string;
  }
}

```

```
    container range {
      description
        "Create a range of values to populate the pool with";

      leaf start-value {
        description
          "Generated pool values start at this value";
        type uint32;
        mandatory true;
      }

      leaf end-value {
        description
          "Generated pool values stop at this value";
        type uint32;
        mandatory true;
      }
    }
  }

  uses manotypes:ns-service-primitive;

  list initial-config-primitive {
    rwpb:msg-new NsdInitialConfigPrimitive;
    description
      "Initial set of configuration primitives for NSD.";
    key "seq";

    uses manotypes:initial-config;
  }

  list terminate-config-primitive {
    rwpb:msg-new NsdTerminateConfigPrimitive;
    description
      "Set of configuration primitives during
      termination for NSD.";
    key "seq";

    uses manotypes:event-config;
  }

  uses manotypes:cloud-config;
}

container nsd-catalog {

  list nsd {
    key "id";

    uses nsd-descriptor;
  }
}
```



```
}
```

Examples

See ["API Examples" on page 371](#)

nsd:connection-point

A list of references to network service connection points.

Each network service (NS):

- Has one or more external connection points used to link the NS to other NS or to external networks.
- Exposes these connection points to the orchestrator.

The orchestrator can construct network service chains by joining the connection points between different network services.

REST URI path

/nsd:nsd-catalog/nsd/STRING/connection-point/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the NS external connection point.
type	enum	1	Type of connection point. Supported types: VPORT: Virtual Port

nsd:vld

List of Virtual Link Descriptors (VLDs)

Network connections are defined by connection points and virtual links. There are three types of connection points:

- Connect a network service to the outside world, such as the network service endpoint, described in the NSD
- Connect between **VNFs** within a network service, such as the external interface of the VNF, described in the VNFD
- Connect between VMs, described in the **VNFC**

There are also two types of virtual links:

- External virtual links, which can be connected to network service endpoints and external VNF interfaces
- Internal virtual links, which can be connected to external VNF interfaces and VNFCs

Virtual links also follow the Metro Ethernet Forum **E-LINE**, **E-TREE**, and **E-LAN** services. Virtual link descriptors (VLDs) contain the **bandwidth** and **QoS** requirements of the interconnection.

VLDs are required for a functioning NSD.

REST URI path

/nsd:nsd-catalog/nsd/STRING/vld/STRING

Fields

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the VLD.
name	string	1	VLD name.
short-name	string	1	NSD short name to use as label in the UI.
vendor	string	1	Provider of the VLD.
description	string	1	Description of the VLD.

ID	Type	Cardinality	Description
version	string	1	Version of the VLD.
type	enum	1	Type of the virtual link. Supported values: ELAN: A multipoint service connecting a set of VNFs.
root-bandwidth	uint64	1	For ELAN this is the aggregate bandwidth.
leaf-bandwidth	uint64	1	For ELAN this is the bandwidth of branches.
vnfd-connection-point-ref	list	0..n	A list of references to connection points. See "nsd:vnfd-connection-point-ref" on page 77.
provider-network	container	1	Container for the provider network. See "nsd:provider-network " on page 78.
mgmt-network	boolean	1	[Default <i>true</i>] Denotes whether this network is a VIM management network.
vim-network-name	string		Name of network in VIM account. This field indicates pre-provisioned network name in cloud account.
ip-profile-ref	string	1	Named reference to IP-profile object.

nsd:vnfd-connection-point-ref

/nsd:nsd-catalog/nsd/STRING/vld/STRING/vnfd-connection-point-ref/0,STRING

ID	Type	Cardinality	Description
member-vnf-index-ref	reference	1	Reference to member-vnf within constituent units. This is a leafref to path: ../..../nsd:constituent-vndf/nsd:member-vnf-index
vnfd-id-ref	string	1	Reference to a VNFD. This is a leafref to path: ../..../nsd:constituent-vnfd + [nsd:id = current()]/../nsd:id-ref + /nsd:vnfd-id-ref
vnfd-connection-point-ref	string	1	Reference to a connection point name in a VNFD. This is a leafref to path: /vnfd:vnfd-catalog/vnfd:vnfd + [vnfd:id = current()]/../nsd:vnfd-id-ref + /vnfd:connection-point/vnfd:name

nsd:provider-network

/nsd:nsd-catalog/nsd/STRING/vld/STRING/provider-network

ID	Type	Cardinality	Description
physical-network	string	1	Name of the physical network on which the provider network is built.
overlay-type	enum	0..1	<p>Identifies the type of the overlay network, which is a virtual network that is built on top of an existing network and is supported by its infrastructure.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • LOCAL — A network that can be realized on a single host only. • FLAT — The simplest networking environment in which each instance receives a fixed IP from the pool. All instances are attached to the same bridges. • VLAN — A network of computers in which the computers behaves as if they are connected to the same wire. However, the computers might be physically located on different segments of a LAN. • VXLAN — A proposed encapsulation protocol for running an overlay network on existing Layer 3 infrastructure • GRE — GRE tunnels encapsulate isolated Layer 2 network traffic in IP packets. Packets are routed between compute and networking nodes using the hosts' network connectivity and routing tables.
segmentation-id	uint32	1	Segmentation ID.

nsd:constituent-vnfd

A list of Virtual Network Function Descriptors (VNFDs) that are part of this network service.

REST URI path

/nsd:nsd-catalog/nsd/STRING/constituent-vnfd/0

Fields

ID	Type	Cardinality	Description
member-vnfd-index	uint64	1	[Required] Identifier/index for the VNFD. Note: This separate ID is required so that multiple VNFs can be part of a single network service.
vnfd-id-ref	leafref	1	Identifier for the VNFD. This is a leafref to path: /vnfd:vnfd-catalog/vnfd:vnfd/vnfd:id
start-by-default	boolean	1	[Default <i>true</i>] VNFD is started as part of network service instantiation.

nsd:config-parameter-map

A mapping of VNF configuration parameter requests and sources within this network service.

REST URI path

/nsd:nsd-catalog/nsd/STRING/config-parameter-map/STRING

Fields

ID	Type	Cardinality	Description
id	string	1	Identifier for the VNF map.
config-parameter-request	container	1	See " nsd:config-parameter-request " on page 80.
config-parameter-source	container	1	See " nsd:config-parameter-source " on page 81.

nsd:config-parameter-request

/nsd:nsd-catalog/nsd/STRING/config-parameter-map/STRING/config-parameter-request

ID	Type	Cardinality	Description
member-vnf-index-ref	leafref	1	Reference to member-vnf within constituent-vnfds.
vnfd-id-ref	leafref	1	A reference to a VNFD. This is a leafref to path: ../..//nsd:constituent-vnfd + [nsd:id = current()../..//nsd:id-ref] + /nsd:vnfd-id-ref

ID	Type	Cardinality	Description
config-parameter-request-ref	leafref	1	Reference to the request in the VNF with the specified member-vnf-index.

nsd:config-parameter-source

/nsd:nsd-catalog/nsd/STRING/config-parameter-map/STRING/config-parameter-source

ID	Type	Cardinality	Description
member-vnf-index-ref	leafref	1	Reference to member-vnf within constituent-vnfd.
vnfd-id-ref	leafref	1	A reference to a VNFD. This is a leafref to path: ../..nsd:constituent-vnfd + [nsd:id = current()]/../nsd:id-ref + /nsd:vnfd-id-ref
config-parameter-request-ref	leafref	1	Reference to the source in the VNF with the specified member-vnf-index.

nsd:scaling-group-descriptor

Scaling group descriptor within this network service. A scaling group defines a group of VNFs and the ratio of VNFs in the network service that is used as the target for scaling action.

REST URI path

/nsd:nsd-catalog/nsd/STRING/scaling-group-descriptor/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the scaling group.
scaling-policy	list	0..n	List of scaling policy items. See " nsd:scaling-policy " on page 83.
vnfd-member	list	0..n	List of the VNFs in this scaling group. See " nsd:vnfd-member " on page 85.
min-instance-count	uint32	1	[Default 0] Minimum instances of the scaling group allowed in a single network service. <hr/> Note: These instances are created by default when the network service is instantiated. <hr/>
max-instance-count	uint32	1	[Default 10] Maximum instance of this scaling group that are allowed in a single network service. The network service scaling will fail when the number of service group instances exceeds the max-instance-count specified.
scaling-config-action	list	0..n	List of conditions to be met for generating scaling requests. See " nsd:scaling-config-action " on page 85.

nsd:scaling-policy

/nsd:nsd-catalog/nsd/STRING/scaling-group-descriptor/STRING/scaling-policy/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the scaling policy.
scaling-type	enum	1	The scaling type. Supported values: <ul style="list-style-type: none"> 1 — manual 2 — automatic
enabled	boolean	1	[Default <i>true</i>] Specifies if the scaling policy can be applied.
scale-in-operation-type	enum	1	Operation to apply to check between scaling criteria and verify if the scale-in threshold condition has been met. Supported values: <ul style="list-style-type: none"> AND [Default] OR
scale-out-operation-type	enum	1	Operation to apply to check between scaling criteria and verify if the scale-out threshold condition has been met. Supported values: <ul style="list-style-type: none"> AND OR [Default]
threshold-time	uint32	1	[Required] The duration for which the criteria must hold true.

ID	Type	Cardinality	Description
cooldown-time	uint32	1	[Required] The duration after a scaling-in/scaling-out action has been triggered, for which there will be no further optional
scaling-criteria	list	0..n	List of conditions to be met for generating scaling requests. See " nsd:scaling-criteria " on page 84.

nsd:scaling-criteria

/nsd:nsd-catalog/nsd/STRING/scaling-group-descriptor/STRING/scaling-policy/STRING/scaling-criteria/STRING

ID	Type	Cardinality	Description
name	string	1	
scale-in-threshold	uint64	1	Value below which scale-in requests are generated.
scale-out-threshold	uint64	1	Value above which scale-in requests are generated.
ns-monitoring-param-ref	leafref	1	Reference to the network service level monitoring parameter that is aggregated. This is a leafref to path: <code>../../../../../monitoring-param/id</code>

nsd:vnfd-member

/nsd:nsd-catalog/nsd/STRING/scaling-group-descriptor/STRING/vnfd-member/0

ID	Type	Cardinality	Description
member-vnf-index-ref	leafref	1	Member VNF index of this member VNF. This is a leafref to path: ../..../constituent-vnfd-member-vnfd-index
count	uint32	1	[Default 1] Count of this member VNF within this scaling group. <hr/> Note: Use count to define the number of instances when a scaling action targets this scaling group. <hr/>

nsd:scaling-config-action

/nsd:nsd-catalog/nsd/STRING/scaling-group-descriptor/STRING/scaling-config-action/pre-scale-in

ID	Type	Cardinality	Description
trigger	enum	1	Scaling trigger type. Supported values: <ul style="list-style-type: none"> • 1 — pre-scale-in • 2 — post-scale-in • 3 — pre-scale-out • 4 — post-scale-out
ns-config-primitive-name-ref	leafref	1	Reference to the network service configuration primitive name. This is a leafref to path: ../..../service-primitive/name

nsd:placement-groups

A list of placement groups at the network service level.

REST URI path

/nsd:nsd-catalog/nsd/STRING/placement-groups/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Place group construct to define the compute resource placement strategy in cloud environment.
requirement	string	1	Describes the intent/rationale behind this placement group. <hr/> Note: This free-text field is for human consumption only <hr/>
strategy	enum	1	Strategy associated with this placement group. Supported values: <ul style="list-style-type: none"> • COLOCATION: [Default] Share the physical infrastructure (hypervisor/network) among all members of this group. • ISOLATION: Do not share the physical infrastructure (hypervisor/network) among the members of this group
member-vnfd	list	0..n	List of VNFDs that are part of this placement group. See " nsd:member-vnfd " on page 87.

nsd:member-vnfd

/nsd:nsd-catalog/nsd/STRING/placement-groups/STRING/member-vnfd/0

ID	Type	Cardinality	Description
member-vnf-index-ref	leafref	1	Member VNF index of this member VNF. This is a leafref to path: ../../constituent-vnfd/member-vnf-index
vnfd-id-ref	leafref	1	Identifier for the VNFD. This is a leafref to path: /vnfd:vnfd-catalog/vnfd:vnfd/vnfd:id

nsd:ip-profiles

List of IP profiles. IP profiles describe the IP characteristics for the virtual link.

REST URI path

/nsd:nsd-catalog/nsd/STRING/ip-profiles/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the IP profile.
description	string	1	Description of the IP profile.
ip-profile-params	container	1	Information about the IP profile. See " nsd:ip-profile-params " on page 88.

nsd:ip-profile-params

/nsd:nsd-catalog/nsd/STRING/ip-profiles/STRING/ip-profile-params

ID	Type	Cardinality	Description
ip-version	enum	1	[Default IPv4] Version of the Internet Protocol used.
subnet-address	union	1	Subnet IP prefix associated with this IP profile.
gateway-address	union	1	IP address of the default gateway associated with this IP profile.
security-group	string	1	Name of the security group.
dns-server	list	0..n	List of DNS servers associated with this IP profile. See " nsd:dns-server " on page 89.

ID	Type	Cardinality	Description
dhcp-params	container	1	Container for DHCP parameters. See " nsd:ip-profile-params " on page 88.
subnet-prefix-pool	string	1	VIM-specific reference to pre-created subnet prefix.

nsd:dns-server

/nsd:nsd-catalog/nsd/STRING/ip-profiles/STRING/ip-profile-params/dns-server/UNION_VALUE

ID	Type	Cardinality	Description
address	union	1	List of DNS servers associated with this IP profile.

nsd:dhcp-params

/nsd:nsd-catalog/nsd/STRING/ip-profiles/STRING/ip-profile-params/dhcp-params

ID	Type	Cardinality	Description
enabled	boolean	1	[Default <i>true</i>] Indicates if DHCP is enabled.
start-address	union	1	Start IP address of the IP address range associated with DHCP domain.
count	uint32	1	Size of the DHCP pool associated with DHCP domain.

nsd:vnf-dependency

List of VNF dependencies in the Network Service Descriptor.

REST URI path

/nsd:nsd-catalog/nsd/STRING/vnf-dependency/STRING

Fields

ID	Type	Cardinality	Description
vnf-dependency	leafref	1	List of VNF dependencies. This is a leafref to path: ../..../vnfd:vnfd-catalog/vnfd:vnfd/vnfd:id
vnf-dependson-ref	leafref	1	Reference to VNFD that on which the source VNF depends. This is a leafref to path: ../..../vnfd:vnfd-catalog/vnfd:vnfd/vnfd:id

nsd:vnffgd

List of VNF Forwarding Graph Descriptors.

A Virtual Network Function Forwarding Graph (VNFFG) is a graph, specified by a Network Service Provider, of bi-directional logical links that connect network function nodes, where at least one node is a VNF through which network traffic is directed.

The VNFFG descriptor contains metadata about the VNF forwarding graph itself, as well as references to VLs, VNFs and PNFs, and network forwarding path elements. These elements include policies, such as MAC forwarding rules and routing entries, and references to connection points, such as virtual ports and virtual NIC addresses.

REST URI path

/nsd:nsd-catalog/nsd/STRING/vnffgd/STRING

Fields

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the VNFFGD.
name	string	1	VNFFGD name.
short-name	string	1	VNFFGD short name to use as label in the UI.
vendor	string	1	Provider of the VNFFGD.
description	string	1	Description of the VNFFGD.
version	string	1	Version of the VNFFGD.
rsp	list	0..n	List of the Rendered Service Paths (RSP) for the VNFFGD. See " nsd:rsp " on page 92
classifier	list	0..n	List of classifier rules for the VNFFGD. See " nsd:classifier " on page 93.

nsd:rsp

/nsd:nsd-catalog/nsd/STRING/vnffgd/STRING/rsp/STRING

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the RSP.
name	string	1	RSP name.
vnfd-connection-point-ref	list	0..n	A list of references to connection points. See " nsd:vnfd-connection-point-ref " on page 92.

nsd:vnfd-connection-point-ref

/nsd:nsd-catalog/nsd/STRING/vnffgd/STRING/rsp/STRING/vnfd-connection-point-ref/0,STRING

ID	Type	Cardinality	Description
member-vnf-index-ref	leafref	1	Reference to member VNF within constituent VNFDs. This is a leafref to path: ../..../nsd:constituent-vnfd-nsd_member-vnf-index
order	uint8	1	A number that denotes the VNF in a chain.
vnfd-id-ref	leafref	1	A reference to a VNFD. This is a leafref to path: ../..../nsd:constituent-vnfd + [nsd:id = current()/../nsd:id-ref] + /nsd:vnfd-id-ref

ID	Type	Cardinality	Description
vnfd-connection-point-ref	leafref	1	A reference to a connection point name in a VNFD. This is a leafref to path: /vnfd:vnfd-catalog/vnfd:vnfd + [vnfd:id = current()/../nsd:vnfd-id-ref] + /vnfd:connection-point/vnfd:name

nsd:classifier

/nsd:nsd-catalog/nsd/STRING/vnffgd/STRING/classifier/STRING

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the classifier rule.
name	string	1	Name of the classifier.
rsp-id-ref	leafref	1	A reference to the RSP. This is a leafref to path: ../..//nsd:rsp/nsd:id
member-vnf-index-ref	leafref	1	Reference to member-vnf within constituent-vndfs. This is a leafref to path: ../..//nsd:constituent-vnfd/nsd:member-vnf-index

ID	Type	Cardinality	Description
vnfd-id-ref	leafref	1	A reference to a VNFD. This is a leafref to path: ../..../nsd:constituent-vnfd + [nsd:id = current()/../nsd:id-ref] + /nsd:vnfd-id-ref
vnfd-connection-point-ref	leafref	1	A reference to a connection point name in a VNFD. This is a leafref to path: /vnfd:vnfd-catalog/vnfd:vnfd + [vnfd:id = current()/../nsd:vnfd-id-ref] + /vnfd:connection-point/vnfd:name
match-attributes	list	0..n	List of match attributes. See " nsd:match-attributes " on page 94

nsd:match-attributes

/nsd:nsd-catalog/nsd/STRING/vnffgd/STRING/classifier/STRING/match-attributes/STRING

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the classifier match-attribute rule.
ip-proto	uint8	1	IP protocol.
source-ip-address	union	1	Source IP address.

ID	Type	Cardinality	Description
destination-ip-address	union	1	Destination IP address.
source-port	uint16	1	Source port number.
destination-port	uint16	1	Destination port number.

nsd:monitoring-param

List of monitoring parameters from VNFs to propagate to the Network Service Record (NSR).

REST URI path

/nsd:nsd-catalog/nsd/STRING/monitoring-param/STRING

Fields

ID	Type	Cardinality	Description
id	string	1	Identifier for the parameter.
name	string	1	Name of the monitoring parameter
value-type	enum	1	The type of the parameter value. Supported values: <ul style="list-style-type: none"> • INT (default) • DECIMAL • STRING
value-type	enum	1	The type of the parameter value. Supported values: <ul style="list-style-type: none"> • INT (default) • DECIMAL • STRING
numeric-constraints	container	1	Constraints for the numbers. See "nsd:numeric-constraints" on page 98.
text-constraints	container	1	Constraints for the string. See "nsd:text-constraints" on page 98.

ID	Type	Cardinality	Description
value-integer	int64	1	Current value for integer parameter.
value-decimal	decimal164	1	Current value for decimal parameter.
value-string	string	1	Current value for the string parameter.
description	string	1	
group-tag	string	1	A simple tag to group monitoring parameters
widget-type	enum	1	Type of the widget, typically used by the UI. Supported values: <ul style="list-style-type: none"> • HISTOGRAM • BAR • GAUGE • SLIDER • COUNTER • TEXTBOX
aggregation-type	enum	1	Aggregation type for the monitoring parameter. Supported values: <ul style="list-style-type: none"> • AVERAGE • MINIMUM • MAXIMUM • COUNT • SUM

ID	Type	Cardinality	Description
vnfd-monitoring-param	list	0..n	A list of VNFD monitoring parameters. See " nsd:vnfd-monitoring-param " on page 99.

nsd:numeric-constraints

/nsd:nsd-catalog/nsd/STRING/monitoring-param/STRING/numeric-constraints

ID	Type	Cardinality	Description
min-value	uint64	1	Minimum value for the parameter.
max-value	uint64	1	Maximum value for the parameter.

nsd:text-constraints

/nsd:nsd-catalog/nsd/STRING/monitoring-param/STRING/text-constraints

ID	Type	Cardinality	Description
min-length	uint8	1	Minimum string length for the parameter.
max-length	uint8	1	Maximum string length for the parameter.

nsd:vnfd-monitoring-param

/nsd:nsd-catalog/nsd/STRING/monitoring-param/STRING/vnfd-monitoring-param/0,STRING

ID	Type	Cardinality	Description
vnfd-id-ref	leafref	1	A reference to a VNFD. This is a leafref to path: ../..../nsd:constituent-vnfd + [nsd:id = current()../nsd:id-ref] + /nsd:vnfd-id-ref
vnfd-monitoring-param-ref	leafref	1	A reference to the VNFD monitoring parameter. This is a leafref to path: /vnfd:vnfd-catalog/vnfd:vnfd + [vnfd:id = current()../vnfd-id-ref] + /vnfd:monitoring-param/vnfd:id
member-vnf-index-ref	leafref	1	Optional reference to member-vnf within constituent-vnfds.

nsd:input-parameter-xpath

List of XPathS to parameters inside the Network Service Descriptor that can be customized during instantiation.

REST URI path

/nsd:nsd-catalog/nsd/STRING/input-parameter-xpath/STRING

Fields

ID	Type	Cardinality	Description
xpath	string	1	An xpath that specifies the element in a descriptor.
label	string	1	A descriptive string.
default-value	string	1	A default value for this input parameter.

nsd:parameter-pool

Pool of parameter values from which to pull during configuration.

REST URI path

/nsd:nsd-catalog/nsd/STRING/parameter-pool/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the configuration value pool.
range	container	1	Create a range of values from which to populate the pool. See " nsd:range " on page 101.

nsd:range

/nsd:nsd-catalog/nsd/STRING/parameter-pool/STRING/range

ID	Type	Cardinality	Description
start-value	uint32	1	[Required] Generated pool values start at this value.
end-value	uint32	1	[Required] Generated pool values end at this value.

nsd:service-primitive

Network service-level service primitives for the Network Service Descriptor.

REST URI path

/nsd:nsd-catalog/nsd/STRING/service-primitive/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the service primitive.
parameter	list	0..n	List of parameters for the service primitive. See " nsd:parameter " on page 102.
parameter-group	list	0..n	Grouping of parameters that are logically grouped in UI. See " nsd:parameter-group " on page 103.
vnf-primitive-group	list	0..n	List of service primitives grouped by the VNF. See " nsd:vnf-primitive-group " on page 105.
used-defined-script	string	1	A user-defined script.

nsd:parameter

/nsd:nsd-catalog/nsd/STRING/service-primitive/STRING/parameter/STRING

ID	Type	Cardinality	Description
name	string	1	Name of parameter.

ID	Type	Cardinality	Description
data-type	enum	1	Data type associated with the name. Supported values: <ul style="list-style-type: none"> • STRING • INTEGER • BOOLEAN
mandatory	boolean	1	[Default is <i>false</i>] Specifies whether this field is mandatory.
default-value	string	1	The default value for the field.
parameter-pool	string	1	NSD parameter pool name to use for this parameter.
read-only	boolean	1	The value should be dimmed by the UI. Applies only to parameters with default values.
hidden	boolean	1	The value should be hidden by the UI. Applies only to parameters with default values
out	boolean	1	[Default is <i>false</i>] Specifies if this is an output of the primitive execution

nsd:parameter-group

/nsd:nsd-catalog/nsd/STRING/service-primitive/STRING/parameter-group/STRING

ID	Type	Cardinality	Description
name	string	1	Name of parameter group.

ID	Type	Cardinality	Description
parameter	list	0..n	List of parameters to the service primitive. See " nsd:parameter-group:parameter " on page 104.
mandatory	boolean	1	[Default <i>true</i>] Specifies whether this group mandatory.

nsd:parameter-group:parameter

/nsd:nsd-catalog/nsd/STRING/service-primitive/STRING/parameter-group/STRING/parameter/STRING

ID	Type	Cardinality	Description
name	string	1	Name of parameter.
data-type	enum	1	Data type associated with the name. Supported values: <ul style="list-style-type: none"> • STRING • INTEGER • BOOLEAN
mandatory	boolean	1	[Default is <i>false</i>] Specifies whether this field is mandatory.
default-value	string	1	The default value for the field.
parameter-pool	string	1	NSD parameter pool name to use for this parameter.
read-only	boolean	1	The value should be dimmed by the UI. Applies only to parameters with default values.

ID	Type	Cardinality	Description
hidden	boolean	1	The value should be hidden by the UI. Applies only to parameters with default values
out	boolean	1	[Default is <i>false</i>] Specifies if this is an output of the primitive execution

nsd:vnf-primitive-group

/nsd:nsd-catalog/nsd/STRING/service-primitive/STRING/vnf-primitive-group/0

ID	Type	Cardinality	Description
member-vnf-index-ref	uint64	1	Reference to member-vnf within constituent-vnfs.
vnfd-id-ref	string	1	A reference to a VNFD. This is a leafref to path: ../..../nsd:constituent-vnfd + [nsd:id = current()/../nsd:id-ref] + /nsd:vnfd-id-ref
vnfd-name	string	1	Name of the VNFD.
primitive	list	1	A list of VNF primitives. See " nsd:vnf-primitive-group:primitive " on page 106

nsd:vnf-primitive-group:primitive

/nsd:nsd-catalog/nsd/STRING/service-primitive/STRING/vnf-primitive-group/0/primitive/0

ID	Type	Cardinality	Description
index	uint32	1	Index of this primitive.
name	string	1	Name of the primitive in the VNF primitive.

nsd:initial-config-primitive

Initial set of configuration primitives for the NSD, that are to be executed when the network service comes up.

REST URI path

/nsd:nsd-catalog/nsd/STRING/initial-config-primitive/0

Fields

ID	Type	Cardinality	Description
seq	uint64	1	Sequence number for the configuration primitive.
name	string	1	[Required] Name of the configuration primitive.
user-defined-script	string	1	A user-defined script.
parameter	list	0..n	List of parameters to the initial-config-primitive. See " nsd:parameter " on page 107.

nsd:parameter

/nsd:nsd-catalog/nsd/STRING/initial-config-primitive/0/parameter/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the parameter.
value	string	1	Value of the parameter.

nsd:terminate-config-primitive

Set of configuration primitives to be executed before tearing down the network service.

REST URI path

/nsd:nsd-catalog/nsd/STRING/terminate-config-primitive/0

Fields

ID	Type	Cardinality	Description
seq	uint64	1	Sequence number for the configuration primitive.
name	string	1	[Required] Name of the configuration primitive.
user-defined-script	string	1	A user-defined script.
parameter	list	0..n	List of parameters to the primitive. See " nsd:parameter " on page 108.

nsd:parameter

/nsd:nsd-catalog/nsd/STRING/terminate-config-primitive/0/parameter/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the parameter.
value	string	1	Value of the parameter.

nsd:key-pair

Used to configure the list of public keys to be injected as part of network service instantiation.

REST URI path

/nsd:nsd-catalog/nsd/STRING/key-pair/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of this key pair.
key	string	1	Key associated with this key pair.

nsd:user

List of users to be added through cloud-config.

REST URI path

/nsd:nsd-catalog/nsd/STRING/user/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the user.
user-info	string	1	The user name's real name.
key-pair	string	1	Used to configure the list of public keys to be injected as part of network service instantiation. See " nsd:key-pair " on page 110.

nsd:key-pair

/nsd:nsd-catalog/nsd/STRING/user/STRING/key-pair/STRING

ID	Type	Cardinality	Description
name	string	1	Name of this key pair.
key	string	1	Key associated with this key pair.

NS Lifecycle Management (nsr:nsd)

REST wrapper for network service lifecycle management (nsr:ns-instance-config). Provides methods for instantiating, updating, finding, and terminating a network service (NS). Also provides methods for creating, updating, listing, and deleting or VNF forwarding graph (VNFFG).

Methods and relative URLs

Method	Relative URL	Description
POST	/api/running/ns-instance-config	Instantiate a network service
PUT	/api/running/ns-instance-config/{UUID}	Update a network service
GET	/api/running/ns-instance-config/{UUID}	Query a network service
GET	/api/running/ns-instance-config	Retrieve a list of all network instances saved to the catalog
DELETE	/api/running/ns-instance-config/nsr{UUID}	Terminate a network service record

Fields

ID	Type	Cardinality	Description
id	string	1	Identifier of the network service record (NSR).
name	string	1	NSR name.
short-name	string	1	NSR short name (for display on UI).

ID	Type	Cardinality	Description
description	string	1	Description of the NSR.
admin-status	enum	1	Administrative status of the NS instance. Value can be: <ul style="list-style-type: none"> ENABLED (default) DISABLED
nsd	container	1	Network service descriptor used to instantiate this network service. See "nsr:nsd" on page 125.
input-parameter	list	0..n	List of XPath input parameters. See "nsr:input-parameter" on page 166.
scaling-group	list	0..n	List of network service scaling group instances. See "nsr:scaling-group" on page 167.
nsd-placement-group-maps	list	0..n	Mapping from mano-placement groups construct from NSD to cloud platform placement group construct. See "nsr:nsd-placement-group-maps" on page 168.
vnfd-placement-group-maps	list	0..n	Mapping from mano-placement groups construct from VNFD to cloud platform placement group construct. See "nsr:vnfd-placement-group-maps" on page 171.
ssh-authorized-key	list	0..n	List of authorized ssh keys as part of cloud-config. See "nsr:ssh-authorized-key" on page 174.

ID	Type	Cardinality	Description
user	list	0..n	List of users to be added through cloud-config. See "nsr:user" on page 175 .

MANO reference points

Os-Ma-nfvo

Schema

```
module nsr
{
  namespace "urn:ietf:params:xml:ns:yang:nfvo:nsr";
  prefix "nsr";

  import rw-pb-ext {
    prefix "rwpb";
  }

  import vlr {
    prefix "vlr";
  }

  import vld {
    prefix "vld";
  }

  import nsd {
    prefix "nsd";
  }

  import vnfd {
    prefix "vnfd";
  }

  import vnfr {
    prefix "vnfr";
  }

  import ietf-inet-types {
    prefix "inet";
  }

  import ietf-yang-types {
    prefix "yang";
  }

  import mano-types {
    prefix "manotypes";
  }
}
```

```
}

import rw-sdn {
  prefix "rwsdn";
}

revision 2015-09-10 {
  description
    "Initial revision. This YANG file defines
    the Network Service Record (NSR)";
  reference
    "Derived from earlier versions of base YANG files";
}

typedef config-states {
  type enumeration {
    enum init;
    enum configuring;
    enum config_not_needed;
    enum configured;
    enum failed;
    enum terminate;
  }
}

typedef trigger-type {
  type enumeration {
    enum ns-primitive;
    enum vnf-primitive;
  }
}

grouping cloud-config {
  description "List of cloud config parameters";

  list ssh-authorized-key {
    key "key-pair-ref";

    description "List of authorized ssh keys as part of cloud-config";

    leaf key-pair-ref {
      description "A reference to the key pair entry in the global key
pair table";
      type leafref {
        path "/nsr:key-pair/nsr:name";
      }
    }
  }
  list user {
    key "name";

    description "List of users to be added through cloud-config";
    leaf name {
      description "Name of the user ";
      type string;
    }
  }
}
```

```

    leaf user-info {
      description "The user name's real name";
      type string;
    }
    list ssh-authorized-key {
      key "key-pair-ref";

      description "Used to configure the list of public keys to be
injected as part
                    of ns instantiation";

      leaf key-pair-ref {
        description "A reference to the key pair entry in the global key
pair table";
        type leafref {
          path "/nsr:key-pair/nsr:name";
        }
      }
    }
  }
}

list key-pair {
  key "name";
  description "Used to configure the list of public keys to be injected as
part
                    of ns instantiation";
  leaf name {
    description "Name of this key pair";
    type string;
  }

  leaf key {
    description "Key associated with this key pair";
    type string;
  }
}

grouping event-config-primitive {
  leaf seq {
    description
      "Sequence number for the configuration primitive.";
    type uint64;
  }

  leaf name {
    description
      "Name of the configuration primitive.";
    type string;
    mandatory "true";
  }
}

leaf user-defined-script {
  description
    "A user defined script.";
  type string;
}

```

```
}

list parameter {
  key "name";
  leaf name {
    type string;
  }

  leaf value {
    type string;
  }
}

rpc start-network-service {
  description "Start the network service";
  input {
    leaf name {
      mandatory true;
      description "Name of the Network Service";
      type string;
    }
    leaf nsd-ref {
      description "Reference to NSR ID ref";
      mandatory true;
      type leafref {
        path "/nsd:nsd-catalog/nsd:nsd/nsd:id";
      }
    }
    uses ns-instance-config-params;
  }

  output {
    leaf nsr-id {
      description "Automatically generated parameter";
      type yang:uuid;
    }
  }
}

container ns-instance-config {

  list nsr {
    key "id";
    unique "name";

    leaf id {
      description "Identifier for the NSR.";
      type yang:uuid;
    }

    leaf name {
      description "NSR name.";
      type string;
    }
  }
}
```

```
    }

    leaf short-name {
      description "NSR short name.";
      type string;
    }

    leaf description {
      description "NSR description.";
      type string;
    }

    leaf admin-status {
      description
        "This is the administrative status of the NS instance";

      type enumeration {
        enum ENABLED;
        enum DISABLED;
      }
    }

    container nsd {
      description "NS descriptor used to instantiate this NS";
      uses nsd:nsd-descriptor;
    }

    uses ns-instance-config-params;
  }
}

grouping ns-instance-config-params {
  uses manotypes:input-parameter;

  list scaling-group {
    description "List of ns scaling group instances";
    key "scaling-group-name-ref";

    leaf scaling-group-name-ref {
      description "name of the scaling group";
      leafref path ../nsd/scaling-group-descriptor/name";
      type string;
    }
  }

  list instance {
    description "The instance of the scaling group";
    key "id";
    leaf id {
      description "Scaling group instance uuid";
      type uint16;
    }
  }
}

list nsd-placement-group-maps {
  description
```

```

    "Mapping from mano-placement groups construct from NSD to cloud
    platform placement group construct";

    key "placement-group-ref";

    leaf placement-group-ref {
        description
            "Reference for NSD placement group";
        // type leafref {
        //   path "../..//nsd/placement-groups/name";
        // }
        type string;
    }
    uses manotypes:placement-group-input;
}

list vnfd-placement-group-maps {
    description
        "Mapping from mano-placement groups construct from VNFD to cloud
        platform placement group construct";

    key "placement-group-ref vnfd-id-ref";

    leaf vnfd-id-ref {
        description
            "A reference to a vnfd. This is a
            leafref to path:
            ../../../../nsd:constituent-vnfd
            + [nsr:id = current()/../nsd:id-ref]
            + /nsd:vnfd-id-ref
            NOTE: An issue with confd is preventing the
            use of xpath. Seems to be an issue with leafref
            to leafref, whose target is in a different module.
            Once that is resolved this will be switched to use
            leafref";
        type yang:uuid;
    }

    leaf placement-group-ref {
        description
            "A reference to VNFD placement group";
        type leafref {
            path "/vnfd:vnfd-catalog/vnfd:vnfd[vnfd:id = current()/" +
                "../nsr:vnfd-id-ref]/vnfd:placement-groups/vnfd:name";
        }
    }

    uses manotypes:placement-group-input;
}

uses cloud-config;
}

grouping vnffgr {

    list vnffgr {

```

```

key "id";

leaf id {
  description "Identifier for the VNFFGR.";
  type yang:uuid;
}

leaf vnffgd-id-ref {
  description "VNFFGR descriptor id reference";
  type leafref {
    path "/nsr:ns-instance-config/nsr:nsr"
      + "[nsr:id=current()/../../ns-instance-config-ref]"
      + "/nsr:nsd/nsr:vnffgd/nsr:id";
  }
}

leaf vnffgd-name-ref {
  description "VNFFGR descriptor name reference";
  type leafref {
    path "/ns-instance-config/nsr"
      + "[id=current()/../../ns-instance-config-ref]"
      + "/nsd/vnffgd[nsr:id = current()/../../vnffgd-id-ref]"
      + "/name";
  }
}

leaf sdn-account {
  description
    "The SDN account to use when requesting resources for
    this vnffgr";
  type leafref {
    path "/rwsdn:sdn/rwsdn:account/rwsdn:name";
  }
}

leaf cloud-account {
  description "Cloud Account in which NSR is instantiated";
  type string;
}

leaf operational-status {
  description
    "The operational status of the VNFFGR instance
    init           : The VNFFGR has just started.
    running        : The VNFFGR is in running state.
    terminate      : The VNFFGR is being terminated.
    terminated     : The VNFFGR is in the terminated state.
    failed         : The VNFFGR instantiation failed
    ";

  type enumeration {
    rwpb:enum-type "VnffgrOperationalStatus";
    enum init;
    enum running;
    enum terminate;
    enum terminated;
  }
}

```

```
    enum failed;
  }
}

list rsp {
  key "id";

  leaf id {
    description
      "Identifier for the RSP.";
    type yang:uuid;
  }

  leaf name {
    description
      "Name for the RSP";
    type string;
  }

  leaf rsp-id {
    description
      "Returned Identifier for the RSP.";
    type yang:uuid;
  }

  leaf vnffgd-rsp-id-ref {
    description
      "Identifier for the VNFFGD Descriptor RSP reference";
    type leafref {
      path "/ns-instance-config/nsr"
        + "[id=current()/../../../../ns-instance-config-ref]"
        + "/nsd/vnffgd"
        + "[id=current()/../../../../vnffgd-id-ref]"
        + "/rsp/id";
    }
  }

  leaf vnffgd-rsp-name-ref {
    description
      "Name for the VNFFGD Descriptor RSP reference";
    type leafref {
      path "/ns-instance-config/nsr:nsr"
        + "[id=current()/../../../../ns-instance-config-ref]"
        + "/nsd/vnffgd"
        + "[id=current()/../../../../vnffgd-id-ref]"
        + "/rsp[id=current()/../../../../vnffgd-rsp-id-ref]"
        + "/name";
    }
  }

  leaf classifier-name {
    type string;
  }

  leaf path-id {
    description
```



```

        "Unique Identifier for the service path";
        type uint32;
    }

    list vnfr-connection-point-ref {
        key "hop-number";
        leaf hop-number {
            description
                "Monotonically increasing number to show service path hop
                order";
            type uint8;
        }
        leaf service-function-type {
            description
                "Type of Service Function.
                NOTE: This needs to map with Service Function Type in ODL to
                support VNFFG. Service Function Type is mandatory param in
                SFC. This is temporarily set to string for ease of use";
            type string;
        }

        leaf member-vnf-index-ref {
            type uint64;
        }
        leaf vnfd-id-ref {
            description
                "Reference to VNF Descriptor Id";
            type string;
        }
        leaf vnfr-id-ref {
            description
                "A reference to a vnfr id";
            type leafref {
                path "/vnfr:vnfr-catalog/vnfr:vnfr/vnfr:id";
            }
        }
        leaf vnfr-name-ref {
            description
                "A reference to a vnfr name";
            type leafref {
                path "/vnfr:vnfr-catalog/vnfr:vnfr/vnfr:name";
            }
        }
        leaf vnfr-connection-point-ref {
            description
                "A reference to a vnfr connection point.";
            type leafref {
                path "/vnfr:vnfr-catalog/vnfr:vnfr"
                    + "[vnfr:id = current()/../nsr:vnfr-id-ref]"
                    + "/vnfr:connection-point/vnfr:name";
            }
        }
        leaf service-index {
            description
                "Location within the service path";

```

```
    type uint8;
  }
  container connection-point-params {
    leaf mgmt-address {
      type inet:ip-address;
    }
    leaf name {
      type string;
    }
    leaf port-id {
      rwpb:field-inline "true";
      rwpb:field-string-max 64;
      type string;
    }
    leaf vm-id {
      rwpb:field-inline "true";
      rwpb:field-string-max 64;
      type string;
    }
    leaf address {
      type inet:ip-address;
    }
    leaf port {
      type inet:port-number;
    }
  }
}

container service-function-forwarder {
  leaf name {
    description
      "Service Function Forwarder name";
    type string;
  }
  leaf ip-address {
    description
      "Data Plane IP Address of the SFF";
    type inet:ip-address;
  }
  leaf port {
    description
      "Data Plane Port of the SFF";
    type inet:port-number;
  }
}
}
}

list classifier {
  key "id";

  leaf id {
    description
      "Identifier for the classifier rule.";
    type yang:uuid;
  }
  leaf name {
```

```
    description
      "Name of the classifier.";
    type string;
  }
  leaf-list classifier-id {
    description
      "Returned Identifier for the classifier rule.";
    type yang:uuid;
  }
  leaf rsp-id-ref {
    description
      "A reference to the RSP.";
    type leafref {
      path "../..//nsr:rsp/nsr:id";
    }
  }
  leaf rsp-name {
    description
      "Name for the RSP";
    type string;
  }
  leaf vnfr-id-ref {
    description
      "A reference to a vnfr id";
    type leafref {
      path "/vnfr:vnfr-catalog/vnfr:vnfr/vnfr:id";
    }
  }
  leaf vnfr-name-ref {
    description
      "A reference to a vnfr name";
    type leafref {
      path "/vnfr:vnfr-catalog/vnfr:vnfr/vnfr:name";
    }
  }
  leaf vnfr-connection-point-ref {
    description
      "A reference to a vnfr connection point.";
    type leafref {
      path "/vnfr:vnfr-catalog/vnfr:vnfr"
        + "[vnfr:id = current()../../nsr:vnfr-id-ref]"
        + "/vnfr:connection-point/vnfr:name";
    }
  }
  leaf port-id {
    rwpb:field-inline "true";
    rwpb:field-string-max 64;
    type string;
  }
  leaf vm-id {
    rwpb:field-inline "true";
    rwpb:field-string-max 64;
    type string;
  }
  leaf ip-address {
    type string;
  }
```

```
    }  
    leaf sff-name {  
        type string;  
    }  
}  
}
```

Examples

See ["API Examples" on page 371](#)

nsr:nsd

Network service descriptor (NSD) used to instantiate this network service (NS).

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd

Fields

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the NSD.
name	string	1	NSD name.
short-name	string	1	NSD short name to use as a label in the UI.
vendor	string	1	Vendor of the NSD.
logo	string	1	<p>File path of the vendor-specific logo. For example, icons/mylogo.png</p> <p>The logo should be part of the network service package.</p> <p>SVG format is preferred, but PNG is supported.</p> <p>Although there is no hard limit on size and dimension, a square image under 200px by 200px is preferred.</p>
description	string	1	Description of the NSD.
version	string	1	Version of the NSD.
connection-point	list	0..n	<p>A list of references to network service connection points.</p> <p>See "nsr:connection-point" on page 128.</p>

ID	Type	Cardinality	Description
vld	list	0..n	List of Virtual Link Descriptors (VLDs). See "nsr:vld" on page 129 .
constituent-vnfd	list	0..n	List of Virtual Network Function Descriptors (VNFDs) that are part of this network service. See "nsr:constituent-vnfd" on page 133 .
config-parameter-map	list	0..n	A mapping of VNF configuration parameter requests and sources within this network service. See "nsr:config-parameter-map" on page 134 .
scaling-group-descriptor	list	0..n	Scaling group descriptor within this network service. See "nsr:scaling-group-descriptor" on page 137 .
placement-groups	list	0..n	List of placement groups at the NS level. See "nsr:placement-groups" on page 141 .
ip-profiles-list	list	0..n	List of IP profiles. See "nsr:ip-profiles" on page 143 .
vnf-dependency	list	0..n	List of VNF dependencies. See "nsr:vnf-dependency" on page 145 .
vnffgd	list	0..n	List of VNF forwarding graph descriptor (VNFFGD). See "nsr:vnffgd" on page 146 .
monitoring-param	list	0..n	List of monitoring parameters at the network service level. See "nsr:monitoring-param" on page 151 .

ID	Type	Cardinality	Description
input-parameter-xpath	list	0..n	List of XPath to parameters inside the NSD that can be customized during instantiation. See "nsr:input-parameter-xpath" on page 155
parameter-pool	list	0..n	Pool of parameter values that must be pulled from during configuration. See "nsr:parameter-pool" on page 156 .
service-primitive	list	0..n	Network service level configuration primitives. See "nsr:service-primitive" on page 157 .
initial-config-primitive	list	0..n	Set of configuration primitives to be executed when the network service comes up. See "nsr:initial-config-primitive" on page 162
terminate-config-primitive	list	0..n	Set of configuration primitives to be executed before during termination of the network service. See "nsr:terminate-config-primitive" on page 163 .
key-pair	list	0..n	Used to configure the list of public keys to be injected as part of network service instantiation. See "nsr:key-pair" on page 164 .
user	list	0..n	List of users to be added through cloud-config. See "nsr:user" on page 165 .

nsr:connection-point

A list of references to network service connection points.

Each network service (NS):

- Has one or more external connection points used to link the NS to other NS or to external networks.
- Exposes these connection points to the orchestrator.

The orchestrator can construct network service chains by joining the connection points between different network services.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/connection-point/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the NS external connection point.
type	enum	1	Type of connection point. Supported types: VPORT: Virtual Port

nsr:vld

List of Virtual Link Descriptors (VLDs)

Network connections are defined by connection points and virtual links. There are three types of connection points:

- Connect a network service to the outside world, such as the network service endpoint, described in the NSD
- Connect between **VNFs** within a network service, such as the external interface of the VNF, described in the VNFD
- Connect between VMs, described in the **VNFC**

There are also two types of virtual links:

- External virtual links, which can be connected to network service endpoints and external VNF interfaces
- Internal virtual links, which can be connected to external VNF interfaces and VNFCs

Virtual links also follow the Metro Ethernet Forum E-LINE, E-TREE, and E-LAN services. Virtual link descriptors (VLDs) contain the bandwidth and QoS requirements of the interconnection.

VLDs are required for a functioning NSD.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/vld/STRING

Fields

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the VLD.
name	string	1	VLD name.
short-name	string	1	NSD short name to use as label in the UI.
vendor	string	1	Provider of the VLD.
description	string	1	Description of the VLD.

ID	Type	Cardinality	Description
version	string	1	Version of the VLD.
type	enum	1	Type of the virtual link. Supported values: ELAN: A multipoint service connecting a set of VNFs.
root-bandwidth	uint64	1	For ELAN this is the aggregate bandwidth.
leaf-bandwidth	uint64	1	For ELAN this is the bandwidth of branches.
vnfd-connection-point-ref	list	0..n	A list of references to connection points. See "nsr:vnfd-connection-point-ref" on page 131.
provider-network	container	1	Container for the provider network. See "nsr:provider-network " on page 132.
mgmt-network	boolean	1	[Default <i>true</i>] Denotes whether this network is a VIM management network.
vim-network-name	string		Name of network in VIM account. This field indicates pre-provisioned network name in cloud account.
ip-profile-ref	string	1	Named reference to IP-profile object.

nsr:vnfd-connection-point-ref

/nsr:ns-instance-config/nsr/STRING/nsd/vld/STRING/vnfd-connection-point-ref/0,STRING

ID	Type	Cardinality	Description
member-vnf-index-ref	reference	1	Reference to member-vnf within constituent units. This is a leafref to path: ../..../nsd:constituent-vndf/nsd:member-vnf-index
vnfd-id-ref	string	1	Reference to a VNFD. This is a leafref to path: ../..../nsd:constituent-vnfd + [nsd:id = current()../nsd:id-ref] + /nsd:vnfd-id-ref
vnfd-connection-point-ref	string	1	Reference to a connection point name in a VNFD. This is a leafref to path: /vnfd:vnfd-catalog/vnfd:vnfd + [vnfd:id = current()../nsd:vnfd-id-ref] + /vnfd:connection-point/vnfd:name

nsr:provider-network

/nsr:ns-instance-config/nsr/STRING/nsd/vld/STRING/provider-network

ID	Type	Cardinality	Description
physical-network	string	1	Name of the physical network on which the provider network is built.
overlay-type	enum	0..1	<p>Identifies the type of the overlay network, which is a virtual network that is built on top of an existing network and is supported by its infrastructure.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • LOCAL — A network that can be realized on a single host only. • FLAT — The simplest networking environment in which each instance receives a fixed IP from the pool. All instances are attached to the same bridges. • VLAN — A network of computers in which the computers behaves as if they are connected to the same wire. However, the computers might be physically located on different segments of a LAN. • VXLAN — A proposed encapsulation protocol for running an overlay network on existing Layer 3 infrastructure • GRE — GRE tunnels encapsulate isolated Layer 2 network traffic in IP packets. Packets are routed between compute and networking nodes using the hosts' network connectivity and routing tables.
segmentation-id	uint32	1	Segmentation ID.

nsr:constituent-vnfd

A list of Virtual Network Function Descriptors (VNFDs) that are part of this network service.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/constituent-vnfd/0

Fields

ID	Type	Cardinality	Description
member-vnfd-index	uint64	1	<p>[Required] Identifier/index for the VNFD.</p> <p>.....</p> <p>Note: This separate ID is required so that multiple VNFs can be part of a single network service.</p> <p>.....</p>
vnfd-id-ref	leafref	1	<p>Identifier for the VNFD.</p> <p>This is a leafref to path:</p> <p>/vnfd:vnfd-catalog/vnfd:vnfd/vnfd:id</p>
start-by-default	boolean	1	<p>[Default <i>true</i>] VNFD is started as part of network service instantiation.</p>

nsr:config-parameter-map

A mapping of VNF configuration parameter requests and sources within this network service.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/config-parameter-map/STRING

Fields

ID	Type	Cardinality	Description
id	string	1	Identifier for the VNF map.
config-parameter-request	container	1	See " nsr:config-parameter-request " on page 135.
config-parameter-source	container	1	See " nsr:config-parameter-source " on page 136.

nsr:config-parameter-request

/nsr:ns-instance-config/nsr/STRING/nsd/config-parameter-map/STRING/config-parameter-request

ID	Type	Cardinality	Description
member-vnf-index-ref	leafref	1	Reference to member-vnf within constituent-vnfd.
vnfd-id-ref	leafref	1	A reference to a VNFD. This is a leafref to path: ../..//nsd:constituent-vnfd + [nsd:id = current()../..//nsd:id-ref] + /nsd:vnfd-id-ref
config-parameter-request-ref	leafref	1	Reference to the request in the VNF with the specified member-vnf-index.

nsr:config-parameter-source

/nsr:ns-instance-config/nsr/STRING/nsd/config-parameter-map/STRING/config-parameter-source

ID	Type	Cardinality	Description
member-vnf-index-ref	leafref	1	Reference to member-vnf within constituent-vnfds.
vnfd-id-ref	leafref	1	A reference to a VNFD. This is a leafref to path: ../../nsd:constituent-vnfd + [nsd:id = current()../nsd:id-ref] + /nsd:vnfd-id-ref
config-parameter-request-ref	leafref	1	Reference to the source in the VNF with the specified member-vnf-index.

nsr:scaling-group-descriptor

Scaling group descriptor within this network service. A scaling group defines a group of VNFs and the ratio of VNFs in the network service that is used as the target for scaling action.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/scaling-group-descriptor/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the scaling group.
scaling-policy	list	0..n	List of scaling policy items. See "nsr:scaling-policy" on page 138.
vnfd-member	list	0..n	List of the VNFs in this scaling group. See "nsr:vnfd-member" on page 140.
min-instance-count	uint32	1	[Default 0] Minimum instances of the scaling group allowed in a single network service. <hr/> Note: These instances are created by default when the network service is instantiated. <hr/>
max-instance-count	uint32	1	[Default 10] Maximum instance of this scaling group that are allowed in a single network service. The network service scaling will fail when the number of service group instances exceeds the max-instance-count specified.
scaling-config-action	list	0..n	List of conditions to be met for generating scaling requests. See "nsr:scaling-config-action" on page 140.

nsr:scaling-policy

/nsr:ns-instance-config/nsr/STRING/nsd/scaling-group-descriptor/STRING/scaling-policy/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the scaling policy.
scaling-type	enum	1	The scaling type. Supported values: <ul style="list-style-type: none"> 1 — manual 2 — automatic
enabled	boolean	1	[Default <i>true</i>] Specifies if the scaling policy can be applied.
scale-in-operation-type	enum	1	Operation to apply to check between scaling criteria and verify if the scale-in threshold condition has been met. Supported values: <ul style="list-style-type: none"> AND [Default] OR
scale-out-operation-type	enum	1	Operation to apply to check between scaling criteria and verify if the scale-out threshold condition has been met. Supported values: <ul style="list-style-type: none"> AND OR [Default]
threshold-time	uint32	1	[Required] The duration for which the criteria must hold true.

ID	Type	Cardinality	Description
cooldown-time	uint32	1	[Required] The duration after a scaling-in/scaling-out action has been triggered, for which there will be no further optional
scaling-criteria	list	0..n	List of conditions to be met for generating scaling requests. See " nsr:scaling-criteria " on page 139.

nsr:scaling-criteria

/nsr:ns-instance-config/nsr/STRING/nsd/scaling-group-descriptor/STRING/scaling-policy/STRING/scaling-criteria/STRING

ID	Type	Cardinality	Description
name	string	1	
scale-in-threshold	uint64	1	Value below which scale-in requests are generated.
scale-out-threshold	uint64	1	Value above which scale-in requests are generated.
ns-monitoring-param-ref	leafref	1	Reference to the network service level monitoring parameter that is aggregated. This is a leafref to path: <code>../../../../../monitoring-param/id</code>

nsr:vnfd-member

/nsr:ns-instance-config/nsr/STRING/nsd/scaling-group-descriptor/STRING/vnfd-member/0

ID	Type	Cardinality	Description
member-vnf-index-ref	leafref	1	Member VNF index of this member VNF. This is a leafref to path: ../..../constituent-vnfd-member-vnfd-index
count	uint32	1	[Default 1] Count of this member VNF within this scaling group. Note: Use count to define the number of instances when a scaling action targets this scaling group.

nsr:scaling-config-action

/nsr:ns-instance-config/nsr/STRING/nsd/scaling-group-descriptor/STRING/scaling-config-action/pre-scale-in

ID	Type	Cardinality	Description
trigger	enum	1	Scaling trigger type. Supported values: <ul style="list-style-type: none"> • 1 — pre-scale-in • 2 — post-scale-in • 3 — pre-scale-out • 4 — post-scale-out
ns-config-primitive-name-ref	leafref	1	Reference to the network service configuration primitive name. This is a leafref to path: ../..../service-primitive/name

nsr:placement-groups

A list of placement groups at the network service level.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/placement-groups/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Place group construct to define the compute resource placement strategy in cloud environment.
requirement	string	1	Describes the intent/rationale behind this placement group. <hr/> Note: This free-text field is for human consumption only <hr/>
strategy	enum	1	Strategy associated with this placement group. Supported values: <ul style="list-style-type: none"> • COLOCATION: [Default] Share the physical infrastructure (hypervisor/network) among all members of this group. • ISOLATION: Do not share the physical infrastructure (hypervisor/network) among the members of this group
member-vnfd	list	0..n	List of VNFDs that are part of this placement group. See " nsr:member-vnfd " on page 142.

nsr:member-vnfd

/nsr:ns-instance-config/nsr/STRING/nsd/placement-groups/STRING/member-vnfd/0

ID	Type	Cardinality	Description
member-vnf-index-ref	leafref	1	Member VNF index of this member VNF. This is a leafref to path: ../../constituent-vnfd/member-vnf-index
vnfd-id-ref	leafref	1	Identifier for the VNFD. This is a leafref to path: /vnfd:vnfd-catalog/vnfd:vnfd/vnfd:id

nsr:ip-profiles

List of IP profiles. IP profiles describe the IP characteristics for the virtual link.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/ip-profiles/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the IP profile.
description	string	1	Description of the IP profile.
ip-profile-params	container	1	Information about the IP profile. See " nsr:ip-profile-params " on page 143.

nsr:ip-profile-params

/nsr:ns-instance-config/nsr/STRING/nsd/ip-profiles/STRING/ip-profile-params

ID	Type	Cardinality	Description
ip-version	enum	1	[Default IPv4] Version of the Internet Protocol used.
subnet-address	union	1	Subnet IP prefix associated with this IP profile.
gateway-address	union	1	IP address of the default gateway associated with this IP profile.
security-group	string	1	Name of the security group.

ID	Type	Cardinality	Description
dns-server	list	0..n	List of DNS servers associated with this IP profile. See "nsr:dns-server" on page 144.
dhcp-params	container	1	Container for DHCP parameters. See "nsr:ip-profile-params" on page 143.
subnet-prefix-pool	string	1	VIM-specific reference to pre-created subnet prefix.

nsr:dns-server

/nsr:ns-instance-config/nsr/STRING/nsd/ip-profiles/STRING/ip-profile-params/dns-server/UNION_VALUE

ID	Type	Cardinality	Description
address	union	1	List of DNS servers associated with this IP profile.

nsr:dhcp-params

/nsr:ns-instance-config/nsr/STRING/nsd/ip-profiles/STRING/ip-profile-params/dhcp-params

ID	Type	Cardinality	Description
enabled	boolean	1	[Default <i>true</i>] Indicates if DHCP is enabled.
start-address	union	1	Start IP address of the IP address range associated with DHCP domain.
count	uint32	1	Size of the DHCP pool associated with DHCP domain.

nsr:vnf-dependency

List of VNF dependencies in the Network Service Descriptor.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/vnf-dependency/STRING

Fields

ID	Type	Cardinality	Description
vnf-dependency	leafref	1	List of VNF dependencies. This is a leafref to path: ../..../vnfd:vnfd-catalog/vnfd:vnfd/vnfd:id
vnf-dependson-ref	leafref	1	Reference to VNFD that on which the source VNF depends. This is a leafref to path: ../..../vnfd:vnfd-catalog/vnfd:vnfd/vnfd:id

nsr:vnffgd

List of VNF Forwarding Graph Descriptors.

A Virtual Network Function Forwarding Graph (VNFFG) is a graph, specified by a Network Service Provider, of bi-directional logical links that connect network function nodes, where at least one node is a VNF through which network traffic is directed.

The VNFFG descriptor contains metadata about the VNF forwarding graph itself, as well as references to VLs, VNFs and PNFs, and network forwarding path elements. These elements include policies, such as MAC forwarding rules and routing entries, and references to connection points, such a virtual ports and virtual NIC addresses.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/vnffgd/STRING

Fields

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the VNFFGD.
name	string	1	VNFFGD name.
short-name	string	1	VNFFGD short name to use as label in the UI.
vendor	string	1	Provider of the VNFFGD.
description	string	1	Description of the VNFFGD.
version	string	1	Version of the VNFFGD.
rsp	list	0..n	List of the Rendered Service Paths (RSP) for the VNFFGD. See "nsr:rsp" on page 147
classifier	list	0..n	List of classifier rules for the VNFFGD. See "nsr:classifier" on page 148 .

nsr:rsp

/nsr:ns-instance-config/nsr/STRING/nsd/vnffgd/STRING/rsp/STRING

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the RSP.
name	string	1	RSP name.
vnfd-connection-point-ref	list	0..n	A list of references to connection points. See " nsr:vnfd-connection-point-ref " on page 147.

nsr:vnfd-connection-point-ref

/nsr:ns-instance-config/nsr/STRING/nsd/vnffgd/STRING/rsp/STRING/vnfd-connection-point-ref/0,STRING

ID	Type	Cardinality	Description
member-vnf-index-ref	leafref	1	Reference to member VNF within constituent VNFDs. This is a leafref to path: ../..../nsd:constituent-vnfd-nsd_member-vnf-index
order	uint8	1	A number that denotes the VNF in a chain.
vnfd-id-ref	leafref	1	A reference to a VNFD. This is a leafref to path: ../..../nsd:constituent-vnfd + [nsd:id = current()/../nsd:id-ref] + /nsd:vnfd-id-ref

ID	Type	Cardinality	Description
vnfd-connection-point-ref	leafref	1	A reference to a connection point name in a VNFD. This is a leafref to path: /vnfd:vnfd-catalog/vnfd:vnfd + [vnfd:id = current()/../nsd:vnfd-id-ref] + /vnfd:connection-point/vnfd:name

nsr:classifier

/nsr:ns-instance-config/nsr/STRING/nsd/vnffgd/STRING/classifier/STRING

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the classifier rule.
name	string	1	Name of the classifier.
rsp-id-ref	leafref	1	A reference to the RSP. This is a leafref to path: ../..nsd:rsp/nsd:id
member-vnf-index-ref	leafref	1	Reference to member-vnf within constituent-vndfs. This is a leafref to path: ../..../nsd:constituent-vnfd/nsd:member-vnf-index

ID	Type	Cardinality	Description
vnfd-id-ref	leafref	1	A reference to a VNFD. This is a leafref to path: ../..../nsd:constituent-vnfd + [nsd:id = current()/../nsd:id-ref] + /nsd:vnfd-id-ref
vnfd-connection-point-ref	leafref	1	A reference to a connection point name in a VNFD. This is a leafref to path: /vnfd:vnfd-catalog/vnfd:vnfd + [vnfd:id = current()/../nsd:vnfd-id-ref] + /vnfd:connection-point/vnfd:name
match-attributes	list	0..n	List of match attributes. See " nsr:match-attributes " on page 149

nsr:match-attributes

/nsr:ns-instance-config/nsr/STRING/nsd/vnffgd/STRING/classifier/STRING/match-attributes/STRING

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the classifier match-attribute rule.
ip-proto	uint8	1	IP protocol.
source-ip-address	union	1	Source IP address.

ID	Type	Cardinality	Description
destination-ip-address	union	1	Destination IP address.
source-port	uint16	1	Source port number.
destination-port	uint16	1	Destination port number.

nsr:monitoring-param

List of monitoring parameters from VNFs to propagate to the Network Service Record (NSR).

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/monitoring-param/STRING

Fields

ID	Type	Cardinality	Description
id	string	1	Identifier for the parameter.
name	string	1	Name of the monitoring parameter
value-type	enum	1	The type of the parameter value. Supported values: <ul style="list-style-type: none"> • INT (default) • DECIMAL • STRING
value-type	enum	1	The type of the parameter value. Supported values: <ul style="list-style-type: none"> • INT (default) • DECIMAL • STRING
numeric-constraints	container	1	Constraints for the numbers. See "nsr:numeric-constraints" on page 153.
text-constraints	container	1	Constraints for the string. See "nsr:text-constraints" on page 153.

ID	Type	Cardinality	Description
value-integer	int64	1	Current value for integer parameter.
value-decimal	decimal164	1	Current value for decimal parameter.
value-string	string	1	Current value for the string parameter.
description	string	1	
group-tag	string	1	A simple tag to group monitoring parameters
widget-type	enum	1	Type of the widget, typically used by the UI. Supported values: <ul style="list-style-type: none"> • HISTOGRAM • BAR • GAUGE • SLIDER • COUNTER • TEXTBOX
aggregation-type	enum	1	Aggregation type for the monitoring parameter. Supported values: <ul style="list-style-type: none"> • AVERAGE • MINIMUM • MAXIMUM • COUNT • SUM

ID	Type	Cardinality	Description
vnfd-monitoring-param	list	0..n	A list of VNFD monitoring parameters. See " nsr:vnfd-monitoring-param " on page 154.

nsr:numeric-constraints

/nsr:ns-instance-config/nsr/STRING/nsd/monitoring-param/STRING/numeric-constraints

ID	Type	Cardinality	Description
min-value	uint64	1	Minimum value for the parameter.
max-value	uint64	1	Maximum value for the parameter.

nsr:text-constraints

/nsr:ns-instance-config/nsr/STRING/nsd/monitoring-param/STRING/text-constraints

ID	Type	Cardinality	Description
min-length	uint8	1	Minimum string length for the parameter.
max-length	uint8	1	Maximum string length for the parameter.

nsr:vnfd-monitoring-param

/nsr:ns-instance-config/nsr/STRING/nsd/monitoring-param/STRING/vnfd-monitoring-param/0,STRING

ID	Type	Cardinality	Description
vnfd-id-ref	leafref	1	A reference to a VNFD. This is a leafref to path: ../..../nsd:constituent-vnfd + [nsd:id = current()../nsd:id-ref] + /nsd:vnfd-id-ref
vnfd-monitoring-param-ref	leafref	1	A reference to the VNFD monitoring parameter. This is a leafref to path: /vnfd:vnfd-catalog/vnfd:vnfd + [vnfd:id = current()../vnfd-id-ref] + /vnfd:monitoring-param/vnfd:id
member-vnf-index-ref	leafref	1	Optional reference to member-vnf within constituent-vnfds.

nsr:input-parameter-xpath

List of XPathS to parameters inside the Network Service Descriptor that can be customized during instantiation.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/input-parameter-xpath/STRING

Fields

ID	Type	Cardinality	Description
xpath	string	1	An xpath that specifies the element in a descriptor.
label	string	1	A descriptive string.
default-value	string	1	A default value for this input parameter.

nsr:parameter-pool

Pool of parameter values from which to pull during configuration.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/parameter-pool/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the configuration value pool.
range	container	1	Create a range of values from which to populate the pool. See " nsr:range " on page 156.

nsr:range

/nsr:ns-instance-config/nsr/STRING/nsd/parameter-pool/STRING/range

ID	Type	Cardinality	Description
start-value	uint32	1	[Required] Generated pool values start at this value.
end-value	uint32	1	[Required] Generated pool values end at this value.

nsr:service-primitive

Network service-level service primitives for the Network Service Descriptor.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/service-primitive/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the service primitive.
parameter	list	0..n	List of parameters for the service primitive. See " nsr:parameter " on page 157.
parameter-group	list	0..n	Grouping of parameters that are logically grouped in UI. See " nsr:parameter-group " on page 158.
vnf-primitive-group	list	0..n	List of service primitives grouped by the VNF. See " nsr:vnf-primitive-group " on page 160.
used-defined-script	string	1	A user-defined script.

nsr:parameter

/nsr:ns-instance-config/nsr/STRING/nsd/service-primitive/STRING/parameter/STRING

ID	Type	Cardinality	Description
name	string	1	Name of parameter.

ID	Type	Cardinality	Description
data-type	enum	1	Data type associated with the name. Supported values: <ul style="list-style-type: none"> • STRING • INTEGER • BOOLEAN
mandatory	boolean	1	[Default is <i>false</i>] Specifies whether this field is mandatory.
default-value	string	1	The default value for the field.
parameter-pool	string	1	NSD parameter pool name to use for this parameter.
read-only	boolean	1	The value should be dimmed by the UI. Applies only to parameters with default values.
hidden	boolean	1	The value should be hidden by the UI. Applies only to parameters with default values
out	boolean	1	[Default is <i>false</i>] Specifies if this is an output of the primitive execution

nsr:parameter-group

/nsr:ns-instance-config/nsr/STRING/nsd/service-primitive/STRING/parameter-group/STRING

ID	Type	Cardinality	Description
name	string	1	Name of parameter group.

ID	Type	Cardinality	Description
parameter	list	0..n	List of parameters to the service primitive. See " nsr:parameter-group:parameter " on page 159.
mandatory	boolean	1	[Default <i>true</i>] Specifies whether this group mandatory.

nsr:parameter-group:parameter

/nsr:ns-instance-config/nsr/STRING/nsd/service-primitive/STRING/parameter-group/STRING/parameter/STRING

ID	Type	Cardinality	Description
name	string	1	Name of parameter.
data-type	enum	1	Data type associated with the name. Supported values: <ul style="list-style-type: none"> • STRING • INTEGER • BOOLEAN
mandatory	boolean	1	[Default is <i>false</i>] Specifies whether this field is mandatory.
default-value	string	1	The default value for the field.
parameter-pool	string	1	NSD parameter pool name to use for this parameter.
read-only	boolean	1	The value should be dimmed by the UI. Applies only to parameters with default values.

ID	Type	Cardinality	Description
hidden	boolean	1	The value should be hidden by the UI. Applies only to parameters with default values
out	boolean	1	[Default is <i>false</i>] Specifies if this is an output of the primitive execution

nsr:vnf-primitive-group

/nsr:ns-instance-config/nsr/STRING/nsd/service-primitive/STRING/vnf-primitive-group/0

ID	Type	Cardinality	Description
member-vnf-index-ref	uint64	1	Reference to member-vnf within constituent-vnfs.
vnfd-id-ref	string	1	A reference to a VNFD. This is a leafref to path: ../..../nsd:constituent-vnfd + [nsd:id = current()/../nsd:id-ref] + /nsd:vnfd-id-ref
vnfd-name	string	1	Name of the VNFD.
primitive	list	1	A list of VNF primitives. See " nsr:vnf-primitive-group:primitive " on page 161

nsr:vnf-primitive-group:primitive

/nsr:ns-instance-config/nsr/STRING/nsd/service-primitive/STRING/vnf-primitive-group/0/primitive/0

ID	Type	Cardinality	Description
index	uint32	1	Index of this primitive.
name	string	1	Name of the primitive in the VNF primitive.

nsr:initial-config-primitive

Initial set of configuration primitives for the NSD, that are to be executed when the network service comes up.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/initial-config-primitive/0

Fields

ID	Type	Cardinality	Description
seq	uint64	1	Sequence number for the configuration primitive.
name	string	1	[Required] Name of the configuration primitive.
user-defined-script	string	1	A user-defined script.
parameter	list	0..n	List of parameters to the initial-config-primitive. See " nsr:parameter " on page 162.

nsr:parameter

/nsr:ns-instance-config/nsr/STRING/nsd/initial-config-primitive/0/parameter/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the parameter.
value	string	1	Value of the parameter.

nsr:terminate-config-primitive

Set of configuration primitives to be executed before tearing down the network service.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/terminate-config-primitive/0

Fields

ID	Type	Cardinality	Description
seq	uint64	1	Sequence number for the configuration primitive.
name	string	1	[Required] Name of the configuration primitive.
user-defined-script	string	1	A user-defined script.
parameter	list	0..n	List of parameters to the primitive. See " nsr:parameter " on page 163.

nsr:parameter

/nsr:ns-instance-config/nsr/STRING/nsd/terminate-config-primitive/0/parameter/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the parameter.
value	string	1	Value of the parameter.

nsr:key-pair

Used to configure the list of public keys to be injected as part of network service instantiation.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/key-pair/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of this key pair.
key	string	1	Key associated with this key pair.

nsr:user

List of users to be added through cloud-config.

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd/user/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the user.
user-info	string	1	The user name's real name.
key-pair	list	0..n	Used to configure the list of public keys to be injected as part of network service instantiation. See " nsr:key-pair " on page 165.

nsr:key-pair

/nsr:ns-instance-config/nsr/STRING/user/STRING/ssh-authorized-key/STRING

/nsr:ns-instance-config/nsr/STRING/nsd/user/STRING/key-pair/STRING

ID	Type	Cardinality	Description
key-pair-ref	leafref	1	A reference to the key-pair entry in the global key pair table.

nsr:input-parameter

List of XPath's input parameters.

REST URI path

/nsr:ns-instance-config/nsr/STRING/input-parameter/STRING

Fields

ID	Type	Cardinality	Description
xpath	string	1	An XPath that specifies which element in a descriptor is to be modified.
value	string	1	The value that the element specified by the XPath should take when a record is created.

nsr:scaling-group

List of network service scaling group instances.

REST URI path

/nsr:ns-instance-config/nsr/STRING/scaling-group/STRING

Fields

ID	Type	Cardinality	Description
scaling-group-name-ref	string	1	Name of the scaling group leafref path: ../nsd/scaling-group-descriptor/name
instance	list	0..n	The instance of the scaling group. See " nsr:instance " on page 167.

nsr:instance

/nsr:ns-instance-config/nsr/STRING/scaling-group/STRING/instance/0

ID	Type	Cardinality	Description
id	uint16	1	Scaling group instance uuid.

nsr:nsd-placement-group-maps

Mapping from mano-placement groups construct from NSD to cloud platform placement group construct .

REST URI path

/nsr:ns-instance-config/nsr/STRING/nsd-placement-group-maps/STRING

Fields

ID	Type	Cardinality	Description
placement-group-ref	string	1	Reference for the NSD placement group.
cloud-type	enum	1	Cloud account type: <ul style="list-style-type: none"> • aws • cloudsim • cloudsim_proxy • mock • openmano • openstack • vsphere • openvim • prop_cloud1
availability-zone	container	1	Name of the availability zone. See "nsr:availability-zone" on page 169.
server-group	container	1	Name of the affinity/anti-affinity server group. See "nsr:server-group" on page 169.
host-aggregate	list	0..n	Name of the host aggregate. See "nsr:host-aggregate" on page 170.

ID	Type	Cardinality	Description
aws-construct	empty		
openmano-construct	empty		
vsphere-construct	empty		
mock-construct	empty		
cloudsim-construct	empty		

nsr:availability-zone

/nsr:ns-instance-config/nsr/STRING/nsd-placement-group-maps/STRING/availability-zone

ID	Type	Cardinality	Description
name	string	1	Name of the availability zone.

nsr:server-group

/nsr:ns-instance-config/nsr/STRING/nsd-placement-group-maps/STRING/server-group

ID	Type	Cardinality	Description
name	string	1	Name of the affinity/anti-affinity server group.

nsr:host-aggregate

/nsr:ns-instance-config/nsr/STRING/nsd-placement-group-maps/STRING/host-aggregate/STRING

ID	Type	Cardinality	Description
metadata-key	string	1	
metadata-value	string	1	

nsr:vnfd-placement-group-maps

Mapping from mano-placement groups construct from VNFD to cloud platform placement group construct.

REST URI path

/nsr:ns-instance-config/nsr/STRING/vnfd-placement-group-maps/STRING,STRING

Fields

ID	Type	Cardinality	Description
vnfd-id-ref	string	1	A reference to a vnfd. This is a leafref to path: ../../../../nsd:constituent-vnfd + [nsr:id = current()/../../nsd:id-ref] + /nsd:vnfd-id-ref
placement-group-ref	leafref	1	A reference to VNFD placement group.
cloud-type	enum	1	Cloud account type: <ul style="list-style-type: none"> • aws • cloudsim • cloudsim_proxy • mock • openmano • openstack • vsphere • openvim • prop_cloud1
availability-zone	container	1	Name of the availability zone. See " nsr:availability-zone " on page 172.

ID	Type	Cardinality	Description
server-group	container	1	Name of the affinity/anti-affinity server group. See " nsr:server-group " on page 173.
host-aggregate	list	0..n	Name of the host aggregate. See " nsr:host-aggregate " on page 173.
aws-construct	empty		
openmano-construct	empty		
vsphere-construct	empty		
mock-construct	empty		
cloudsim-construct	empty		

nsr:availability-zone

/nsr:ns-instance-config/nsr/STRING/vnfd-placement-group-maps/STRING,STRING/availability-zone

ID	Type	Cardinality	Description
name	string	1	Name of the availability zone.

nsr:server-group

/nsr:ns-instance-config/nsr/STRING/vnfd-placement-group-maps/STRING,STRING/server-group

ID	Type	Cardinality	Description
name	string	1	Name of the affinity/anti-affinity server group.

nsr:host-aggregate

/nsr:ns-instance-config/nsr/STRING/vnfd-placement-group-maps/STRING,STRING/host-aggregate/STRING

ID	Type	Cardinality	Description
metadata-key	string	1	
metadata-value	string	1	

nsr:ssh-authorized-key

List of authorized SSH keys as part of cloud-config.

REST URI path

/nsr:ns-instance-config/nsr/STRING/ssh-authorized-key/STRING

Fields

ID	Type	Cardinality	Description
key-pair-ref	leafref	1	A reference to the key-pair entry in the global key pair table.

nsr:user

List of users to be added through cloud-config.

REST URI path

/nsr:ns-instance-config/nsr/STRING/user/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the user.
user-info	string	1	The user name's real name.
ssh-authorized-key	list	0..n	Used to configure the list of public keys to be injected as part of network service instantiation. See " nsr:ssh-authorized-key " on page 175

nsr:ssh-authorized-key

/nsr:ns-instance-config/nsr/STRING/user/STRING/ssh-authorized-key/STRING

ID	Type	Cardinality	Description
key-pair-ref	leafref	1	A reference to the key-pair entry in the global key pair table.

VNF Descriptor Management (vnfd:vnfd)

REST wrapper for VNFD descriptor management provides methods for onboarding, updating, querying, and deleting a VNF descriptor through the vnfd:vnfd-catalog.

The VNF includes one or more VDUs (the VM that hosts the network function), virtual links, and connection points. Each of these components (called nodes) has specific requirements, attributes, and capabilities, such as computational properties, that are defined in the VNF descriptor.

Methods and relative URLs

Method	Relative URL	Description
GET	/api/running/vnfd-catalog/vnfd/{UUID}	Query a VNF descriptor.
POST	/api/running/vnfd-catalog	Onboard a VNF descriptor to the catalog.
PUT	/api/running/vnfd-catalog/vnfd/{UUID}	Update a VNFD. The orchestrator verifies that VNFD is not in use by the NSD or by a running instances of a VNF.
DELETE	/api/running/vnfd-catalog/vnfd/{UUID}	Delete a VNF package. Note: The VNFD you want to delete cannot be in use by either the NSD or by a running instance of the VNF.

Fields

Descriptor details for the Virtual Network Function (VNF).

ID	Type	Cardinality	Description
id	string	1	Identifier for the VNFD.
name	string	1	VNFD name.
short-name	string	1	VNFD short name to use as a label in the UI.
vendor	string	1	Provider of the VNFD.
logo	string	1	<p>File path of the vendor-specific logo. For example, <code>icons/mylogo.png</code></p> <p>The logo should be part of the VNF package.</p> <p>SVG format is preferred, but PNG is supported.</p> <p>Although there is no hard limit on size and dimension, a square image under 200px by 200px is preferred.</p>
description	string	1	Description of the VNFD.
version	string	1	Version of the VNFD.
vnf-configuration	container		<p>Information about the VNF configuration for the management interface.</p> <p>See "vnfd:vnf-configuration" on page 189.</p>
config-parameter	container	1	<p>List of VNF configuration parameter requests and sources.</p> <p>See "vnfd:config-parameter" on page 196.</p>

ID	Type	Cardinality	Description
mgmt-interface	container	1	Interface over which the VNF is managed. See "vnfd:mgmt-interface" on page 199 .
internal-vld	list	0..n	List of internal Virtual Link Descriptors (VLD). See "vnfd:internal-vld" on page 201 .
ip-profiles	list	0..n	List of IP profiles. An IP profile describes the IP characteristics for the virtual-link. See "vnfd:ip-profiles" on page 204 .
connection-point	list	0..n	The list for external connection points. See "vnfd:connection-point" on page 206 .
vdu	list	0..n	List of virtual deployment units, which are VMs that host the network function. See "vnfd:vdu" on page 207
vdu-dependency	list	0..n	List of VDU dependencies. See "vnfd:vdu-dependency" on page 237 .
service-function-chain	enum	1	Type of node in service function chaining architecture. Supported types: <ul style="list-style-type: none"> • UNAWARE (default) • CLASSIFIER • SF • SFF

ID	Type	Cardinality	Description
service-function-type	string	1	Type of service function. <hr/> Note: This value needs to map to a service function type in the OpenDaylight platform to support VNFFG.
http-endpoint	list	0..n	List of http endpoints to be used by monitoring-param. See "vnfd:http-endpoint" on page 238 .
monitoring-param	list	0..n	List of monitoring parameters at the network service level. See vnfd:monitoring-param .
placement-groups	list	0..n	List of placement groups at VNF level. See "vnfd:placement-groups" on page 240 .

MANO reference points

Os-Ma-nfvo and Or-Vnfm

Schema

```

module vnfd
{
  namespace "urn:ietf:params:xml:ns:yang:nfvo:vnfd";
  prefix "vnfd";

  import mano-types {
    prefix "manotypes";
  }

  import rw-pb-ext {
    prefix "rwpb";
  }

  import ietf-yang-types {
    prefix "yang";
  }

  import ietf-inet-types {
    prefix "inet";
  }
}

```

```

}

revision 2015-09-10 {
  description
    "Initial revision. This YANG file defines
    the Virtual Network Function (VNF)";
  reference
    "Derived from earlier versions of base YANG files";
}

grouping common-connection-point {
  leaf name {
    description "Name of the connection point";
    type string;
  }

  leaf id {
    description "Identifier for the internal connection points";
    type string;
  }

  leaf short-name {
    description "Short name of the connection point";
    type string;
  }

  leaf type {
    description "Type of the connection point.";
    type manotypes:connection-point-type;
  }
}

grouping virtual-interface {
  container virtual-interface {
    description
      "Container for the virtual interface properties";

    leaf type {
      description
        "Specifies the type of virtual interface
        between VM and host.
        VIRTIO          : Use the traditional VIRTIO interface.
        PCI-PASSTHROUGH : Use PCI-PASSTHROUGH interface.
        SR-IOV          : Use SR-IOV interface.
        E1000           : Emulate E1000 interface.
        RTL8139         : Emulate RTL8139 interface.
        PCNET           : Emulate PCNET interface.
        OM-MGMT         : Used to specify openmano mgmt external-
connection type";

      type enumeration {
        enum OM-MGMT;
        enum PCI-PASSTHROUGH;
        enum SR-IOV;
        enum VIRTIO;
        enum E1000;
      }
    }
  }
}

```

```
        enum RTL8139;
        enum PCNET;
    }
    default "VIRTIO";
}

leaf vpci {
    description
        "Specifies the virtual PCI address. Expressed in
        the following format dddd:dd:dd.d. For example
        0000:00:12.0. This information can be used to
        pass as metadata during the VM creation.";
    type string;
}

leaf bandwidth {
    description
        "Aggregate bandwidth of the NIC.";
    type uint64;
}
}

container vnf-d-catalog {

    description
        "Virtual Network Function Descriptor (VNFD).";

    list vnf-d {
        key "id";

        leaf id {
            description "Identifier for the VNFD.";
            type string;
        }

        leaf name {
            description "VNFD name.";
            mandatory true;
            type string;
        }

        leaf short-name {
            description "VNFD short name.";
            type string;
        }

        leaf vendor {
            description "Vendor of the VNFD.";
            type string;
        }

        leaf logo {
            description
                "Vendor logo for the Virtual Network Function";
            type string;
        }
    }
}
```

```
}

leaf description {
  description "Description of the VNFD.";
  type string;
}

leaf version {
  description "Version of the VNFD";
  type string;
}

uses manotypes:vnf-configuration;

container mgmt-interface {
  description
    "Interface over which the VNF is managed.";

  choice endpoint-type {
    description
      "Indicates the type of management endpoint.";

    case ip {
      description
        "Specifies the static IP address for managing the VNF.";
      leaf ip-address {
        type inet:ip-address;
      }
    }

    case vdu-id {
      description
        "Use the default management interface on this VDU.";
      leaf vdu-id {
        type leafref {
          path "/vnfd:vnfd-catalog/vnfd:vnfd/vnfd:vdu/vnfd:id";
        }
      }
    }

    case cp {
      description
        "Use the ip address associated with this connection point.";
      leaf cp {
        type leafref {
          path "/vnfd:vnfd-catalog/vnfd:vnfd/vnfd:connection-
point/vnfd:name";
        }
      }
    }
  }
}

leaf port {
  description
    "Port for the management interface.";
  type inet:port-number;
}
```

```
}

container dashboard-params {
  description "Parameters for the VNF dashboard";

  leaf path {
    description "The HTTP path for the dashboard";
    type string;
  }

  leaf https {
    description "Pick HTTPS instead of HTTP , Default is false";
    type boolean;
  }

  leaf port {
    description "The HTTP port for the dashboard";
    type inet:port-number;
  }
}

list internal-vld {
  key "id";
  description
    "List of Internal Virtual Link Descriptors (VLD).
    The internal VLD describes the basic topology of
    the connectivity (e.g. E-LAN, E-Line, E-Tree)
    between internal VNF components of the system.";

  leaf id {
    description "Identifier for the VLD";
    type string;
  }

  leaf name {
    description "Name of the internal VLD";
    type string;
  }

  leaf short-name {
    description "Short name of the internal VLD";
    type string;
  }

  leaf description {
    type string;
  }

  leaf type {
    type manotypes:virtual-link-type;
  }

  leaf root-bandwidth {
    description
      "For ELAN this is the aggregate bandwidth.";
  }
}
```

```

    type uint64;
  }

  leaf leaf-bandwidth {
    description
      "For ELAN this is the bandwidth of branches.";
    type uint64;
  }

  list internal-connection-point {
    key "id-ref";
    description "List of internal connection points in this VLD";
    leaf id-ref {
      description "reference to the internal connection point id";
      type leafref {
        path "../..../vdu/internal-connection-point/id";
      }
    }
  }
}
uses manotypes:provider-network;
}

list connection-point {
  key "name";
  description
    "List for external connection points. Each VNF has one
    or more external connection points. As the name
    implies that external connection points are used for
    connecting the VNF to other VNFs or to external networks.
    Each VNF exposes these connection points to the
    orchestrator. The orchestrator can construct network
    services by connecting the connection points between
    different VNFs. The NFVO will use VLDs and VNFs at
    the network service level to construct network services.";

  uses common-connection-point;
}

list vdu {
  description "List of Virtual Deployment Units";
  key "id";

  leaf id {
    description "Unique id for the VDU";
    type string;
  }

  leaf name {
    description "Unique name for the VDU";
    type string;
  }

  leaf description {
    description "Description of the VDU.";
    type string;
  }
}

```



```
leaf count {
  description "Number of instances of VDU";
  type uint64;
}

leaf mgmt-vpci {
  description
    "Specifies the virtual PCI address. Expressed in
    the following format dddd:dd:dd.d. For example
    0000:00:12.0. This information can be used to
    pass as metadata during the VM creation.";
  type string;
}

uses manotypes:vm-flavor;
uses manotypes:guest-epa;
uses manotypes:vswitch-epa;
uses manotypes:hypervisor-epa;
uses manotypes:host-epa;

list alarm {
  key "alarm-id";

  uses manotypes:alarm;
}

uses manotypes:image-properties;

choice cloud-init-input {
  description
    "Indicates how the contents of cloud-init script are provided.
    There are 2 choices - inline or in a file";

  case inline {
    leaf cloud-init {
      description
        "Contents of cloud-init script, provided inline, in cloud-
        config format";
      type string;
    }
  }

  case filename {
    leaf cloud-init-file {
      description
        "Name of file with contents of cloud-init script in cloud-
        config format";
      type string;
    }
  }
}

list internal-connection-point {
  key "id";
  description
```

```

        "List for internal connection points. Each VNFC
        has zero or more internal connection points.
        Internal connection points are used for connecting
        the VNF components internal to the VNF. If a VNF
        has only one VNFC, it may not have any internal
        connection points.";

    uses common-connection-point;

    leaf internal-vld-ref {
        type leafref {
            path "../..../internal-vld/id";
        }
    }
}

list internal-interface {
    description
        "List of internal interfaces for the VNF";
    key name;

    leaf name {
        description
            "Name of internal interface. Note that this
            name has only local significance to the VDU.";
        type string;
    }

    leaf vdu-internal-connection-point-ref {
        type leafref {
            path "../..../internal-connection-point/id";
        }
    }
    uses virtual-interface;
}

list external-interface {
    description
        "List of external interfaces for the VNF.
        The external interfaces enable sending
        traffic to and from VNF.";
    key name;

    leaf name {
        description
            "Name of the external interface. Note that
            this name has only local significance.";
        type string;
    }

    leaf vnfd-connection-point-ref {
        description
            "Name of the external connection point.";
        type leafref {
            path "../..../connection-point/name";
        }
    }
}

```

```

    }
    uses virtual-interface;
  }

  list volumes {
    key "name";

    leaf name {
      description "Name of the disk-volumes, e.g. vda, vdb etc";
      type string;
    }

    uses manotypes:volume-info;
  }
}

list vdu-dependency {
  description
    "List of VDU dependencies.";

  key vdu-source-ref;
  leaf vdu-source-ref {
    type leafref {
      path "../vdu/id";
    }
  }

  leaf vdu-depends-on-ref {
    description
      "Reference to the VDU that
      source VDU depends.";
    type leafref {
      path "../vdu/id";
    }
  }
}

leaf service-function-chain {
  description "Type of node in Service Function Chaining
Architecture";

  type enumeration {
    enum UNAWARE;
    enum CLASSIFIER;
    enum SF;
    enum SFF;
  }
  default "UNAWARE";
}

leaf service-function-type {
  description
    "Type of Service Function.
    NOTE: This needs to map with Service Function Type in ODL to
    support VNFFG. Service Function Type is mandatory param in ODL
    SFC. This is temporarily set to string for ease of use";

```

```
        type string;
    }

    uses manotypes:monitoring-param;

    list placement-groups {
        description "List of placement groups at VNF level";

        key "name";
        uses manotypes:placement-group-info;

        list member-vdus {

            description
                "List of VDUs that are part of this placement group";
            key "member-vdu-ref";

            leaf member-vdu-ref {
                type leafref {
                    path "../.../.../vdu/id";
                }
            }
        }
    }
}
}
```

Examples

See ["API Examples" on page 371](#).

vnfd:vnf-configuration

Information about the VNF configuration for the management interface.

Note: If the network service contains multiple instances of the same VNF, each VNF instance could have a different configuration.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/vnf-configuration

Fields

ID	Type	Cardinality	Description
netconf	container	1	Use NETCONF for configuring the VNF. See "vnfd:netconf" on page 190 .
rest	container	1	Use REST for configuring the VNF. See "vnfd:rest" on page 191 .
script	container	1	Use a custom script for configuring the VNF. This script will be executed in the orchestrator. All required dependencies for the script should be available in the orchestrator system. See "vnfd:script" on page 191 .
juju	container	1	Use Juju for configuring the VNF. See "vnfd:juju" on page 191 .
config-access	container	1	IP address to be used to configure this VNF. See "vnfd:config-access" on page 192 .

ID	Type	Cardinality	Description
config-attributes	container	1	Miscellaneous config attributes to be considered while processing the NSD to apply configuration. See " vnfd:config-attributes " on page 192.
config-primitive	list	0..n	List of service primitives supported by the configuration agent for this VNF. See " vnfd:config-primitive " on page 192.
initial-config-primitive	list	0..n	Initial set of configuration primitives. See " vnfd:initial-config-primitive " on page 194.
config-template	string	1	Configuration template for each VNF.

vnfd:netconf

/vnfd:vnfd-catalog/vnfd/STRING/vnf-configuration/netconf

ID	Type	Cardinality	Description
target	enum	1	NETCONF configuration target. Supported values: <ul style="list-style-type: none"> RUNNING CANDIDATE
protocol	enum	1	Protocol to use for NETCONF. Supported values: <ul style="list-style-type: none"> NONE SSH

ID	Type	Cardinality	Description
port	inet:port-number	1	Port for the NETCONF server.

vnfd:rest

/vnfd:vnfd-catalog/vnfd/STRING/vnf-configuration/rest

ID	Type	Cardinality	Description
port	inet_port-number	1	Port for the REST server

vnfd:script

/vnfd:vnfd-catalog/vnfd/STRING/vnf-configuration/script

ID	Type	Cardinality	Description
script-type	enum	1	Script type to use. Supported values: <ul style="list-style-type: none"> • BASH • EXPECT

vnfd:juju

/vnfd:vnfd-catalog/vnfd/STRING/vnf-configuration/juju

ID	Type	Cardinality	Description
charm	string	1	Juju charm to use to use with the VNF.

vnfd:config-access

/vnfd:vnfd-catalog/vnfd/STRING/vnf-configuration/config-access

ID	Type	Cardinality	Description
mgmt-ip-address	union	1	IP address to be used to configure this VNF. <hr/> Note: This parameter is optional if it is possible to dynamically resolve the IP. <hr/>
username	string	1	User name for configuration.
password	string	1	Password for configuration access authentication.

vnfd:config-attributes

/vnfd:vnfd-catalog/vnfd/STRING/vnf-configuration/config-attributes

ID	Type	Cardinality	Description
config-priority	uint64	1	Order of configuration priority to be applied to each VNF in this network service. A low number takes precedence over a high number.
config-delay	uint64	1	Wait time (in seconds) before applying the configuration to this VNF.

vnfd:config-primitive

/vnfd:vnfd-catalog/vnfd/STRING/vnf-configuration/config-primitive/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the service primitive.

ID	Type	Cardinality	Description
parameter	list	0..n	List of parameters to the service primitive. See " vnfd:config-primitive:parameter " on page 193.
user-defined-script	string	1	A user-defined script. If a script is defined, the script will be executed using bash.

vnfd:config-primitive:parameter

/vnfd:vnfd-catalog/vnfd/STRING/vnf-configuration/config-primitive/STRING/parameter/STRING

ID	Type	Cardinality	Description
name	string	1	Name of parameter
data-type	enum	1	Data type associated with the name. Supported values: <ul style="list-style-type: none"> • STRING • INTEGER • BOOLEAN
mandatory	boolean	1	[Default <i>false</i>] Defines whether this field is mandatory.
default-value	string	1	The default value for the field. <hr/> Note: This value is required to set the read-only and hidden parameters. <hr/>
parameter-pool	string	1	NSD parameter pool name to use for this parameter.

ID	Type	Cardinality	Description
read-only	boolean	1	If set to <i>true</i> , the value is dimmed in the UI. Note: This parameter can be set to true only on parameters that specify a default-value field.
hidden	boolean	1	If set to true, the value is hidden from view in the UI. Note: This parameter can be set to true only on parameters that specify a default-value field.
out	boolean	1	Specifies if this is an output of the primitive execution.

vnfd:initial-config-primitive

/vnfd:vnfd-catalog/vnfd/STRING/vnf-configuration/initial-config-primitive/0

ID	Type	Cardinality	Description
seq	uint64	1	Sequence number for the configuration primitive.
name	string	1	Name of the configuration primitive.
parameter	list	0..n	List of parameters to the configuration primitive. See " vnfd:initial-config-primitive:parameter " on page 195.
user-defined-script	string	1	A user-defined script

ID	Type	Cardinality	Description
config-primitive-ref	leafref	1	Reference to a config primitive name. <hr/> Note: The referenced config primitive should have all the input parameters predefined either with default values or dependency references. <hr/>

vnfd:initial-config-primitive:parameter

/vnfd:vnfd-catalog/vnfd/STRING/vnf-configuration/initial-config-primitive/0/parameter/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the parameter.
value	string	1	Value of the parameter.

vnfd:config-parameter

List of VNF config parameter requests and sources

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/config-parameter

Fields

ID	Type	Cardinality	Description
config-parameter-source	list	1	List of parameters exposed by this VNF. See "vnfd:config-parameter-source" on page 196.
config-parameter-request	list	1	List of requests for this VNF. See "vnfd:config-parameter-source:parameter" on page 197.

vnfd:config-parameter-source

/vnfd:vnfd-catalog/vnfd/STRING/config-parameter/config-parameter-source/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the source.
description	string	1	Description of the source.
attribute	string	1	Location of this source as a run-time attribute. For example, the value is ../.././mgmt-interface, ip-address which returns the ip-address assigned to the mgmt-interface after VNF instantiation.

ID	Type	Cardinality	Description
config-primitive-name-ref	leafref	1	A leafref to the configuration primitive. <hr/> Note: This refers to a config parameter in which output parameter is referenced in <code>out-parameter</code> . <hr/>
parameter-ref	leafref	1	Name of the output parameter in the config primitive.
value	string	1	Predefined value to be used for this source.
parameter	list	0..n	List of parameters for this source. See " vnfd:config-parameter-source:parameter " on page 197.

vnfd:config-parameter-source:parameter

/vnfd:vnfd-catalog/vnfd/STRING/config-parameter/config-parameter-source/STRING/parameter/STRING

ID	Type	Cardinality	Description
config-primitive-name-ref	leafref	1	Name of the configuration primitive where this source will used.
config-primitive-parameter-ref	leafref	1	Parameter name of the config primitive.

vnfd:config-parameter-request

/vnfd:vnfd-catalog/vnfd/STRING/config-parameter/config-parameter-request/STRING

ID	Type	Cardinality	Description
name	string	1	Name of this parameter request.
description	string	1	Description of this request.
parameter	list	0..n	List of parameters for this request. See " vnfd:config-parameter-request:parameter " on page 198.

vnfd:config-parameter-request:parameter

/vnfd:vnfd-catalog/vnfd/STRING/config-parameter/config-parameter-request/STRING/parameter/STRING

ID	Type	Cardinality	Description
config-primitive-name-ref	leafref	1	Name of the configuration primitive where this request will used.
config-primitive-parameter-ref	leafref	1	Parameter name of the config primitive.

vnfd:mgmt-interface

Interface over which the VNF is managed.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/mgmt-interface

Fields

ID	Type	Cardinality	Description
ip-address	union	1	Specifies the static IP address for managing the VNF.
vdu-id	leafref	1	Use the default management interface on this VDU. This is a leafref to path: /vnfd:vnfd-catalog/vnfd:vnfd/vnfd:vdu/vnfd:id
cp	leafref	1	Use the IP address for the VNFD associated with this connection point endpoint. This is a leafref to path: /vnfd:vnfd-catalog/vnfd:vnfd/vnfd:connection-point/vnfd:name
port	uint16	1	Port number for the management interface.
dashboard-params	container	1	Parameters for the VNF dashboard of the management interface. See "vnfd:dashboard-params" on page 200 .

vnfd:dashboard-params

/vnfd:vnfd-catalog/vnfd/STRING/mgmt-interface/dashboard-params

ID	Type	Cardinality	Description
path	string	1	The HTTP path for the dashboard.
https	boolean	1	[Default <i>false</i>] Choose HTTPS instead of HTTP.
port	uint16	1	The HTTP port for the dashboard

vnfd:internal-vld

List of internal Virtual Link Descriptors (VLDs). Internal VLDs describe the basic topology of the connectivity—such as E-LAN— between internal VNF Components (VNFC) within the system.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/internal-vld/STRING

Fields

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the internal VLD.
name	string	1	Name of the internal VLD.
short-name	string	1	Short name for the internal VLD to use as a label in the UI.
description	string	1	Description of the internal VLD.
type	enum	1	Type of virtual link. Supported values: ELAN: A multipoint service that connects a set of VDUs.
root-bandwidth	uint64	1	For ELAN this is the aggregate bandwidth.
leaf-bandwidth	uint64	1	For ELAN this is the bandwidth of branches.
internal-connection-point	list	0..n	List of internal connection points in this VLD. See " vnfd:internal-connection-point " on page 202.

ID	Type	Cardinality	Description
provider-network	container	1	Container for the provider network. See " vnfd:provider-network " on page 202.
vim-network-name	string	1	Name of pre-provisioned network in the VIM (cloud) account.
ip-profile-ref	string	1	Named reference to an ip-profile object.

vnfd:internal-connection-point

/vnfd:vnfd-catalog/vnfd/STRING/internal-vld/STRING/internal-connection-point/STRING

ID	Type	Cardinality	Description
id-ref	leafref	1	Reference to the internal connection point ID.

vnfd:provider-network

/vnfd:vnfd-catalog/vnfd/STRING/internal-vld/STRING/provider-network

ID	Type	Cardinality	Description
physical-network	string	1	Name of the physical network on which the provider network is built.

ID	Type	Cardinality	Description
overlay-type	enum	1	<p>Identifies the type of the overlay network, which is a virtual network that is built on top of an existing network and is supported by its infrastructure.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • LOCAL — A network that can be realized on a single host only. • FLAT — The simplest networking environment in which each instance receives a fixed IP from the pool. All instances are attached to the same bridges. • VLAN — A network of computers in which the computers behaves as if they are connected to the same wire. However, the computers might be physically located on different segments of a LAN. • VXLAN — A proposed encapsulation protocol for running an overlay network on existing Layer 3 infrastructure • GRE — GRE tunnels encapsulate isolated Layer 2 network traffic in IP packets. Packets are routed between compute and networking nodes using the hosts' network connectivity and routing tables.
segmentation-id	uint32	1	Segmentation ID

vnfd:ip-profiles

List of IP profiles. IP profiles describe the IP characteristics for the virtual link.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/ip-profiles/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the IP profile.
description	string	1	Description of the IP profile.
ip-profile-params	container	1	Information about the IP profile. See " vnfd:ip-profile-params " on page 204

vnfd:ip-profile-params

/vnfd:vnfd-catalog/vnfd/STRING/ip-profiles/STRING/ip-profile-params

ID	Type	Cardinality	Description
ip-version	enum	1	[Default IPv4] Version of the Internet Protocol used.
subnet-address	union	1	Subnet IP prefix associated with this IP profile.
gateway-address	union	1	IP address of the default gateway associated with this IP profile.
security-group	string	1	Name of the security group.

ID	Type	Cardinality	Description
dns-server	list	0..n	List of DNS servers associated with this IP profile. See " vnfd:dns-server " on page 205.
dhcp-params	container	1	Container for DHCP parameters. See " vnfd:ip-profile-params " on page 204.
subnet-prefix-pool	string	1	VIM-specific reference to pre-created subnet prefix.

vnfd:dns-server

/vnfd:vnfd-catalog/vnfd/STRING/ip-profiles/STRING/ip-profile-params/dns-server/UNION_VALUE

ID	Type	Cardinality	Description
address union		1	List of DNS servers associated with this IP profile.

vnfd:dhcp-params

/vnfd:vnfd-catalog/vnfd/STRING/ip-profiles/STRING/ip-profile-params/dhcp-params

ID	Type	Cardinality	Description
enabled	boolean	1	[Default <i>true</i>] Indicates if DHCP is enabled.
start-address	union	1	Start IP address of the IP address range associated with DHCP domain.
count	uint32	1	Size of the DHCP pool associated with DHCP domain.

vnfd:connection-point

List of external connection points, in which each VNF:

- Has one or more points that are used to connect a VNF to other VNFs or to external networks
- Exposes these connection points to the orchestrator (NFVO)

The orchestrator constructs network services by connecting the connection points between different VNFs.

The orchestrator uses VLDs and VNFFGs at the network service level to construct network services.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/connection-point/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the connection point.
id	string	1	Unique identifier of the connection point
short-name	string	1	Short name of the connection point to use as a label in the UI.
type	enum	1	Type of connection point. Supported values: VPORT: Virtual Port
port-security-enabled	boolean	1	Enables the port security for the port
static-ip-address	union	1	Static IP address for the connection point

vnfd:vdu

A VDU is a basic part of VNF. VDUs are virtual machines that host the network function, such as:

- Virtual machine specification
- Computation properties (RAM size, disk size, memory page size, number of CPUs, number of cores per CPU, number of threads per core)
- Storage requirements
- Initiation and termination scripts
- High availability redundancy model
- Scale out/scale in limits

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING

Fields

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the VDU.
name	string	1	Unique name for the VDU.
description	string	1	Description of the VDU.
count	uint64	1	Number of instances of the VDU.
mgmt-vpci	string	1	Specifies the virtual PCI address, expressed in the following format dddd:dd:dd.d. For example 0000:00:12.0. This information can be used to pass as metadata during the VM creation.

ID	Type	Cardinality	Description
vm-flavor	container	1	Flavor of the virtual machine (VM) instance. See "vnfd:vm-flavor" on page 210.
guest-epa	container	1	EPA attributes for the guest operating system. See "vnfd:guest-epa" on page 211.
vswitch-epa	container	1	EPA attributes for Open vSwitch. See "vnfd:vswitch-epa" on page 216.
hypervisor-epa	container	1	EPA attributes for the hypervisor. See "vnfd:hypervisor-epa" on page 217.
host-epa	container	1	EPA attributes for the host operating system. See "vnfd:host-epa" on page 218.
alarm	list	0..n	A list of alarms. See "vnfd:alarm" on page 223.
image	string	1	Image name for the software image. If the image name is found within the VNF package it will be uploaded to all cloud accounts during the onboarding process. Otherwise, the image must be added to the cloud account with the same name as entered in this field.
image-checksum	string	1	Image md5sum for the software image. The md5sum, if provided, along with the image name, uniquely identifies an image uploaded to the CAL.
cloud-init	string	1	Contents of cloud-init script, provided inline, in cloud-config format

ID	Type	Cardinality	Description
cloud-init-file	string	1	Name of file with contents of cloud-init script in cloud-config format.
supplemental-boot-data	container	1	Container for custom VIM data. See " vnfd:supplemental-boot-data " on page 227.
internal-connection-point	list	0..n	List for internal connection points. See " vnfd:internal-connection-point " on page 229.
internal-interface	list	0..n	List of internal interfaces for the VNF. See " vnfd:internal-interface " on page 230.
external-interface	list	0..n	List of external interfaces for the VNF. See " vnfd:external-interface " on page 232.
volumes	list	0..n	List of disk-volumes to be attached to VDU. See " vnfd:volumes " on page 234.

vnfd:vm-flavor

Flavor is an alternative term for a VM instance type.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/vm-flavor

Fields

ID	Type	Cardinality	Description
vpcu-count	uint16	1	Number of VCPUs for the VM.
memory-mb	uint64	1	Amount of memory in MB to allocate to the VM.
storage-gb	uint64	1	Amount of disk space in GB to allocate to the VM.

vnfd:guest-epa

EPA attributes for the guest operating system.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/guest-epa

Fields

ID	Type	Cardinality	Description
trusted-execution	boolean	1	If set to <i>true</i> , indicates this VM should be allocated from trusted pool.
mempage-size	enum	1	<p>Memory page allocation size.</p> <p>Supported values:</p> <ul style="list-style-type: none"> LARGE: Require hugepages (either 2MB or 1GB) SMALL: Doesn't require hugepages SIZE_2MB: Requires 2MB hugepages SIZE_1GB: Requires 1GB hugepages PREFER_LARGE: Application prefers hugepages <p>Note: If a VM requires hugepages, choose LARGE or SIZE_2MB or SIZE_1GB. If the VM prefers hugepages, choose PREFER_LARGE.</p>
cpu-pinning-policy	enum	1	<p>Describes the association between virtual CPUs in the guest and the physical CPUs in the host.</p> <p>Supported values:</p> <ul style="list-style-type: none"> DEDICATED: Virtual CPUs are pinned to physical CPUs SHARED: Multiple VMs may share the same physical CPUs. ANY: (Default) Any policy is acceptable for the VM

ID	Type	Cardinality	Description
cpu-thread-pinning-policy	enum	1	<p>Describes how to place the guest CPUs when the host supports hyper threads.</p> <p>Default values:</p> <ul style="list-style-type: none"> • AVOID: Avoids placing a guest on a host with threads. • SEPARATE: Places vCPUs on separate cores, and avoids placing two vCPUs on two threads of same core. • ISOLATE: Places each vCPU on a different core, and places no vCPUs from a different guest on the same core. • PREFER: Attempts to place vCPUs on threads of the same core.
pcie-device list		0..1	<p>List of PCIE passthrough devices.</p> <p>See "vnfd:pcie-device" on page 213</p>
numa-unaware	empty		<p>Details about the numa-node-policy are null.</p>
numa-node-policy	container	1	<p>Defines numa topology of the guest, specifying if the guest should run on a host with one numa node or multiple numa nodes.</p> <p>Example: A guest might need 8 VCPUs and 4 GB of memory with the VCPUs and memory distributed across multiple NUMA nodes. In this scenario, NUMA node 1 could run with 6 VCPUs and 3GB, and NUMA node 2 could run with 2 vcpus and 1GB.</p> <p>See "vnfd:numa-node-policy" on page 213</p>

vnfd:pcie-device

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/guest-epa/pcie-device/STRING

ID	Type	Cardinality	Description
device-id	string	1	Device identifier.
count	uint64	1	Number of devices to attach to the VM.

vnfd:numa-node-policy

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/guest-epa/numa-node-policy

ID	Type	Cardinality	Description
node-cnt	uint16	1	Number of NUMA nodes to expose to the VM.
mem-policy	enum	1	Specifies how to allocate memory in a multi-node scenario. Supported values: <ul style="list-style-type: none"> • STRICT: The memory must be allocated from the memory attached to the NUMA node. • PREFERRED: The memory should be allocated from the memory attached to the NUMA node
node	list	0..n	List of NUMA nodes. See " vnfd:numa-node-policy:node " on page 214.

vnfd:numa-node-policy:node

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/guest-epa/numa-node-policy/node/0

ID	Type	Cardinality	Description
id	uint64	1	NUMA node identification. Typically 0 or 1.
vcpu	list	0..n	List of VCPUs to allocate on this NUMA node. See " vnfd:numa-node-policy:node:vcpu " on page 214
memory-mb	uint64	1	Memory size in MB for this NUMA node.
num-cores	uint8	1	Number of cores.
paired-threads	container	1	Container for paired threads. See " vnfd:numa-node-policy:node:paired-threads " on page 215.
num-threads	uint8	1	OpenMANO NUMA type selection.

vnfd:numa-node-policy:node:vcpu

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/guest-epa/numa-node-policy/node/0/vcpu/0

ID	Type	Cardinality	Description
id	uint64	1	List of VCPUs IDs to allocate on this NUMA node.

vnfd:numa-node-policy:node:paired-threads

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/guest-epa/numa-node-policy/node/0/paired-threads

ID	Type	Cardinality	Description
num-paired-threads	uint8	1	Number of paired-threads.
paired-thread-ids	list	0..n	List of thread paired to use in case of paired thread NUMA. See " vnfd:numa-node-policy:node:paired-threads:paired-thread-ids " on page 215

vnfd:numa-node-policy:node:paired-threads:paired-thread-ids

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/guest-epa/numa-node-policy/node/0/paired-threads/paired-thread-ids/0

ID	Type	Cardinality	Description
thread-a	uint8	1	Thread ID
thread-b	uint8	1	Thread ID

vnfd:vswitch-epa

EPA attributes for Open vSwitch.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/vswitch-epa

Fields

ID	Type	Cardinality	Description
ovs-acceleration	enum	1	<p>Specifies Open vSwitch acceleration mode.</p> <p>Supported values:</p> <ul style="list-style-type: none"> MANDATORY: OVS acceleration is required PREFERRED: OVS acceleration is preferred DISABLED: OVS acceleration is disabled.
ovs-offload	enum	1	<p>Specifies Open vSwitch hardware offload mode.</p> <p>Supported values:</p> <ul style="list-style-type: none"> MANDATORY: OVS offload is required PREFERRED: OVS offload is preferred DISABLED: OVS offload is disabled

vnfd:hypervisor-epa

EPA attributes for the hypervisor.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/hypervisor-epa

Fields

ID	Type	Cardinality	Description
type	enum	1	Specifies the type of hypervisor. For example, KVM, XEN. Value can be: <ul style="list-style-type: none">• KVM: KVM• XEN: XEN
version	string	1	Version of the hypervisor.

vnfd:host-epa

Specifies the host-level EPA attributes.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/host-epa

Fields

ID	Type	Cardinality	Description
cpu-model	enum	1	Host CPU model. Supported values: <ul style="list-style-type: none">• PREFER_WESTMERE• REQUIRE_WESTMERE• PREFER_SANDYBRIDGE• REQUIRE_SANDYBRIDGE• PREFER_IVYBRIDGE• REQUIRE_IVYBRIDGE• PREFER_HASWELL• REQUIRE_HASWELL• PREFER_BROADWELL• REQUIRE_BROADWELL• PREFER_NEHALEM• REQUIRE_NEHALEM• PREFER_PENRYN• REQUIRE_PENRYN• PREFER_CONROE• REQUIRE_CONROE• PREFER_CORE2DUO• REQUIRE_CORE2DUO

ID	Type	Cardinality	Description
cpu-arch	enum	1	Host CPU architecture. Supported values: <ul style="list-style-type: none"> • PREFER_X86 • REQUIRE_X86 • PREFER_X86_64 • REQUIRE_X86_64 • PREFER_I686 • REQUIRE_I686 • PREFER_IA64 • REQUIRE_IA64 • PREFER_ARMV7 • REQUIRE_ARMV7 • PREFER_ARMV8 • REQUIRE_ARMV8
cpu-vendor	enum	1	Host CPU vendor. Supported values: <ul style="list-style-type: none"> • PREFER_INTEL • REQUIRE_INTEL • PREFER_AMD • REQUIRE_AMD
cpu-socket-count	uint64	1	Number of sockets on the host.
cpu-core-count	uint64	1	Number of cores on the host.
cpu-core-thread-count	uint64	1	Number of threads per cores on the host.

ID	Type	Cardinality	Description
cpu-feature	list	0..1	List of CPU features. See " vnfd:cpu-feature " on page 220.
om-cpu-model-string	string	1	OpenMano CPU model string.
om-cpu-feature	list	0..n	OpenMano CPU features. See " vnfd:om-cpu-feature " on page 222.

vnfd:cpu-feature

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/host-epa/cpu-feature/PREFER_AES

ID	Type	Cardinality	Description
----	------	-------------	-------------

ID	Type	Cardinality	Description
----	------	-------------	-------------

feature enum 1

Enumeration for CPU features:

- AES: CPU supports advanced instruction set for AES (Advanced Encryption Standard).
- CAT: Cache Allocation Technology (CAT) allows an operating system, hypervisor, or similar system management agent to specify the amount of L3 cache (currently the last-level cache in most server and client platforms) space an application can fill.

Note: As a hint to hardware functionality, certain features, such as power management, may override CAT settings.

- CMT: Cache Monitoring Technology (CMT) allows an Operating System, Hypervisor, or similar system management agent to determine the usage of cache based on applications running on the platform. The implementation is directed at L3 cache monitoring (currently the last-level cache in most server and client platforms).
- DDIO: Intel Data Direct I/O (DDIO) enables Ethernet server NICs and controllers talk directly to the processor cache without a detour via system memory. This enumeration specifies if the VM requires a DDIO capable host.

Supported values:

- PREFER_AES
- REQUIRE_AES
- PREFER_CAT
- REQUIRE_CAT
- PREFER_CMT
- REQUIRE_CMT
- PREFER_DDIO
- REQUIRE_DDIO
- REQUIRE_VME
- PREFER_VME
- REQUIRE_DE
- PREFER_DE
- REQUIRE_PSE
- PREFER_PSE
- REQUIRE_TSC
- PREFER_TSC

vnfd:om-cpu-feature

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/host-epa/om-cpu-feature/STRING

ID	Type	Cardinality	Description
feature	string	1	CPU feature.

vnfd:alarm

Information about alarms.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/alarm/STRING

Fields

ID	Type	Cardinality	Description
alarm-id	string	1	Reserved field for the identifier assigned by the VIM provider.
name	string	1	A human-readable string to identify the alarm.
description	string	1	Description of the alarm.
vdur-id	string	1	Identifier of the VDU record (VDUR) associated with this alarm.
actions	container	1	Actions related to the alarm. See " vnfd:actions " on page 226.
repeat	boolean	1	[Default <i>true</i>] Indicates whether the alarm should emit repeatedly after the associated threshold has been crossed.
enabled	boolean	1	[Default <i>true</i>] Indicates whether the alarm has been enabled or disabled.

ID	Type	Cardinality	Description
severity	enum	1	<p>A measure of the important or urgency of the alarm.</p> <p>Supported types:</p> <ul style="list-style-type: none">• LOW• MODERATE• CRITICAL
metric	enum	1	<p>Metric types that can be tracked by this alarm.</p> <p>Supported values:</p> <ul style="list-style-type: none">• CPU_UTILIZATION• MEMORY_UTILIZATION• STORAGE_UTILIZATION
statistic	enum	1	<p>Type of statistic to use to measure a metric, which determines threshold crossing for an alarm.</p> <p>Supported values:</p> <ul style="list-style-type: none">• AVERAGE• MINIMUM• MAXIMUM• COUNT• SUM

ID	Type	Cardinality	Description
operation	enum	1	<p>The relational operator used to define whether an alarm should be triggered when the metric statistic goes above or below a specified threshold value.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • GE — Greater than or equal to • LE — Less than or equal to • GT — Greater than • LT — Less than • EQ — Equal
value	decimal164	1	Defines the threshold (up to 4 fraction digits) that, if crossed, will trigger the alarm.
period	uint32	1	Defines the length of time (seconds) for which metric data are collected to evaluate the chosen statistic.
evaluation	uint32	1	<p>Number of samples of the metric statistic used to evaluate threshold crossing.</p> <p>Each sample or evaluation is equal to the metric statistic obtained for a given period.</p> <hr/> <p>Note: This value can be used to mitigate spikes in the metric that may skew the statistic of interest.</p> <hr/>

vnfd:actions

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/alarm/STRING/actions

ID	Type	Cardinality	Description
ok	list	0..n	See " vnfd:actions " on page 226.
insufficient-data	list	0..n	See " vnfd:actions:insufficient-data " on page 226.
alarm	list	0..n	See " vnfd:actions:alarm " on page 226.

vnfd:actions:ok

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/alarm/STRING/actions/ok/STRING

ID	Type	Cardinality	Description
url	string	1	

vnfd:actions:insufficient-data

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/alarm/STRING/actions/insufficient-data/STRING

ID	Type	Cardinality	Description
url	string	1	

vnfd:actions:alarm

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/alarm/STRING/actions/alarm/STRING

ID	Type	Cardinality	Description
url	string	1	

vnfd:supplemental-boot-data

Container for custom VIM data.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/supplemental-boot-data

Fields

ID	Type	Cardinality	Description
config-file	list	0..n	List of configuration files to be mounted onto an additional drive. See " vnfd:config-file " on page 227.
custom-meta-data	list	0..n	List of metadata to be associated with the instance. See " vnfd:custom-meta-data " on page 227.
boot-data-drive	boolean	1	[Default <i>false</i>] Specifies whether the VIM should implement additional drives to host config-files or metadata.

vnfd:config-file

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/supplemental-boot-data/config-file/STRING

ID	Type	Cardinality	Description
source	string	1	Name of the configuration file.
dest	string	1	Full path of the destination in the guest.

vnfd:custom-meta-data

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/supplemental-boot-data/custom-meta-data/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the metadata parameter.
data-type	enum	1	Data type of the metadata parameter.
value	string	1	Value of the metadata parameter.

vnfd:internal-connection-point

List for internal connection points. Each VNFC has zero or more internal connection points. Internal connection points are used for connecting the VNF components internal to the VNF. If a VNF has only one VNFC, it may not have any internal connection points.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/internal-connection-point/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the connection point.
id	string	1	Identifier for the internal connection points.
short-name	string	1	Short name to use as a label in the UI.
type	enum	1	Type of connection point. Supported values: VPORT: Virtual Port
port-security-enabled	boolean		Specifies whether to enable port security for the port.
static-ip-address	union	1	Static IP address for the connection point
internal-vld-ref	leafref	1	This is a leafref to path: ../../internal-vld/id

vnfd:internal-interface

Internal interfaces enable traffic between virtual network functions.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/internal-interface/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the internal interface inside the VDU. Note: This name has only local significance to the VDU.
vdu-internal-connection-point-ref	leafref	1	Reference to an internal connection point. This is a leafref to path: .././internal-connection-point/id
virtual-interface	container	1	Container for the virtual interface properties. See "vnfd:virtual-interface" on page 231.

vnfd:virtual-interface

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/internal-interface/STRING/virtual-interface

ID	Type	Cardinality	Description
type	enum	1	<p>Specifies the type of virtual interface between VM and host.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • VIRTIO: [Default] Use the traditional VIRTIO interface • PCI-PASSTHROUGH: Use PCI-PASSTHROUGH interface • SR-IOV: Use SR-IOV interface • E1000 : Emulate E1000 interface • RTL8139 : Emulate RTL8139 interface • PCNET : Emulate PCNET interface • OM-MGMT: Used to specify OpenMANO management internal-connection type
vpci	string	1	<p>Specifies the virtual PCI address in format dddd:dd:dd.d. For example:</p> <p>0000:00:12.0</p> <p>This information can be used to pass as metadata during the VM creation.</p>
bandwidth	uint64	1	Specifies the aggregate bandwidth requirement for the NIC.

vnfd:external-interface

External interfaces enable traffic between VNFs.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/external-interface/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the external interface inside the VDU. <hr/> Note: This name has only local significance to the VDU. <hr/>
vnfd-connection-point-ref	reference	1	Reference to an external connection point. This is a leafref to path: ../..../connection-point/name
virtual-interface	container	1	Virtual interface properties. See " vnfd:virtual-interface " on page 233.

vnfd:virtual-interface

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/external-interface/STRING/virtual-interface

ID	Type	Cardinality	Description
type	enum	1	<p>Specifies the type of virtual interface between VM and host.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • VIRTIO: [Default] Use the traditional VIRTIO interface • PCI-PASSTHROUGH: Use PCI-PASSTHROUGH interface • SR-IOV: Use SR-IOV interface • E1000 : Emulate E1000 interface • RTL8139 : Emulate RTL8139 interface • PCNET : Emulate PCNET interface • OM-MGMT: Used to specify OpenMANO management internal-connection type
vpci	string	1	<p>Specifies the virtual PCI address in format dddd:dd:dd.d. For example: 0000:00:12.0</p> <hr/> <p>Note: This information can be used to pass as metadata during the VM creation.</p> <hr/>
bandwidth	uint64	1	Specifies the aggregate bandwidth requirement for the NIC.

vnfd:volumes

Defines disk volumes to be attached to the VDU, such as if a VNF requires multiple disks to boot the virtual machine.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/volumes/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the disk-volumes, such as vda, vdb.
description	string	1	Description for the volume.
size	uint64	1	Size of the disk, in GB.
ephemeral	empty		
image	string	1	Image name for the software image to be used. If the image name is found within the VNF package it will be uploaded to all cloud accounts during the onboarding process. Otherwise, the image must be added to the cloud account with the same name as entered in this field.
image-checksum	string	1	Image md5sum for the software image. The md5sum, if provided, along with the image name, uniquely identifies an image uploaded to the CAL.
volume-ref	string	1	Reference to the pre-existing volume in VIM.
boot-volume	boolean	1	If set to <i>true</i> , indicates that this is a boot volume

ID	Type	Cardinality	Description
boot-priority	int32		Boot priority associated with volume.
device_bus	enum	1	Type of disk-bus on which this disk is exposed to the guest operating system. Supported values: <ul style="list-style-type: none"> • IDE • USB • VIRTIO • SCSI
device_type	enum	1	Type of device as exposed to the guest operating system. Supported values: <ul style="list-style-type: none"> • DISK • CDROM • FLOPPY • LUN (logical unit number)
custom-meta-data	list	0..n	List of metadata to be associated with the instance. See " vnfd:custom-meta-data " on page 236

vnfd:custom-meta-data

/vnfd:vnfd-catalog/vnfd/STRING/vdu/STRING/volumes/STRING/custom-meta-data/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the metadata parameter.
data-type	enum	1	Data type of the metadata parameter.
value	string	1	Value of the metadata parameter.

vnfd:vdu-dependency

List of virtual deployment unit (VDU) dependencies, from which the orchestrator determines the order of startup among the VDUs.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/vdu-dependency/STRING

Fields

ID	Type	Cardinality	Description
vdu-source-ref	leafref	1	Identifier of the VDU. This is a leafref to path: ../vdu/id
vdu-depends-on-ref	leafref	1	Reference to the VDU on which the source VDU depends. This is a leafref to path: ../vdu/id

vnfd:http-endpoint

List of http endpoints to be used by monitoring parameters.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/http-endpoint/STRING

Fields

ID	Type	Cardinality	Description
path	string	1	The HTTP path on the management server.
https	boolean	1	[Default <i>false</i>] Pick HTTPS instead of HTTP.
port	uint16	1	HTTP port to connect to.
username	string	1	HTTP basic auth user name.
password	string	1	HTTP basic auth password.
polling_interval_secs	uint8	1	[Default 2] HTTP polling interval in seconds.
method	enum	1	Method to be performed at the URI. Supported values: <ul style="list-style-type: none"> • GET (default) • POST • PUT • GET • DELETE • PATCH • OPTIONS

ID	Type	Cardinality	Description
data	string	1	The data to be sent with POST.
headers	list	0..n	List of custom HTTP headers to put on the HTTP request. See " vnfd:headers " on page 239.

vnfd:headers

/vnfd:vnfd-catalog/vnfd/STRING/http-endpoint/STRING/headers/STRING

ID	Type	Cardinality	Description
key	string	1	HTTP header key.
value	string	1	HTTP header value.

vnfd:placement-groups

List of placement groups at VNF level. The placement group construct defines the compute resource placement strategy in a cloud environment.

REST URI path

/vnfd:vnfd-catalog/vnfd/STRING/placement-groups/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Placement group name.
requirement	string	1	Describes the intent/rationale behind this placement group. <hr/> Note: This free-text field is for human consumption only. <hr/>
strategy	enum	1	Strategy associated with this placement group. Supported values: <ul style="list-style-type: none"> • COLOCATION: [Default] Share the physical infrastructure (hypervisor/network) among all members of this group. • ISOLATION: Do not share the physical infrastructure (hypervisor/network) among the members of this group
member-vdus	list	0..n	List of VDUs that are part of this placement group. See " vnfd:member-vdus " on page 241.

vnfd:member-vdus

/vnfd:vnfd-catalog/vnfd/STRING/placement-groups/STRING/member-vdus/STRING

ID	Type	Cardinality	Description
member-vdu-ref	leafref	1	Reference to the VDU in the VNF. This is a leafref to path: ../../vdu/id

VNF Lifecycle Management (vnfr:vnfr)

REST wrapper for the VNF lifecycle management service. Provides methods for querying a VNF and retrieving VNF records from the vnfr:vnfr-catalog.

Methods and relative URLs

Method	Relative URL	Description
GET	/api/running/vnfr-catalog/vnfr{UUID}	Query a VNF.
GET	/api/running/vnfr-catalog/vnfr/	Retrieve a list of all VNF records from the catalog.

Fields

ID	Type	Cardinality	Description
id	string	1	Identifier for the VNFR.
nsr-id-ref	string	1	NS instance identifier. This is a leafref to path: /nsr:ns-instance-config/nsr:nsr/nsr:id
member-vnf-index-ref	leafref	1	Path to member VNF index in the network service. /nsd:nsd-catalog/nsd:nsd/nsd:constituent-vnfd/nsd:member-vnf-index
dashboard-url	string	1	Dashboard URL.
name	string	1	VNFR name.

ID	Type	Cardinality	Description
short-name	string	1	Short name for the VNFR (for display on the UI).
vendor	string	1	Vendor/provider of the VNFR.
description	string	1	Description of the VNFR.
version	string	1	Version of the VNFR.
create-time	uint32	1	Creation timestamp of this VNF. The timestamp is expressed as seconds since unix epoch - 1970-01-01T00:00:00Z
uptime	uint32	1	Active period (in seconds) of this VNF.
vnfd	container	1	VNF descriptor used to instantiate this VNF. See "vnfr:vnfd" on page 256 .
vnfd-ref	leafref	1	Reference to a VNF descriptor. This is a leafref path to: <code>/vnfd:vnfd-catalog/vnfd:vnfd/vnfd:id</code>
vnf-configuration	container	1	Container for the VNF configuration. <hr/> Note: If the NS contains multiple instances of the same VNF, each instance of the VNF may have different configuration. <hr/> See "vnfr:vnf-configuration" on page 316 .
mgmt-interface	container	1	Container for the management interface. See "vnfr:mgmt-interface" on page 323 .

ID	Type	Cardinality	Description
internal-vlr	list	0..n	List of references to virtual link records (VLR) in the VLR catalog. See "vnfr:internal-vlr" on page 324.
connection-point	list	0..n	List of external connection points for VNFs. See "vnfr:connection-point" on page 325.
vdur	list	0..n	List of virtual deployment units (VDU). See "vnfr:vdur" on page 327.
http-endpoint	list	0..n	List of http endpoints to be used by monitoring-param. See "vnfr:http-endpoint" on page 360.
monitoring-param	list	0..n	List of monitoring parameters at the network service level. See "vnfr:monitoring-param" on page 362.
operational-status	enum	1	<p>The operational status of the VNFR instance init:</p> <ul style="list-style-type: none"> • init : The VDU has just started • vm-init-phase : The VDUs in the VNF is being created in VIM • vm-alloc-pending : The VM alloc is pending in VIM • running : The VDU is active in VM • terminate : The VDU is being terminated • vm-terminate-phase: The VDU in the VNF is being terminated in VIM • terminated : The VDU is in the terminated state • failed : The VDU instantiation failed <p>This element uses manotypes:monitoring-param</p>

ID	Type	Cardinality	Description
config-status	enum	1	The configuration status of the NS instance: <ul style="list-style-type: none"> configuring: At least one of the VNFs in this instance is in configuring state configured: All the VNFs in this NS instance are configured or config-not-needed state
placement-groups-info	list	0..n	Placement groups to which this VDU belongs and its cloud construct. See "vnfr:placement-groups-info" on page 366 .
cloud-config	container	1	Container for cloud configuration information about public keys and users. See "vnfr:cloud-config" on page 369 .

MANO reference points

Or-Vnfm and Os-Ma-nfvo

Schema

```

module vnfr
{
  namespace "urn:ietf:params:xml:ns:yang:nfvo:vnfr";
  prefix "vnfr";

  import mano-types {
    prefix "manotypes";
  }

  import rw-pb-ext {
    prefix "rwpb";
  }

  import vnfd {
    prefix "vnfd";
  }

  import nsd {
    prefix "nsd";
  }
}

```

```
import vlr {
  prefix "vlr";
}

import ietf-yang-types {
  prefix "yang";
}

import ietf-inet-types {
  prefix "inet";
}

grouping placement-group-info {
  list placement-groups-info {
    description
      "
        Placement groups to which this VDU belongs and its
        cloud construct
      ";
    key "name";
    uses manotypes:placement-group-info;
    uses manotypes:placement-group-input;
  }
}

grouping virtual-interface {
  container virtual-interface {
    description
      "Container for the virtual interface properties";

    leaf type {
      description
        "Specifies the type of virtual interface
        between VM and host.
        VIRTIO          : Use the traditional VIRTIO interface.
        PCI-PASSTHROUGH : Use PCI-PASSTHROUGH interface.
        SR-IOV          : Use SR-IOV interface.";
      type enumeration {
        enum VIRTIO;
        enum PCI-PASSTHROUGH;
        enum SR-IOV;
      }
    }

    leaf bandwidth {
      description
        "Aggregate bandwidth of the NIC.";
      type uint64;
    }

    leaf ovs-offload {
      description
        "Defines if the NIC supports OVS offload.
        MANDATORY : OVS offload support in the NIC is mandatory.
        PREFERRED  : OVS offload support in the NIC is preferred.";
    }
  }
}
```

```

    type enumeration {
      enum MANDATORY;
      enum PREFERRED;
    }
  }

  leaf vendor-id {
    description
      "Specifies the vendor specific id for
      the device. This is used when a NIC from
      specific HW vendor is required.";
    type string;
  }

  leaf datapath-library {
    description
      "Specifies the name and version of the datapath
      library the NIC is expected to support.";
    type string;
  }

  leaf provider-network-name {
    description
      "Name of the provider network to which this
      NIC is attached.";
    type string;
  }
}

container vnfr-catalog {
  config false;
  list vnfr {
    description
      "Virtual Network Function Record (VNFR).";
    key "id";
    unique "name";

    leaf id {
      description "Identifier for the VNFR.";
      type yang:uuid;
    }

    leaf nsr-id-ref {
      description
        "NS instance identifier.
        This is a leafref /nsr:ns-instance-config/nsr:nsr/nsr:id";
      type yang:uuid;
    }

    leaf member-vnf-index-ref {
      description "Reference to member VNF index in Network service.";
      type leafref {
        path "/nsd:nsd-catalog/nsd:nsd/nsd:constituent-vnfd/nsd:member-
vnf-index";
      }
    }
  }
}

```

```
}

leaf dashboard-url {
  description "Dashboard URL";
  type inet:uri;
}

leaf name {
  description "VNFR name.";
  type string;
}

leaf short-name {
  description "VNFR short name.";
  type string;
}

leaf vendor {
  description "Vendor of the VNFR.";
  type string;
}

leaf description {
  description "Description of the VNFR.";
  type string;
}

leaf version {
  description "Version of the VNFR";
  type string;
}

leaf create-time {
  description
    "Creation timestamp of this Virtual Network
    Function. The timestamp is expressed as
    seconds since unix epoch - 1970-01-01T00:00:00Z";

  type uint32;
}

leaf uptime {
  description
    "Active period of this Virtual Network Function.
    Uptime is expressed in seconds";

  type uint32;
}

container vnfd {
  description "VNF descriptor used to instantiate this VNF";
  uses vnfd:vnfd-descriptor;
}

leaf vnfd-ref {
  description "Reference to VNFD";
  type leafref {
```



```
    path "/vnfd:vnfd-catalog/vnfd:vnfd/vnfd:id";
  }
}

// Use parameters provided here to configure this VNF
uses manotypes:vnf-configuration;

// Mainly used by Mon-params & dashboard url
container mgmt-interface {
  leaf ip-address {
    type inet:ip-address;
  }
  leaf port {
    type inet:port-number;
  }
}

container ssh-key {
  description "SSH key pair used for this VNF";
  leaf public-key {
    description "Public key configured on this VNF";
    type string;
  }
  leaf private-key-file {
    description "Path to the private key file";
    type string;
  }
}
}

list internal-vlr {
  key "vlr-ref";

  leaf vlr-ref {
    description "Reference to a VLR record in the VLR catalog";
    type leafref {
      path "/vlr:vlr-catalog/vlr:vlr/vlr:id";
    }
  }
}

leaf-list internal-connection-point-ref {
  type leafref {
    path "../../vdur/internal-connection-point/id";
  }
}
}

list connection-point {
  key "name";
  description
    "List for external connection points. Each VNF has one
    or more external connection points. As the name
    implies that external connection points are used for
    connecting the VNF to other VNFs or to external networks.
    Each VNF exposes these connection points to the
    orchestrator. The orchestrator can construct network
    services by connecting the connection points between
```

```

        different VNFs. The NFVO will use VLDs and VNFFGs at
        the network service level to construct network services.";

uses vnf:common-connection-point;

leaf vlr-ref {
  description
    "Reference to the VLR associated with this connection point";
  type leafref {
    path "/vlr:vlr-catalog/vlr:vlr/vlr:id";
  }
}

leaf ip-address {
  description
    "IP address assigned to the external connection point";
  type inet:ip-address;
}

leaf mac-address {
  description
    "MAC address assigned to the external connection point";
  // type inet:mac-address;
  type string;
}

leaf connection-point-id {
  rwpb:field-inline "true";
  rwpb:field-string-max 64;
  type string;
}
}

list vdur {
  description "List of Virtual Deployment Units";
  key "id";
  unique "name";

  leaf id {
    description "Unique id for the VDU";
    type yang:uuid;
  }

  leaf name {
    description "name of the instantiated VDUR";
    type string;
  }

  leaf vdu-id-ref {
    type leafref {
      path "../..//vnfd/vdu/id";
    }
  }

  leaf vim-id {
    description "Allocated VM resource id";
    type string;
  }
}

```

```
leaf flavor-id {
  description "VIM assigned flavor id";
  type string;
}

leaf image-id {
  description "VIM assigned image id";
  type string;
}

leaf management-ip {
  description "Management IP address";
  type inet:ip-address;
}

leaf vm-management-ip {
  description "VM Private Management IP address";
  type inet:ip-address;
}

leaf console-url {
  description "Console URL for this VDU, if available";
  type inet:uri;
}

uses manotypes:vm-flavor;
uses manotypes:guest-epa;
uses manotypes:vswitch-epa;
uses manotypes:hypervisor-epa;
uses manotypes:host-epa;

uses manotypes:supplemental-boot-data;

list volumes {
  key "name";

  leaf name {
    description "Name of the disk-volumes, e.g. vda, vdb etc";
    type string;
  }

  leaf volume-id {
    description "VIM assigned volume id";
    type string;
  }

  uses manotypes:volume-info;
}

list alarms {
  description
    "A list of the alarms that have been created for this VDU";

  key "alarm-id";
  uses manotypes:alarm;
}
```

```
}

list internal-connection-point {
  key "id";
  description
    "List for internal connection points. Each VNFC
    has zero or more internal connection points.
    Internal connection points are used for connecting
    the VNF components internal to the VNF. If a VNF
    has only one VNFC, it may not have any internal
    connection points.";

  uses vnf:common-connection-point;

  leaf ip-address {
    description
      "IP address assigned to the internal connection point";
    type inet:ip-address;
  }
  leaf mac-address {
    description
      "MAC address assigned to the internal connection point";
    // type inet:mac-address;
    type string;
  }
}

list internal-interface {
  description
    "List of internal interfaces for the VNF";
  key name;

  leaf name {
    description
      "Name of internal interface. Note that this
      name has only local significance to the VDU.";
    type string;
  }

  leaf vdu-internal-connection-point-ref {
    type leafref {
      path "../..//internal-connection-point/id";
    }
  }
  uses virtual-interface;
}

list external-interface {
  description
    "List of external interfaces for the VNF.
    The external interfaces enable sending
    traffic to and from VNF.";
  key name;

  leaf name {
    description
```

```

        "Name of the external interface. Note that
        this name has only local significance.";
    type string;
}

leaf vnfd-connection-point-ref {
    description
        "Name of the external connection point.";
    type leafref {
        path "../.../.../connection-point/name";
    }
}
uses virtual-interface;
}
leaf operational-status {
    description
        "The operational status of the VDU
        init                : The VDU has just started.
        vm-init-phase       : The VDUs in the VNF is being created in
VIM.
        vm-alloc-pending    : The VM alloc is pending in VIM
        running             : The VDU is active in VM
        terminate           : The VDU is being terminated
        vm-terminate-phase  : The VDU in the VNF is being terminated
in VIM.
        terminated         : The VDU is in the terminated state.
        failed              : The VDU instantiation failed.
";

    type enumeration {
        rwpb:enum-type "VduOperationalStatus";
        enum init;
        enum vm-init-phase;
        enum vm-alloc-pending;
        enum running;
        enum terminate;
        enum vl-terminate-phase;
        enum terminated;
        enum failed;
    }
}
uses placement-group-info;
}

uses manotypes:monitoring-param;

leaf operational-status {
    description
        "The operational status of the VNFR instance
        init                : The VNF has just started.
        vl-init-phase       : The internal VLs in the VNF are being
instantiated.
        vm-init-phase       : The VMs for VDUs in the VNF are being
instantiated.
        running             : The VNF is in running state.
        terminate           : The VNF is being terminated.
";
};

```

```

        vm-terminate-phase : The VMs in the VNF are being terminated.
        vl-terminate-phase : The internal VLs in the VNF are being
terminated.
        terminated        : The VNF is in the terminated state.
        failed            : The VNF instantiation failed
";

type enumeration {
  rwpb:enum-type "VnfrOperationalStatus";
  enum init;
  enum vl-init-phase;
  enum vm-init-phase;
  enum running;
  enum terminate;
  enum vm-terminate-phase;
  enum vl-terminate-phase;
  enum terminated;
  enum failed;
}
}
leaf config-status {
  description
    "The configuration status of the NS instance
    configuring: At least one of the VNFs in this instance is in
configuring state
    configured: All the VNFs in this NS instance are configured or
config-not-needed state
";

  type enumeration {
    enum configuring {
      value 1;
    }
    enum configured {
      value 2;
    }
    enum failed {
      value 3;
    }
    enum config-not-needed {
      value 4;
    }
  }
}
uses placement-group-info;
container cloud-config {
  rwpb:msg-new VnfrCloudConfig;
  uses manotypes:cloud-config;
}
}
}

rpc create-alarm {
  description "Create an alert for a running VDU";
  input {
    leaf cloud-account {

```

```
        mandatory true;
        type string;
    }

    leaf vdur-id {
        mandatory true;
        type string;
    }

    container alarm {
        uses manotypes:alarm;
    }
}

output {
    leaf alarm-id {
        type string;
    }
}

rpc destroy-alarm {
    description "Destroy an alert that is associated with a running VDU";
    input {
        leaf cloud-account {
            mandatory true;
            type string;
        }

        leaf alarm-id {
            mandatory true;
            type string;
        }
    }
}
```

Examples

See ["API Examples" on page 371](#).

vnfr:vnfd

VNF descriptor (VNFD) used to instantiate this VNF.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd

Fields

ID	Type	Cardinality	Description
id	string	1	Identifier for the VNFD.
name	string	1	VNFD name.
short-name	string	1	VNFD short name to use as a label in the UI.
vendor	string	1	Provider of the VNFD.
logo	string	1	<p>File path of the vendor-specific logo. For example, icons/mylogo.png</p> <p>The logo should be part of the VNF package. SVG format is preferred, but PNG is supported.</p> <p>Although there is no hard limit on size and dimension, a square image under 200px by 200px is preferred.</p>
description	string	1	Description of the VNFD.
version	string	1	Version of the VNFD.
vnf-configuration	container		<p>Information about the VNF configuration for the management interface.</p> <p>See "vnfr:vnf-configuration" on page 259.</p>

ID	Type	Cardinality	Description
config-parameter	container	1	List of VNF configuration parameter requests and sources. See "vnfr:config-parameter" on page 266
mgmt-interface	container	1	Interface over which the VNF is managed. See "vnfr:mgmt-interface" on page 269 .
internal-vld	list	0..n	List of Internal Virtual Link Descriptors (VLD). See "vnfr:internal-vld" on page 271 .
ip-profiles	list	0..n	List of IP profiles. An IP profile describes the IP characteristics for the virtual-link. See "vnfr:ip-profiles" on page 274 .
connection-point	list	0..n	The list for external connection points. See "vnfr:connection-point" on page 276 .
vdu	list	0..n	List of virtual deployment units, which are VMs that host the network function. See "vnfr:vdu" on page 277 .
vdu-dependency	list	0..n	List of VDU dependencies. See "vnfr:vdu-dependency" on page 307 .

ID	Type	Cardinality	Description
service-function-chain	enum	1	Type of node in service function chaining architecture. Supported types: <ul style="list-style-type: none"> • UNAWARE (default) • CLASSIFIER • SF • SFF
service-function-type	string	1	Type of service function. Note: This value needs to map to a service function type in the OpenDaylight platform to support VNFFG.
http-endpoint	list	0..n	List of http endpoints to be used by monitoring-param. See "vnfr:http-endpoint" on page 308 .
monitoring-param	list	0..n	List of monitoring parameters at the network service level. See vnfd:monitoring-param .
placement-groups	list	0..n	List of placement groups at VNF level. See "vnfr:placement-groups" on page 314 .

vnfr:vnf-configuration

Information about the VNF configuration for the management interface.

Note: If the network service contains multiple instances of the same VNF, each VNF instance could have a different configuration.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vnf-configuration

Fields

ID	Type	Cardinality	Description
netconf	container	1	Use NETCONF for configuring the VNF. See "vnfr:vnf-configuration" on page .
rest	container	1	Use REST for configuring the VNF. See "vnfr:rest" on page 261.
script	container	1	Use a custom script for configuring the VNF. This script will be executed in the orchestrator. All required dependencies for the script should be available in the orchestrator system. See "vnfr:script" on page 261.
juju	container	1	Use Juju for configuring the VNF. See "vnfr:juju" on page 262.
config-access	container	1	IP address to be used to configure this VNF. See "vnfr:config-access" on page 262.

ID	Type	Cardinality	Description
config-attributes	container	1	Miscellaneous config attributes to be considered while processing the NSD to apply configuration. See " vnfr:config-attributes " on page 262.
config-primitive	list	0..n	List of service primitives supported by the configuration agent for this VNF. See " vnfr:config-primitive " on page 263.
initial-config-primitive	list	0..n	Initial set of configuration primitives. See " vnfr:initial-config-primitive " on page 265.
config-template	string	1	Configuration template for each VNF.

vnfr:netconf

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vnf-configuration/netconf

ID	Type	Cardinality	Description
target	enum	1	NETCONF configuration target. Supported values: <ul style="list-style-type: none"> RUNNING CANDIDATE

ID	Type	Cardinality	Description
protocol	enum	1	Protocol to use for NETCONF. Supported values: <ul style="list-style-type: none"> NONE SSH
port	inet:port-number	1	Port for the NETCONF server.

vnfr:rest

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vnf-configuration/rest

ID	Type	Cardinality	Description
port	inet_port-number	1	Port for the REST server

vnfr:script

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vnf-configuration/script

ID	Type	Cardinality	Description
script-type	enum	1	Script type to use. Supported values: <ul style="list-style-type: none"> BASH EXPECT

vnfr:juju

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vnf-configuration/juju

ID	Type	Cardinality	Description
charm	string	1	Juju charm to use to use with the VNF.

vnfr:config-access

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vnf-configuration/config-access

ID	Type	Cardinality	Description
mgmt-ip-address	union	1	IP address to be used to configure this VNF. <hr/> Note: This parameter is optional if it is possible to dynamically resolve the IP. <hr/>
username	string	1	User name for configuration.
password	string	1	Password for configuration access authentication.

vnfr:config-attributes

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vnf-configuration/config-attributes

ID	Type	Cardinality	Description
config-priority	uint64	1	Order of configuration priority to be applied to each VNF in this network service. A low number takes precedence over a high number.

ID	Type	Cardinality	Description
config-delay	uint64	1	Wait time (in seconds) before applying the configuration to this VNF.

vnfr:config-primitive

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vnf-configuration/config-primitive/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the service primitive.
parameter	list	0..n	List of parameters to the service primitive. See " vnfr:config-primitive:parameter " on page 263.
user-defined-script	string	1	A user-defined script. If a script is defined, the script will be executed using bash.

vnfr:config-primitive:parameter

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vnf-configuration/config-primitive/STRING/parameter/STRING

ID	Type	Cardinality	Description
name	string	1	Name of parameter

ID	Type	Cardinality	Description
data-type	enum	1	Data type associated with the name. Supported values: <ul style="list-style-type: none"> • STRING • INTEGER • BOOLEAN
mandatory	boolean	1	[Default <i>false</i>] Defines whether this field is mandatory.
default-value	string	1	The default value for the field. Note: This value is required to set the read-only and hidden parameters.
parameter-pool	string	1	NSD parameter pool name to use for this parameter.
read-only	boolean	1	If set to <i>true</i> , the value is dimmed in the UI. Note: This parameter can be set to true only on parameters that specify a default-value field.
hidden	boolean	1	If set to true, the value is hidden from view in the UI. Note: This parameter can be set to true only on parameters that specify a default-value field.
out	boolean	1	Specifies if this is an output of the primitive execution.

vnfr:initial-config-primitive

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vnf-configuration/initial-config-primitive/0

ID	Type	Cardinality	Description
seq	uint64	1	Sequence number for the configuration primitive.
name	string	1	Name of the configuration primitive.
parameter	list	0..n	List of parameters to the configuration primitive. See " vnfr:initial-config-primitive:parameter " on page 265.
user-defined-script	string	1	A user-defined script
config-primitive-ref	leafref	1	Reference to a config primitive name. <hr/> Note: The referenced config primitive should have all the input paramaters predefined either with default values or dependency references. <hr/>

vnfr:initial-config-primitive:parameter

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vnf-configuration/initial-config-primitive/0/parameter/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the parameter.
value	string	1	Value of the parameter.

vnfr:config-parameter

List of VNF config parameter requests and sources.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/config-parameter

Fields

ID	Type	Cardinality	Description
config-parameter-source	list	1	List of parameters exposed by this VNF. See " vnfr:config-parameter-source " on page 266.
config-parameter-request	list	1	List of requests for this VNF. See " vnfr:config-parameter-source:parameter " on page 267.

vnfr:config-parameter-source

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/config-parameter/config-parameter-source/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the source.
description	string	1	Description of the source.
attribute	string	1	Location of this source as a run-time attribute. For example, the value is ../.././mgmt-interface, ip-address which returns the ip-address assigned to the mgmt-interface after VNF instantiation.

ID	Type	Cardinality	Description
config-primitive-name-ref	leafref	1	A leafref to the configuration primitive. <hr/> Note: This refers to a config parameter in which output parameter is referenced in <code>out-parameter</code> . <hr/>
parameter-ref	leafref	1	Name of the output parameter in the config primitive.
value	string	1	Predefined value to be used for this source.
parameter	list	0..n	List of parameters for this source. See "vnfr:config-parameter-source:parameter" on page 267

vnfr:config-parameter-source:parameter

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/config-parameter/config-parameter-source/STRING/parameter/STRING

ID	Type	Cardinality	Description
config-primitive-name-ref	leafref	1	Name of the configuration primitive where this source will used.
config-primitive-parameter-ref	leafref	1	Parameter name of the config primitive.

vnfr:config-parameter-request

ID	Type	Cardinality	Description
name	string	1	Name of this parameter request.
description	string	1	Description of this request.
parameter	list	0..n	List of parameters for this request. See " vnfr:config-parameter-request:parameter " on page 268.

vnfr:config-parameter-request:parameter

ID	Type	Cardinality	Description
config-primitive-name-ref	leafref	1	Name of the configuration primitive where this request will used.
config-primitive-parameter-ref	leafref	1	Parameter name of the config primitive.

vnfr:mgmt-interface

Interface over which the VNF is managed.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/mgmt-interface

Fields

ID	Type	Cardinality	Description
ip-address	union	1	Specifies the static IP address for managing the VNF.
vdu-id	leafref	1	Use the default management interface on this VDU. This is a leafref to path: <code>/vnfd:vnfd-catalog/vnfd:vnfd/vnfd:vdu/vnfd:id</code>
cp	leafref	1	Use the IP address for the VNFD associated with this connection point endpoint. This is a leafref to path: <code>/vnfd:vnfd-catalog/vnfd:vnfd/vnfd:connection-point/vnfd:name</code>
port	uint16	1	Port number for the management interface.
dashboard-params	container	1	Parameters for the VNF dashboard of the management interface. See " vnfr:dashboard-params " on page 270.

vnfr:dashboard-params

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/mgmt-interface/dashboard-params

ID	Type	Cardinality	Description
path	string	1	The HTTP path for the dashboard.
https	boolean	1	[Default <i>false</i>] Choose HTTPS instead of HTTP.
port	uint16	1	The HTTP port for the dashboard

vnfr:internal-vld

List of internal Virtual Link Descriptors (VLDs). Internal VLDs describe the basic topology of the connectivity—such as E-LAN— between internal VNF Components (VNFC) within the system.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/internal-vld/STRING

Fields

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the internal VLD.
name	string	1	Name of the internal VLD.
short-name	string	1	Short name for the internal VLD to use as a label in the UI.
description	string	1	Description of the internal VLD.
type	enum	1	Type of virtual link. Supported values: ELAN: A multipoint service that connects a set of VDUs.
root-bandwidth	uint64	1	For ELAN this is the aggregate bandwidth.
leaf-bandwidth	uint64	1	For ELAN this is the bandwidth of branches.
internal-connection-point	list	0..n	List of internal connection points in this VLD. See " vnfr:internal-connection-point " on page 272.

ID	Type	Cardinality	Description
provider-network	container	1	Container for the provider network. See " vnfr:provider-network " on page 272.
vim-network-name	string	1	Name of pre-provisioned network in the VIM (cloud) account.
ip-profile-ref	string	1	Named reference to an ip-profile object.

vnfr:internal-connection-point

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/internal-vld/STRING/internal-connection-point/STRING

ID	Type	Cardinality	Description
id-ref	leafref	1	Reference to the internal connection point ID.

vnfr:provider-network

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/internal-vld/STRING/provider-network

ID	Type	Cardinality	Description
physical-network	string	1	Name of the physical network on which the provider network is built.

ID	Type	Cardinality	Description
overlay-type	enum	1	<p>Identifies the type of the overlay network, which is a virtual network that is built on top of an existing network and is supported by its infrastructure.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • LOCAL — A network that can be realized on a single host only. • FLAT — The simplest networking environment in which each instance receives a fixed IP from the pool. All instances are attached to the same bridges. • VLAN — A network of computers in which the computers behaves as if they are connected to the same wire. However, the computers might be physically located on different segments of a LAN. • VXLAN — A proposed encapsulation protocol for running an overlay network on existing Layer 3 infrastructure • GRE — GRE tunnels encapsulate isolated Layer 2 network traffic in IP packets. Packets are routed between compute and networking nodes using the hosts' network connectivity and routing tables.
segmentation-id	uint32	1	Segmentation ID

vnfr:ip-profiles

List of IP profiles. IP profiles describe the IP characteristics for the virtual link.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/ip-profiles/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the IP profile.
description	string	1	Description of the IP profile.
ip-profile-params	container	1	Information about the IP profile. See "vnfr:ip-profile-params" on page 274

vnfr:ip-profile-params

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/ip-profiles/STRING/ip-profile-params

ID	Type	Cardinality	Description
ip-version	enum	1	[Default IPv4] Version of the Internet Protocol used.
subnet-address	union	1	Subnet IP prefix associated with this IP profile.
gateway-address	union	1	IP address of the default gateway associated with this IP profile.
security-group	string	1	Name of the security group.

ID	Type	Cardinality	Description
dns-server	list	0..n	List of DNS servers associated with this IP profile. See " vnfr:dns-server " on page 275.
dhcp-params	container	1	Container for DHCP parameters. See " vnfr:ip-profile-params " on page 274.
subnet-prefix-pool	string	1	VIM-specific reference to pre-created subnet prefix.

vnfr:dns-server

`/vnfr:vnfr-catalog/vnfr/STRING/vnfd/ip-profiles/STRING/ip-profile-params`

ID	Type	Cardinality	Description
address union		1	List of DNS servers associated with this IP profile.

vnfr:dhcp-params

`/vnfr:vnfr-catalog/vnfr/STRING/vnfd/ip-profiles/STRING/ip-profile-params/dhcp-params`

ID	Type	Cardinality	Description
enabled	boolean	1	[Default <i>true</i>] Indicates if DHCP is enabled.
start-address	union	1	Start IP address of the IP address range associated with DHCP domain.
count	uint32	1	Size of the DHCP pool associated with DHCP domain.

vnfr:connection-point

List of external connection points, in which each VNF:

- Has one or more points that are used to connect a VNF to other VNFs or to external networks
- Exposes these connection points to the orchestrator (NFVO)

The orchestrator constructs network services by connecting the connection points between different VNFs.

The orchestrator uses VLDs and VNFFGs at the network service level to construct network services.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/connection-point/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the connection point.
id	string	1	Unique identifier of the connection point
short-name	string	1	Short name of the connection point to use as a label in the UI.
type	enum	1	Type of connection point. Supported values: VPORT: Virtual Port
port-security-enabled	boolean	1	Enables the port security for the port
static-ip-address	union	1	Static IP address for the connection point

vnfr:vdv

A VDU is a basic part of VNF. VDUs are virtual machines that host the network function, such as:

- Virtual machine specification
- Computation properties (RAM size, disk size, memory page size, number of CPUs, number of cores per CPU, number of threads per core)
- Storage requirements
- Initiation and termination scripts
- High availability redundancy model
- Scale out/scale in limits

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING

Fields

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the VDU.
name	string	1	Unique name for the VDU.
description	string	1	Description of the VDU.
count	uint64	1	Number of instances of the VDU.
mgmt-vpci	string	1	Specifies the virtual PCI address, expressed in the following format dddd:dd:dd.d. For example 0000:00:12.0. This information can be used to pass as metadata during the VM creation.
vm-flavor	container	1	Flavor of the virtual machine (VM) instance. See " vnfr:vm-flavor " on page 280.

ID	Type	Cardinality	Description
guest-epa	container	1	EPA attributes for the guest operating system. See "vnfr:guest-epa" on page 280 .
vswitch-epa	container	1	EPA attributes for Open vSwitch. See "vnfr:vswitch-epa" on page 286
hypervisor-epa	container	1	EPA attributes for the hypervisor. See "vnfr:hypervisor-epa" on page 287 .
host-epa	container	1	EPA attributes for the host operating system. See "vnfr:host-epa" on page 288 .
alarm	list	0..n	A list of alarms. See "vnfr:alarm" on page 293
image	string	1	Image name for the software image. If the image name is found within the VNF package it will be uploaded to all cloud accounts during the onboarding process. Otherwise, the image must be added to the cloud account with the same name as entered in this field.
image-checksum	string	1	Image md5sum for the software image. The md5sum, if provided, along with the image name, uniquely identifies an image uploaded to the CAL.
cloud-init	string	1	Contents of cloud-init script, provided inline, in cloud-config format
cloud-init-file	string	1	Name of file with contents of cloud-init script in cloud-config format.

ID	Type	Cardinality	Description
supplemental-boot-data	container	1	Container for custom VIM data. See " vnfr:supplemental-boot-data " on page 298.
internal-connection-point	list	0..n	List for internal connection points. See " vnfr:internal-connection-point " on page 300.
internal-interface	list	0..n	List of internal interfaces for the VNF. See " vnfr:internal-interface " on page 301.
external-interface	list	0..n	List of external interfaces for the VNF. See " vnfr:external-interface " on page 303.
volumes	list	0..n	List of disk-volumes to be attached to VDU. See " vnfr:volumes " on page 305.

vnfr:vm-flavor

Flavor is an alternative term for a VM instance type.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/vm-flavor

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/vm-flavor

Fields

ID	Type	Cardinality	Description
vpcu-count	uint16	1	Number of VCPUs for the VM.
memory-mb	uint64	1	Amount of memory in MB to allocate to the VM.
storage-gb	uint64	1	Amount of disk space in GB to allocate to the VM.

vnfr:guest-epa

EPA attributes for the guest operating system.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/guest-epa

Fields

ID	Type	Cardinality	Description
trusted-execution	boolean	1	If set to <i>true</i> , indicates this VM should be allocated from trusted pool.

ID	Type	Cardinality	Description
mempage-size	enum	1	<p>Memory page allocation size.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • LARGE: Require hugepages (either 2MB or 1GB) • SMALL: Doesn't require hugepages • SIZE_2MB: Requires 2MB hugepages • SIZE_1GB: Requires 1GB hugepages • PREFER_LARGE: Application prefers hugepages <hr/> <p>Note: If a VM requires hugepages, choose LARGE or SIZE_2MB or SIZE_1GB. If the VM prefers hugepages, choose PREFER_LARGE.</p> <hr/>
cpu-pinning-policy	enum	1	<p>Describes the association between virtual CPUs in the guest and the physical CPUs in the host.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • DEDICATED: Virtual CPUs are pinned to physical CPUs • SHARED: Multiple VMs may share the same physical CPUs. • ANY: (Default) Any policy is acceptable for the VM
cpu-thread-pinning-policy	enum	1	<p>Describes how to place the guest CPUs when the host supports hyper threads.</p> <p>Default values:</p> <ul style="list-style-type: none"> • AVOID: Avoids placing a guest on a host with threads. • SEPARATE: Places vCPUs on separate cores, and avoids placing two vCPUs on two threads of same core. • ISOLATE: Places each vCPU on a different core, and places no vCPUs from a different guest on the same core. • PREFER: Attempts to place vCPUs on threads of the same core.

ID	Type	Cardinality	Description
pcie-device	list	0..1	List of PCIE passthrough devices. See "vnfr:pcie-device" on page 283
numa-unaware	empty		Details about the numa-node-policy are null.
numa-node-policy	container	1	Defines numa topology of the guest, specifying if the guest should run on a host with one numa node or multiple numa nodes. Example: A guest might need 8 VCPUs and 4 GB of memory with the VCPUs and memory distributed across multiple NUMA nodes. In this scenario, NUMA node 1 could run with 6 VCPUs and 3GB, and NUMA node 2 could run with 2 vcpus and 1GB. See "vnfr:numa-node-policy" on page 283

vnfr:pcie-device

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/guest-epa/pcie-device/STRING

ID	Type	Cardinality	Description
device-id	string	1	Device identifier.
count	uint64	1	Number of devices to attach to the VM.

vnfr:numa-node-policy

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/guest-epa/numa-node-policy

ID	Type	Cardinality	Description
node-cnt	uint16	1	Number of NUMA nodes to expose to the VM.
mem-policy	enum	1	Specifies how to allocate memory in a multi-node scenario. Supported values: <ul style="list-style-type: none"> • STRICT: The memory must be allocated from the memory attached to the NUMA node. • PREFERRED: The memory should be allocated from the memory attached to the NUMA node
node	list	0..n	List of NUMA nodes. See " vnfr:numa-node-policy:node " on page 284.

vnfr:numa-node-policy:node

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/guest-epa/numa-node-policy/node/0

ID	Type	Cardinality	Description
id	uint64	1	NUMA node identification. Typically 0 or 1.
vcpu	list	0..n	List of VCPUs to allocate on this NUMA node. See " vnfr:numa-node-policy:node:vcpu " on page 284
memory-mb	uint64	1	Memory size in MB for this NUMA node.
num-cores	uint8	1	Number of cores.
paired-threads	container	1	Container for paired threads. See " vnfr:numa-node-policy:node:paired-threads " on page 285.
num-threads	uint8	1	OpenMANO NUMA type selection.

vnfr:numa-node-policy:node:vcpu

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/guest-epa/numa-node-policy/node/0/vcpu/0

ID	Type	Cardinality	Description
id	uint64	1	List of VCPUs IDs to allocate on this NUMA node.

vnfr:numa-node-policy:node:paired-threads

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/guest-epa/numa-node-policy/node/0/paired-threads

ID	Type	Cardinality	Description
num-paired-threads	uint8	1	Number of paired-threads.
paired-thread-ids	list	0..n	List of thread paired to use in case of paired thread NUMA. See " vnfr:numa-node-policy:node:paired-threads:paired-thread-ids " on page 285

vnfr:numa-node-policy:node:paired-threads:paired-thread-ids

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/guest-epa/numa-node-policy/node/0/paired-threads/paired-thread-ids/0

ID	Type	Cardinality	Description
thread-a	uint8	1	Thread ID
thread-b	uint8	1	Thread ID

vnfr:vswitch-epa

EPA attributes for Open vSwitch.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/vswitch-epa

Fields

ID	Type	Cardinality	Description
ovs-acceleration	enum	1	<p>Specifies Open vSwitch acceleration mode.</p> <p>Supported values:</p> <ul style="list-style-type: none"> MANDATORY: OVS acceleration is required PREFERRED: OVS acceleration is preferred DISABLED: OVS acceleration is disabled.
ovs-offload	enum	1	<p>Specifies Open vSwitch hardware offload mode.</p> <p>Supported values:</p> <ul style="list-style-type: none"> MANDATORY: OVS offload is required PREFERRED: OVS offload is preferred DISABLED: OVS offload is disabled

vnfr:hypervisor-epa

EPA attributes for the hypervisor.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/hypervisor-epa

Fields

ID	Type	Cardinality	Description
type	enum	1	Specifies the type of hypervisor. For example, KVM, XEN. Value can be: <ul style="list-style-type: none">• KVM: KVM• XEN: XEN
version	string	1	Version of the hypervisor.

vnfr:host-epa

Specifies the host-level EPA attributes.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/host-epa

Fields

ID	Type	Cardinality	Description
cpu-model	enum	1	Host CPU model. Supported values: <ul style="list-style-type: none"> • PREFER_WESTMERE • REQUIRE_WESTMERE • PREFER_SANDYBRIDGE • REQUIRE_SANDYBRIDGE • PREFER_IVYBRIDGE • REQUIRE_IVYBRIDGE • PREFER_HASWELL • REQUIRE_HASWELL • PREFER_BROADWELL • REQUIRE_BROADWELL • PREFER_NEHALEM • REQUIRE_NEHALEM • PREFER_PENRYN • REQUIRE_PENRYN • PREFER_CONROE • REQUIRE_CONROE • PREFER_CORE2DUO • REQUIRE_CORE2DUO

ID	Type	Cardinality	Description
cpu-arch	enum	1	Host CPU architecture. Supported values: <ul style="list-style-type: none"> • PREFER_X86 • REQUIRE_X86 • PREFER_X86_64 • REQUIRE_X86_64 • PREFER_I686 • REQUIRE_I686 • PREFER_IA64 • REQUIRE_IA64 • PREFER_ARMV7 • REQUIRE_ARMV7 • PREFER_ARMV8 • REQUIRE_ARMV8
cpu-vendor	enum	1	Host CPU vendor. Supported values: <ul style="list-style-type: none"> • PREFER_INTEL • REQUIRE_INTEL • PREFER_AMD • REQUIRE_AMD
cpu-socket-count	uint64	1	Number of sockets on the host.
cpu-core-count	uint64	1	Number of cores on the host.
cpu-core-thread-count	uint64	1	Number of threads per cores on the host.

ID	Type	Cardinality	Description
cpu-feature	list	0..1	List of CPU features. See " vnfr:cpu-feature " on page 290.
om-cpu-model-string	string	1	OpenMano CPU model string.
om-cpu-feature	list	0..n	OpenMano CPU features. See " vnfd:om-cpu-feature " on page 292.

vnfr:cpu-feature

`/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/host-epa/cpu-feature/PREFER_AES`

ID	Type	Cardinality	Description
----	------	-------------	-------------

ID	Type	Cardinality	Description
----	------	-------------	-------------

feature enum 1

Enumeration for CPU features:

- AES: CPU supports advanced instruction set for AES (Advanced Encryption Standard).
- CAT: Cache Allocation Technology (CAT) allows an operating system, hypervisor, or similar system management agent to specify the amount of L3 cache (currently the last-level cache in most server and client platforms) space an application can fill.

Note: As a hint to hardware functionality, certain features, such as power management, may override CAT settings.

- CMT: Cache Monitoring Technology (CMT) allows an Operating System, Hypervisor, or similar system management agent to determine the usage of cache based on applications running on the platform. The implementation is directed at L3 cache monitoring (currently the last-level cache in most server and client platforms).
- DDIO: Intel Data Direct I/O (DDIO) enables Ethernet server NICs and controllers talk directly to the processor cache without a detour via system memory. This enumeration specifies if the VM requires a DDIO capable host.

Supported values:

- PREFER_AES
- REQUIRE_AES
- PREFER_CAT
- REQUIRE_CAT
- PREFER_CMT
- REQUIRE_CMT
- PREFER_DDIO
- REQUIRE_DDIO
- REQUIRE_VME
- PREFER_VME
- REQUIRE_DE
- PREFER_DE
- REQUIRE_PSE
- PREFER_PSE
- REQUIRE_TSC
- PREFER_TSC

vnfd:om-cpu-feature

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/host-epa/om-cpu-feature/STRING

ID	Type	Cardinality	Description
feature	string	1	CPU feature.

vnfr:alarm

Information about alarms.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/alarm/STRING

Fields

ID	Type	Cardinality	Description
alarm-id	string	1	Reserved field for the identifier assigned by the VIM provider.
name	string	1	A human-readable string to identify the alarm.
description	string	1	Description of the alarm.
vdur-id	string	1	Identifier of the VDU record (VDUR) associated with this alarm.
actions	container	1	Actions related to the alarm. See " vnfr:actions " on page 296.
repeat	boolean	1	[Default <i>true</i>] Indicates whether the alarm should emit repeatedly after the associated threshold has been crossed.
enabled	boolean	1	[Default <i>true</i>] Indicates whether the alarm has been enabled or disabled.

ID	Type	Cardinality	Description
severity	enum	1	<p>A measure of the important or urgency of the alarm.</p> <p>Supported types:</p> <ul style="list-style-type: none">• LOW• MODERATE• CRITICAL
metric	enum	1	<p>Metric types that can be tracked by this alarm.</p> <p>Supported values:</p> <ul style="list-style-type: none">• CPU_UTILIZATION• MEMORY_UTILIZATION• STORAGE_UTILIZATION
statistic	enum	1	<p>Type of statistic to use to measure a metric, which determines threshold crossing for an alarm.</p> <p>Supported values:</p> <ul style="list-style-type: none">• AVERAGE• MINIMUM• MAXIMUM• COUNT• SUM

ID	Type	Cardinality	Description
operation	enum	1	<p>The relational operator used to define whether an alarm should be triggered when the metric statistic goes above or below a specified threshold value.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • GE — Greater than or equal to • LE — Less than or equal to • GT — Greater than • LT — Less than • EQ — Equal
value	decimal164	1	Defines the threshold (up to 4 fraction digits) that, if crossed, will trigger the alarm.
period	uint32	1	Defines the length of time (seconds) for which metric data are collected to evaluate the chosen statistic.
evaluation	uint32	1	<p>Number of samples of the metric statistic used to evaluate threshold crossing.</p> <p>Each sample or evaluation is equal to the metric statistic obtained for a given period.</p> <hr/> <p>Note: This value can be used to mitigate spikes in the metric that may skew the statistic of interest.</p> <hr/>

vnfr:actions

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/alarm/STRING/actions

ID	Type	Cardinality	Description
ok	list	0..n	See "vnfr:actions" on page 296.
insufficient-data	list	0..n	See "vnfr:actions:insufficient-data" on page 296.
alarm	list	0..n	See "vnfr:actions:alarm" on page 297.

vnfr:actions:ok

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/alarm/STRING/actions/ok/STRING

ID	Type	Cardinality	Description
url	string	1	

vnfr:actions:insufficient-data

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/alarm/STRING/actions/insufficient-data/STRING

ID	Type	Cardinality	Description
url	string	1	

vnfr:actions:alarm

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/alarm/STRING/actions/alarm/STRING

ID	Type	Cardinality	Description
url	string	1	

vnfr:supplemental-boot-data

Container for custom VIM data.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/supplemental-boot-data

Fields

ID	Type	Cardinality	Description
config-file	list	0..n	List of configuration files to be mounted onto an additional drive. See " vnfr:config-file " on page 298.
custom-meta-data	list	0..n	List of metadata to be associated with the instance. See " vnfr:custom-meta-data " on page 298.
boot-data-drive	boolean	1	[Default <i>false</i>] Specifies whether the VIM should implement additional drives to host config-files or metadata.

vnfr:config-file

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/supplemental-boot-data/config-file/STRING

ID	Type	Cardinality	Description
source	string	1	Name of the configuration file.
dest	string	1	Full path of the destination in the guest.

vnfr:custom-meta-data

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/supplemental-boot-data/custom-meta-data/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the metadata parameter.
data-type	enum	1	Data type of the metadata parameter.
value	string	1	Value of the metadata parameter.

vnfr:internal-connection-point

List for internal connection points. Each VNFC has zero or more internal connection points. Internal connection points are used for connecting the VNF components internal to the VNF. If a VNF has only one VNFC, it may not have any internal connection points.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/internal-connection-point/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the connection point.
id	string	1	Identifier for the internal connection points.
short-name	string	1	Short name to use as a label in the UI.
type	enum	1	Type of connection point. Supported values: VPORT: Virtual Port
port-security-enabled	boolean		Specifies whether to enable port security for the port.
static-ip-address	union	1	Static IP address for the connection point
internal-vld-ref	leafref	1	This is a leafref to path: ../..../internal-vld/id

vnfr:internal-interface

Internal interfaces enable traffic between virtual network functions.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/internal-interface/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the internal interface inside the VDU. <hr/> Note: This name has only local significance to the VDU. <hr/>
vdu-internal-connection-point-ref	leafref	1	Reference to an internal connection point. This is a leafref to path: .././internal-connection-point/id
virtual-interface	container	1	Container for the virtual interface properties. See " vnfr:virtual-interface " on page 302.

vnfr:virtual-interface

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/internal-interface/STRING/virtual-interface

ID	Type	Cardinality	Description
type	enum	1	<p>Specifies the type of virtual interface between VM and host.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • VIRTIO: [Default] Use the traditional VIRTIO interface • PCI-PASSTHROUGH: Use PCI-PASSTHROUGH interface • SR-IOV: Use SR-IOV interface • E1000 : Emulate E1000 interface • RTL8139 : Emulate RTL8139 interface • PCNET : Emulate PCNET interface • OM-MGMT: Used to specify OpenMANO management internal-connection type
vpci	string	1	<p>Specifies the virtual PCI address in format dddd:dd:dd.d. For example:</p> <p>0000:00:12.0</p> <p>This information can be used to pass as metadata during the VM creation.</p>
bandwidth	uint64	1	Specifies the aggregate bandwidth requirement for the NIC.

vnfr:external-interface

External interfaces enable traffic between VNFs.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/external-interface/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the external interface inside the VDU. <hr/> Note: This name has only local significance to the VDU. <hr/>
vnfd-connection-point-ref	reference	1	Reference to an external connection point. This is a leafref to path: ../..../connection-point/name
virtual-interface	container	1	Virtual interface properties. See "vnfr:virtual-interface" on page 304.

vnfr:virtual-interface

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/external-interface/STRING/virtual-interface

ID	Type	Cardinality	Description
type	enum	1	<p>Specifies the type of virtual interface between VM and host.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • VIRTIO: [Default] Use the traditional VIRTIO interface • PCI-PASSTHROUGH: Use PCI-PASSTHROUGH interface • SR-IOV: Use SR-IOV interface • E1000 : Emulate E1000 interface • RTL8139 : Emulate RTL8139 interface • PCNET : Emulate PCNET interface • OM-MGMT: Used to specify OpenMANO management internal-connection type
vpci	string	1	<p>Specifies the virtual PCI address in format dddd:dd:dd.d. For example: 0000:00:12.0</p> <hr/> <p>Note: This information can be used to pass as metadata during the VM creation.</p> <hr/>
bandwidth	uint64	1	Specifies the aggregate bandwidth requirement for the NIC.

vnfr:volumes

Defines disk volumes to be attached to the VDU, such as if a VNF requires multiple disks to boot the virtual machine.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/volumes/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the disk-volumes, such as vda, vdb.
description	string	1	Description for the volume.
size	uint64	1	Size of the disk, in GB.
ephemeral	empty		
image	string	1	Image name for the software image to be used. If the image name is found within the VNF package it will be uploaded to all cloud accounts during the onboarding process. Otherwise, the image must be added to the cloud account with the same name as entered in this field.
image-checksum	string	1	Image md5sum for the software image. The md5sum, if provided, along with the image name, uniquely identifies an image uploaded to the CAL.
volume-ref	string	1	Reference to the pre-existing volume in VIM.
boot-volume	boolean	1	If set to <i>true</i> , indicates that this is a boot volume

ID	Type	Cardinality	Description
boot-priority	int32		Boot priority associated with volume.
device_bus	enum	1	Type of disk-bus on which this disk is exposed to the guest operating system. Supported values: <ul style="list-style-type: none"> • IDE • USB • VIRTIO • SCSI
device_type	enum	1	Type of device as exposed to the guest operating system. Supported values: <ul style="list-style-type: none"> • DISK • CDROM • FLOPPY • LUN (logical unit number)
custom-meta-data	list	0..n	List of metadata to be associated with the instance. See " vnfr:custom-meta-data " on page 307

vnfr:custom-meta-data

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu/STRING/volumes/STRING/custom-meta-data/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the metadata parameter.
data-type	enum	1	Data type of the metadata parameter.
value	string	1	Value of the metadata parameter.

vnfr:vdu-dependency

List of virtual deployment unit (VDU) dependencies, from which the orchestrator determines the order of startup among the VDUs.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/vdu-dependency/STRING

Fields

ID	Type	Cardinality	Description
vdu-source-ref	leafref	1	Identifier of the VDU. This is a leafref to path: ../vdu/id
vdu-depends-on-ref	leafref	1	Reference to the VDU on which the source VDU depends. This is a leafref to path: ../vdu/id

vnfr:http-endpoint

List of http endpoints to be used by monitoring parameters.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/http-endpoint/STRING

Fields

ID	Type	Cardinality	Description
path	string	1	The HTTP path on the management server.
https	boolean	1	[Default <i>false</i>] Pick HTTPS instead of HTTP.
port	uint16	1	HTTP port to connect to.
username	string	1	HTTP basic auth user name.
password	string	1	HTTP basic auth password.
polling_interval_secs	uint8	1	[Default 2] HTTP polling interval in seconds.
method	enum	1	Method to be performed at the URI. Supported values: <ul style="list-style-type: none"> • GET (default) • POST • PUT • GET • DELETE • PATCH • OPTIONS
data	string	1	The data to be sent with POST.

ID	Type	Cardinality	Description
headers	list	0..n	List of custom HTTP headers to put on the HTTP request. See " vnfr:headers " on page 309.

vnfr:headers

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/http-endpoint/STRING/headers/STRING

ID	Type	Cardinality	Description
key	string	1	HTTP header key.
value	string	1	HTTP header value.

vnfr:monitoring-param

List of monitoring parameters at the network service level.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/monitoring-param/STRING

Fields

ID	Type	Cardinality	Description
id	string	1	Identifier for the monitoring parameter.
name	string	1	Name of the monitoring parameter.
http-endpoint-ref	leafref	1	Reference to the HTTP endpoint. This is a leafref path: ../..../http-endpoint/path See "vnfd:http-endpoint" on page 238 .
json-query-method	enum	1	The method to extract a value from a JSON response. Supported values: <ul style="list-style-type: none"> NAMEKEY: [Default] Use the name as the key for a non-nested value. JSONPATH: Use jsonpath-rw implementation to extract a value. OBJECTPATH: Use objectpath implementation to extract a value.
json-query-params	container	1	Object for JSON query parameters. See "vnfr:json-query-params" on page 312 .
description	string	1	Description of the monitoring parameter.

ID	Type	Cardinality	Description
group-tag	string	1	Tag to group monitoring parameters.
widget-type	enum	1	Type of the widget, typically used by the UI. Supported values: <ul style="list-style-type: none"> HISTOGRAM BAR GAUGE SLIDER COUNTER TEXTBOX
units	string	1	Units for the monitoring parameter, such as megabits per second.
value-type	enum	1	The type of the parameter value. Supported values: <ul style="list-style-type: none"> INT (default) DECIMAL STRING
numeric-constraints	container	1	Constraints for the numbers. See "vnfr:numeric-constraints" on page 312.
text-constraints	container	1	Constraints for the text strings. See "vnfr:text-constraints" on page 313.
value-integer	int64	1	Current value for integer parameter.

ID	Type	Cardinality	Description
value-decimal	decimal164	1	Current value for decimal parameter, up to 4 fraction digits.
value-string	string	1	Current value for the string parameter.

vnfr:json-query-params

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/monitoring-param/STRING/json-query-params

ID	Type	Cardinality	Description
json-path	string	1	The JSON path used to extract value from the JSON structure.
object-path	string	1	The object path to use to extract value form the JSON structure.

vnfr:numeric-constraints

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/monitoring-param/STRING/numeric-constraints

ID	Type	Cardinality	Description
min-value	uint64	1	Minimum value for the parameter.
max-value	uint64	1	Maximum value for the parameter.

vnfr:text-constraints

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/monitoring-param/STRING/text-constraints

ID	Type	Cardinality	Description
min-length	uint8	1	Minimum string length for the parameter.
max-length	uint8	1	Maximum string length for the parameter.

vnfr:placement-groups

List of placement groups at VNF level. The placement group construct defines the compute resource placement strategy in a cloud environment.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/placement-groups/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Placement group name.
requirement	string	1	Describes the intent/rationale behind this placement group. <hr/> Note: This free-text field is for human consumption only. <hr/>
strategy	enum	1	Strategy associated with this placement group. Supported values: <ul style="list-style-type: none"> • COLOCATION: [Default] Share the physical infrastructure (hypervisor/network) among all members of this group. • ISOLATION: Do not share the physical infrastructure (hypervisor/network) among the members of this group
member-vdus	list	0..n	List of VDUs that are part of this placement group. See " vnfr:member-vdus " on page 315.

vnfr:member-vdus

/vnfr:vnfr-catalog/vnfr/STRING/vnfd/placement-groups/STRING/member-vdus/STRING

ID	Type	Cardinality	Description
member-vdu-ref	leafref	1	Reference to the VDU in the VNF. This is a leafref to path: ../../vdu/id

vnfr:vnf-configuration

Information about the VNF configuration for the management interface.

Note: If the network service contains multiple instances of the same VNF, each VNF instance could have a different configuration.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vnf-configuration

Fields

ID	Type	Cardinality	Description
netconf	container	1	Use NETCONF for configuring the VNF. See "vnfr:netconf" on page 317 .
rest	container	1	Use REST for configuring the VNF. See "vnfr:rest" on page 318 .
script	container	1	Use a custom script for configuring the VNF. This script will be executed in the orchestrator. All required dependencies for the script should be available in the orchestrator system. See "vnfr:script" on page 318 .
juju	container	1	Use Juju for configuring the VNF. See "vnfr:juju" on page 319 .
config-access	container	1	IP address to be used to configure this VNF. See "vnfr:config-access" on page 319 .

ID	Type	Cardinality	Description
config-attributes	container	1	Miscellaneous config attributes to be considered while processing the NSD to apply configuration. See " vnfr:config-attributes " on page 319.
config-primitive	list	0..n	List of service primitives supported by the configuration agent for this VNF. See " vnfr:config-primitive " on page 320.
initial-config-primitive	list	0..n	Initial set of configuration primitives. See " vnfr:initial-config-primitive " on page 322.
config-template	string	1	Configuration template for each VNF.

vnfr:netconf

/vnfr:vnfr-catalog/vnfr/STRING/vnf-configuration/netconf

ID	Type	Cardinality	Description
target	enum	1	NETCONF configuration target. Supported values: <ul style="list-style-type: none"> RUNNING CANDIDATE

ID	Type	Cardinality	Description
protocol	enum	1	Protocol to use for NETCONF. Supported values: <ul style="list-style-type: none"> NONE SSH
port	inet:port-number	1	Port for the NETCONF server.

vnfr:rest

/vnfr:vnfr-catalog/vnfr/STRING/vnf-configuration/rest

ID	Type	Cardinality	Description
port	inet_port-number	1	Port for the REST server

vnfr:script

/vnfr:vnfr-catalog/vnfr/STRING/vnf-configuration/script

ID	Type	Cardinality	Description
script-type	enum	1	Script type to use. Supported values: <ul style="list-style-type: none"> BASH EXPECT

vnfr:juju

/vnfr:vnfr-catalog/vnfr/STRING/vnf-configuration/juju

ID	Type	Cardinality	Description
charm	string	1	Juju charm to use to use with the VNF.

vnfr:config-access

/vnfr:vnfr-catalog/vnfr/STRING/vnf-configuration/config-access

ID	Type	Cardinality	Description
mgmt-ip-address	union	1	IP address to be used to configure this VNF. <hr/> Note: This parameter is optional if it is possible to dynamically resolve the IP. <hr/>
username	string	1	User name for configuration.
password	string	1	Password for configuration access authentication.

vnfr:config-attributes

/vnfr:vnfr-catalog/vnfr/STRING/vnf-configuration/config-attributes

ID	Type	Cardinality	Description
config-priority	uint64	1	Order of configuration priority to be applied to each VNF in this network service. A low number takes precedence over a high number.

ID	Type	Cardinality	Description
config-delay	uint64	1	Wait time (in seconds) before applying the configuration to this VNF.

vnfr:config-primitive

/vnfr:vnfr-catalog/vnfr/STRING/vnf-configuration/config-primitive/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the service primitive.
parameter	list	0..n	List of parameters to the service primitive. See " vnfr:config-primitive:parameter " on page 321.
user-defined-script	string	1	A user-defined script. If a script is defined, the script will be executed using bash.

vnfr:config-primitive:parameter

/vnfr:vnfr-catalog/vnfr/STRING/vnf-configuration/config-primitive/STRING

ID	Type	Cardinality	Description
name	string	1	Name of parameter
data-type	enum	1	Data type associated with the name. Supported values: <ul style="list-style-type: none"> • STRING • INTEGER • BOOLEAN
mandatory	boolean	1	[Default <i>false</i>] Defines whether this field is mandatory.
default-value	string	1	The default value for the field. Note: This value is required to set the read-only and hidden parameters.
parameter-pool	string	1	NSD parameter pool name to use for this parameter.
read-only	boolean	1	If set to <i>true</i> , the value is dimmed in the UI. Note: This parameter can be set to true only on parameters that specify a default-value field.
hidden	boolean	1	If set to true, the value is hidden from view in the UI. Note: This parameter can be set to true only on parameters that specify a default-value field.
out	boolean	1	Specifies if this is an output of the primitive execution.

vnfr:initial-config-primitive

/vnfr:vnfr-catalog/vnfr/STRING/vnf-configuration/initial-config-primitive/0

ID	Type	Cardinality	Description
seq	uint64	1	Sequence number for the configuration primitive.
name	string	1	Name of the configuration primitive.
parameter	list	0..n	List of parameters to the configuration primitive. See " vnfr:initial-config-primitive:parameter " on page 322.
user-defined-script	string	1	A user-defined script
config-primitive-ref	leafref	1	Reference to a config primitive name. Note: The referenced config primitive should have all the input paramaters predefined either with default values or dependency references.

vnfr:initial-config-primitive:parameter

/vnfr:vnfr-catalog/vnfr/STRING/vnf-configuration/initial-config-primitive/0/parameter/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the parameter.
value	string	1	Value of the parameter.

vnfr:mgmt-interface

Interface over which the VNF is managed.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/mgmt-interface

Fields

ID	Type	Cardinality	Description
ip-address	union	1	Specifies the static IP address for managing the VNF.
port	uint16	1	Port number for the management interface.
ssh-key	container	1	SSH key pair used for this VNF. See "vnfr:ssh-key" on page 323 .

vnfr:ssh-key

/vnfr:vnfr-catalog/vnfr/STRING/mgmt-interface/ssh-key

ID	Type	Cardinality	Description
public-key	string	1	Public key configured on this VNF.
private-key-file	string	1	Path to the private key file.

vnfr:internal-vlr

References to a virtual link record (VLR) in the VLR catalog.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/internal-vlr/STRING

Fields

ID	Type	Cardinality	Description
vlr-ref	leafref	1	Reference to a virtual link record in the VLR catalog.
internal-connection-point	leafref	1	Reference to one or more internal connection points. This is a leadref path to: ../../vdur/internal-connection-point/id

vnfr:connection-point

List of external connection points, in which each VNF:

- Has one or more points that are used to connect a VNF to other VNFs or to external networks
- Exposes these connection points to the orchestrator (NFVO)

The orchestrator constructs network services by connecting the connection points between different VNFs.

The orchestrator uses VLDs and VNFFGs at the network service level to construct network services.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/connection-point/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the connection point.
id	string	1	Unique identifier of the connection points.
short-name	string	1	Short name of the connection point to use as a label in the UI.
type	enum	1	Type of connection point. Supported values: VPORT: Virtual Port
port-security-enabled	boolean	1	Enables the port security for the port.
static-ip-address	union	1	Static IP address for the connection point

ID	Type	Cardinality	Description
vlr-ref	leafref	1	Reference to the VLR associated with this connection point.
ip-address	union	1	IP address assigned to the external connection point.
mac-address	string	1	MAC address assigned to the external connection point.
connection-point-id	string	1	Identifier for the connection point.

vnfr:vdur

List of virtual deployment units (VDUR).

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING

Fields

ID	Type	Cardinality	Description
id	string	1	Unique identifier for the VDU.
name	string	1	Unique name for the VDU.
vdu-id-ref	leafref	1	
vim-id	string	1	Allocated VM resource ID.
flavor-id	string	1	VIM assigned flavor ID.
image-id	string	1	VIM assigned flavor ID.
management-ip	union	1	Management IP address.
vm-management-ip	union	1	VM private management IP address.
console-url	string	1	Console URL for this VDU, if available.
vm-flavor	container	1	Flavor of the virtual machine (VM) instance. See " vnfr:vm-flavor " on page 280.

ID	Type	Cardinality	Description
guest-epa	container	1	EPA attributes for the guest operating system. See "vnfr:guest-epa" on page 280 .
vswitch-epa	container	1	EPA attributes for Open vSwitch. See "vnfr:vswitch-epa" on page 286 .
hypervisor-epa	container	1	EPA attributes for the hypervisor. See "vnfr:hypervisor-epa" on page 287 .
host-epa	container	1	EPA attributes for the host operating system. See "vnfr:host-epa" on page 288 .
supplemental-boot-data	container	1	Container for custom VIM data. See .
volumes	list	0..n	List of disk-volumes to be attached to VDU. See "vnfd:volumes" on page 234 .
alarm	list	0..n	A list of alarms. See "vnfd:alarm" on page 223 .
internal-connection-point	list	0..n	List for internal connection points. See "vnfd:internal-connection-point" on page 229 .
internal-interface	list	0..n	List of internal interfaces for the VNF. See "vnfd:internal-interface" on page 230 .

ID	Type	Cardinality	Description
external-interface	list	0..n	List of external interfaces for the VNF. See " vnfd:external-interface " on page 232.
operational-status	enum	1	<p>The operational status of the VNFR instance init:</p> <ul style="list-style-type: none"> • init : The VDU has just started • vm-init-phase : The VDUs in the VNF is being created in VIM • vm-alloc-pending : The VM alloc is pending in VIM • running : The VDU is active in VM • terminate : The VDU is being terminated • vm-terminate-phase: The VDU in the VNF is being terminated in VIM • terminated : The VDU is in the terminated state • failed : The VDU instantiation failed <p>This element uses manotypes:monitoring-param</p>
placement-groups-info	list	0..n	Placement groups to which this VDU belongs and its cloud construct

vnfr:vm-flavor

Flavor is an alternative term for a VM instance type.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/vm-flavor

Fields

ID	Type	Cardinality	Description
vpcu-count	uint16	1	Number of VCPUs for the VM.
memory-mb	uint64	1	Amount of memory in MB to allocate to the VM.
storage-gb	uint64	1	Amount of disk space in GB to allocate to the VM.

vnfr:guest-epa

EPA attributes for the guest operating system.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/guest-epa

Fields

ID	Type	Cardinality	Description
trusted-execution	boolean	1	If set to <i>true</i> , indicates this VM should be allocated from trusted pool.
mempage-size	enum	1	<p>Memory page allocation size.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • LARGE: Require hugepages (either 2MB or 1GB) • SMALL: Doesn't require hugepages • SIZE_2MB: Requires 2MB hugepages • SIZE_1GB: Requires 1GB hugepages • PREFER_LARGE: Application prefers hugepages <p>Note: If a VM requires hugepages, choose LARGE or SIZE_2MB or SIZE_1GB. If the VM prefers hugepages, choose PREFER_LARGE.</p>
cpu-pinning-policy	enum	1	<p>Describes the association between virtual CPUs in the guest and the physical CPUs in the host.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • DEDICATED: Virtual CPUs are pinned to physical CPUs • SHARED: Multiple VMs may share the same physical CPUs. • ANY: (Default) Any policy is acceptable for the VM

ID	Type	Cardinality	Description
cpu-thread-pinning-policy	enum	1	<p>Describes how to place the guest CPUs when the host supports hyper threads.</p> <p>Default values:</p> <ul style="list-style-type: none"> • AVOID: Avoids placing a guest on a host with threads. • SEPARATE: Places vCPUs on separate cores, and avoids placing two vCPUs on two threads of same core. • ISOLATE: Places each vCPU on a different core, and places no vCPUs from a different guest on the same core. • PREFER: Attempts to place vCPUs on threads of the same core.
pcie-device list		0..1	<p>List of PCIE passthrough devices.</p> <p>See "vnfr:pcie-device" on page 333</p>
numa-unaware	empty		<p>Details about the numa-node-policy are null.</p>
numa-node-policy	container	1	<p>Defines numa topology of the guest, specifying if the guest should run on a host with one numa node or multiple numa nodes.</p> <p>Example: A guest might need 8 VCPUs and 4 GB of memory with the VCPUs and memory distributed across multiple NUMA nodes. In this scenario, NUMA node 1 could run with 6 VCPUs and 3GB, and NUMA node 2 could run with 2 vcpus and 1GB.</p> <p>See "vnfr:numa-node-policy" on page 333</p>

vnfr:pcie-device

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/guest-epa/pcie-device/STRING

ID	Type	Cardinality	Description
device-id	string	1	Device identifier.
count	uint64	1	Number of devices to attach to the VM.

vnfr:numa-node-policy

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/guest-epa/numa-node-policy

ID	Type	Cardinality	Description
node-cnt	uint16	1	Number of NUMA nodes to expose to the VM.
mem-policy	enum	1	Specifies how to allocate memory in a multi-node scenario. Supported values: <ul style="list-style-type: none"> • STRICT: The memory must be allocated from the memory attached to the NUMA node. • PREFERRED: The memory should be allocated from the memory attached to the NUMA node
node	list	0..n	List of NUMA nodes. See " vnfr:numa-node-policy:node " on page 334.

vnfr:numa-node-policy:node

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/guest-epa/numa-node-policy/node/0

ID	Type	Cardinality	Description
id	uint64	1	NUMA node identification. Typically 0 or 1.
vcpu	list	0..n	List of VCPUs to allocate on this NUMA node. See " vnfr:numa-node-policy:node:vcpu " on page 334
memory-mb	uint64	1	Memory size in MB for this NUMA node.
num-cores	uint8	1	Number of cores.
paired-threads	container	1	Container for paired threads. See " vnfr:numa-node-policy:node:paired-threads " on page 335.
num-threads	uint8	1	OpenMANO NUMA type selection.

vnfr:numa-node-policy:node:vcpu

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/guest-epa/numa-node-policy/node/0/vcpu/0

ID	Type	Cardinality	Description
id	uint64	1	List of VCPUs IDs to allocate on this NUMA node.

vnfr:numa-node-policy:node:paired-threads

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/guest-epa/numa-node-policy/node/0/paired-threads

ID	Type	Cardinality	Description
num-paired-threads	uint8	1	Number of paired-threads.
paired-thread-ids	list	0..n	List of thread paired to use in case of paired thread NUMA. See " vnfr:numa-node-policy:node:paired-threads:paired-thread-ids " on page 335

vnfr:numa-node-policy:node:paired-threads:paired-thread-ids

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/guest-epa/numa-node-policy/node/0/paired-threads/paired-thread-ids/0

ID	Type	Cardinality	Description
thread-a	uint8	1	Thread ID
thread-b	uint8	1	Thread ID

vnfr:vswitch-epa

EPA attributes for Open vSwitch.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/vswitch-epa

Fields

ID	Type	Cardinality	Description
ovs-acceleration	enum	1	<p>Specifies Open vSwitch acceleration mode.</p> <p>Supported values:</p> <ul style="list-style-type: none">• MANDATORY: OVS acceleration is required• PREFERRED: OVS acceleration is preferred• DISABLED: OVS acceleration is disabled.
ovs-offload	enum	1	<p>Specifies Open vSwitch hardware offload mode.</p> <p>Supported values:</p> <ul style="list-style-type: none">• MANDATORY: OVS offload is required• PREFERRED: OVS offload is preferred• DISABLED: OVS offload is disabled

vnfr:hypervisor-epa

EPA attributes for the hypervisor.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/hypervisor-epa

Fields

ID	Type	Cardinality	Description
type	enum	1	Specifies the type of hypervisor. For example, KVM, XEN. Value can be: <ul style="list-style-type: none">• KVM: KVM• XEN: XEN
version	string	1	Version of the hypervisor.

vnfr:host-epa

Specifies the host-level EPA attributes.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/host-epa

Fields

ID	Type	Cardinality	Description
cpu-model	enum	1	<p>Host CPU model.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • PREFER_WESTMERE • REQUIRE_WESTMERE • PREFER_SANDYBRIDGE • REQUIRE_SANDYBRIDGE • PREFER_IVYBRIDGE • REQUIRE_IVYBRIDGE • PREFER_HASWELL • REQUIRE_HASWELL • PREFER_BROADWELL • REQUIRE_BROADWELL • PREFER_NEHALEM • REQUIRE_NEHALEM • PREFER_PENRYN • REQUIRE_PENRYN • PREFER_CONROE • REQUIRE_CONROE • PREFER_CORE2DUO • REQUIRE_CORE2DUO

ID	Type	Cardinality	Description
cpu-arch	enum	1	Host CPU architecture. Supported values: <ul style="list-style-type: none"> • PREFER_X86 • REQUIRE_X86 • PREFER_X86_64 • REQUIRE_X86_64 • PREFER_I686 • REQUIRE_I686 • PREFER_IA64 • REQUIRE_IA64 • PREFER_ARMV7 • REQUIRE_ARMV7 • PREFER_ARMV8 • REQUIRE_ARMV8
cpu-vendor	enum	1	Host CPU vendor. Supported values: <ul style="list-style-type: none"> • PREFER_INTEL • REQUIRE_INTEL • PREFER_AMD • REQUIRE_AMD
cpu-socket-count	uint64	1	Number of sockets on the host.
cpu-core-count	uint64	1	Number of cores on the host.
cpu-core-thread-count	uint64	1	Number of threads per cores on the host.

ID	Type	Cardinality	Description
cpu-feature	list	0..1	List of CPU features. See " vnfr:cpu-feature " on page 340.
om-cpu-model-string	string	1	OpenMano CPU model string.
om-cpu-feature	list	0..n	OpenMano CPU features. See " vnfd:om-cpu-feature " on page 342.

vnfr:cpu-feature

[/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/host-epa/cpu-feature/PREFER_AES](#)

ID	Type	Cardinality	Description
----	------	-------------	-------------

ID	Type	Cardinality	Description
----	------	-------------	-------------

feature enum 1

Enumeration for CPU features:

- AES: CPU supports advanced instruction set for AES (Advanced Encryption Standard).
- CAT: Cache Allocation Technology (CAT) allows an operating system, hypervisor, or similar system management agent to specify the amount of L3 cache (currently the last-level cache in most server and client platforms) space an application can fill.

Note: As a hint to hardware functionality, certain features, such as power management, may override CAT settings.

- CMT: Cache Monitoring Technology (CMT) allows an Operating System, Hypervisor, or similar system management agent to determine the usage of cache based on applications running on the platform. The implementation is directed at L3 cache monitoring (currently the last-level cache in most server and client platforms).
- DDIO: Intel Data Direct I/O (DDIO) enables Ethernet server NICs and controllers talk directly to the processor cache without a detour via system memory. This enumeration specifies if the VM requires a DDIO capable host.

Supported values:

- PREFER_AES
- REQUIRE_AES
- PREFER_CAT
- REQUIRE_CAT
- PREFER_CMT
- REQUIRE_CMT
- PREFER_DDIO
- REQUIRE_DDIO
- REQUIRE_VME
- PREFER_VME
- REQUIRE_DE
- PREFER_DE
- REQUIRE_PSE
- PREFER_PSE
- REQUIRE_TSC
- PREFER_TSC

vnfd:om-cpu-feature

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/host-epa/om-cpu-feature/STRING

ID	Type	Cardinality	Description
feature	string	1	CPU feature.

vnfr:supplemental-boot-data

Container for custom VIM data.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/supplemental-boot-data

Fields

ID	Type	Cardinality	Description
config-file	list	0..n	List of configuration files to be mounted onto an additional drive. See " vnfr:config-file " on page 343.
custom-meta-data	list	0..n	List of metadata to be associated with the instance. See " vnfr:custom-meta-data " on page 343.
boot-data-drive	boolean	1	[Default <i>false</i>] Specifies whether the VIM should implement additional drives to host config-files or metadata.

vnfr:config-file

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/supplemental-boot-data/config-file/STRING

ID	Type	Cardinality	Description
source	string	1	Name of the configuration file.
dest	string	1	Full path of the destination in the guest.

vnfr:custom-meta-data

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/supplemental-boot-data/custom-meta-data/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the metadata parameter.
data-type	enum	1	Data type of the metadata parameter.
value	string	1	Value of the metadata parameter.

vnfr:volumes

Defines disk volumes to be attached to the VDU, such as if a VNF requires multiple disks to boot the virtual machine.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/volumes/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the disk-volumes, such as vda, vdb.
description	string	1	Description for the volume.
size	uint64	1	Size of the disk, in GB.
ephemeral	empty		
image	string	1	Image name for the software image to be used. If the image name is found within the VNF package it will be uploaded to all cloud accounts during the onboarding process. Otherwise, the image must be added to the cloud account with the same name as entered in this field.
image-checksum	string	1	Image md5sum for the software image. The md5sum, if provided, along with the image name, uniquely identifies an image uploaded to the CAL.
volume-ref	string	1	Reference to the pre-existing volume in VIM.
boot-volume	boolean	1	If set to <i>true</i> , indicates that this is a boot volume

ID	Type	Cardinality	Description
boot-priority	int32		Boot priority associated with volume.
device_bus	enum	1	Type of disk-bus on which this disk is exposed to the guest operating system. Supported values: <ul style="list-style-type: none"> • IDE • USB • VIRTIO • SCSI
device_type	enum	1	Type of device as exposed to the guest operating system. Supported values: <ul style="list-style-type: none"> • DISK • CDROM • FLOPPY • LUN (logical unit number)
custom-meta-data	list	0..n	List of metadata to be associated with the instance. See " vnfr:custom-meta-data " on page 346

vnfr:custom-meta-data

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/volumes/STRING/custom-meta-data/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the metadata parameter.

ID	Type	Cardinality	Description
data-type	enum	1	Data type of the metadata parameter.
value	string	1	Value of the metadata parameter.

vnfr:alarms

A list of the alarms that have been created for this VDU.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/alarms/STRING

Fields

ID	Type	Cardinality	Description
alarm-id	string	1	Reserved field for the identifier assigned by the VIM provider.
name	string	1	A human-readable string to identify the alarm.
description	string	1	Description of the alarm.
vdur-id	string	1	Identifier of the VDU record (VDUR) associated with this alarm.
actions	container	1	Actions related to the alarm. See " vnfr:actions " on page 350.
repeat	boolean	1	[Default <i>true</i>] Indicates whether the alarm should emit repeatedly after the associated threshold has been crossed.
enabled	boolean	1	[Default <i>true</i>] Indicates whether the alarm has been enabled or disabled.

ID	Type	Cardinality	Description
severity	enum	1	<p>A measure of the important or urgency of the alarm.</p> <p>Supported types:</p> <ul style="list-style-type: none">• LOW• MODERATE• CRITICAL
metric	enum	1	<p>Metric types that can be tracked by this alarm.</p> <p>Supported values:</p> <ul style="list-style-type: none">• CPU_UTILIZATION• MEMORY_UTILIZATION• STORAGE_UTILIZATION
statistic	enum	1	<p>Type of statistic to use to measure a metric, which determines threshold crossing for an alarm.</p> <p>Supported values:</p> <ul style="list-style-type: none">• AVERAGE• MINIMUM• MAXIMUM• COUNT• SUM

ID	Type	Cardinality	Description
operation	enum	1	<p>The relational operator used to define whether an alarm should be triggered when the metric statistic goes above or below a specified threshold value.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • GE — Greater than or equal to • LE — Less than or equal to • GT — Greater than • LT — Less than • EQ — Equal
value	decimal164	1	Defines the threshold (up to 4 fraction digits) that, if crossed, will trigger the alarm.
period	uint32	1	Defines the length of time (seconds) for which metric data are collected to evaluate the chosen statistic.
evaluation	uint32	1	<p>Number of samples of the metric statistic used to evaluate threshold crossing.</p> <p>Each sample or evaluation is equal to the metric statistic obtained for a given period.</p> <hr/> <p>Note: This value can be used to mitigate spikes in the metric that may skew the statistic of interest.</p> <hr/>

vnfr:actions

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/alarms/STRING/actions

ID	Type	Cardinality	Description
ok	list	0..n	See " vnfr:actions " on page 350.

ID	Type	Cardinality	Description
insufficient-data	list	0..n	See "vnfr:actions:insufficient-data" on page 351.
alarm	list	0..n	See "vnfr:actions:alarm" on page 351.

vnfr:actions:ok

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/alarms/STRING/actions/ok/STRING

ID	Type	Cardinality	Description
url	string	1	

vnfr:actions:insufficient-data

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/alarms/STRING/actions/insufficient-data/STRING

ID	Type	Cardinality	Description
url	string	1	

vnfr:actions:alarm

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/alarms/STRING/actions/alarm/STRING

ID	Type	Cardinality	Description
url	string	1	

vnfr:internal-connection-point

List for internal connection points. Each VNFC has zero or more internal connection points. Internal connection points are used for connecting the VNF components internal to the VNF. If a VNF has only one VNFC, it may not have any internal connection points.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/internal-connection-point/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the connection point.
id	string	1	Identifier for the internal connection points.
short-name	string	1	Short name to use as a label in the UI.
type	enum	1	Type of connection point. Supported values: VPORT: Virtual Port
port-security-enabled	boolean		Specifies whether to enable port security for the port.
static-ip-address	union	1	Static IP address for the connection point
internal-vld-ref	leafref	1	This is a leafref to path: ../.././internal-vld/id

vnfr:internal-interface

Internal interfaces enable traffic between virtual network functions.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/internal-interface/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the internal interface inside the VDU. Note: This name has only local significance to the VDU.
vdu-internal-connection-point-ref	leafref	1	Reference to an internal connection point. This is a leafref to path: .././internal-connection-point/id
virtual-interface	container	1	Container for the virtual interface properties. See " vnfr:virtual-interface " on page 354.

vnfr:virtual-interface

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/internal-interface/STRING/virtual-interface

ID	Type	Cardinality	Description
type	enum	1	<p>Specifies the type of virtual interface between VM and host.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • VIRTIO: [Default] Use the traditional VIRTIO interface • PCI-PASSTHROUGH: Use PCI-PASSTHROUGH interface • SR-IOV: Use SR-IOV interface • E1000 : Emulate E1000 interface • RTL8139 : Emulate RTL8139 interface • PCNET : Emulate PCNET interface • OM-MGMT: Used to specify OpenMANO management internal-connection type
vpci	string	1	<p>Specifies the virtual PCI address in format dddd:dd:dd.d. For example:</p> <p>0000:00:12.0</p> <p>This information can be used to pass as metadata during the VM creation.</p>
bandwidth	uint64	1	Specifies the aggregate bandwidth requirement for the NIC.

vnfr:external-interface

External interfaces enable traffic between VNFs.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/external-interface/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Name of the external interface inside the VDU. <hr/> Note: This name has only local significance to the VDU. <hr/>
vnfd-connection-point-ref	reference	1	Reference to an external connection point. This is a leafref to path: ../..../connection-point/name
virtual-interface	container	1	Virtual interface properties. See " vnfr:virtual-interface " on page 356.

vnfr:virtual-interface

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/external-interface/STRING/virtual-interface

ID	Type	Cardinality	Description
type	enum	1	<p>Specifies the type of virtual interface between VM and host.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • VIRTIO: [Default] Use the traditional VIRTIO interface • PCI-PASSTHROUGH: Use PCI-PASSTHROUGH interface • SR-IOV: Use SR-IOV interface • E1000 : Emulate E1000 interface • RTL8139 : Emulate RTL8139 interface • PCNET : Emulate PCNET interface • OM-MGMT: Used to specify OpenMANO management internal-connection type
vpci	string	1	<p>Specifies the virtual PCI address in format dddd:dd:dd.d. For example: 0000:00:12.0</p> <hr/> <p>Note: This information can be used to pass as metadata during the VM creation.</p> <hr/>
bandwidth	uint64	1	Specifies the aggregate bandwidth requirement for the NIC.

vnfr:placement-groups-info

Placement groups to which this VDU belongs and its cloud construct.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/placement-groups-info/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Placement group name.
requirement	string	1	<p>Describes the intent/rationale behind this placement group.</p> <hr/> <p>Note: This free-text field is for human consumption only.</p> <hr/>
strategy	enum	1	<p>Strategy associated with this placement group.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • COLOCATION: [Default] Share the physical infrastructure (hypervisor/network) among all members of this group. • ISOLATION: Do not share the physical infrastructure (hypervisor/network) among the members of this group

ID	Type	Cardinality	Description
cloud-type	enum	1	Cloud account type: <ul style="list-style-type: none"> • aws • cloudsim • cloudsim_proxy • mock • openmano • openstack • vsphere • openvim • prop_cloud1
availability-zone	container	1	Name of the availability zone. See "vnfr:placement-groups-info" on page .
server-group	container	1	Name of the affinity/anti-affinity server group. See "vnfr:server-group" on page 359.
host-aggregate	list	0..n	Name of the host aggregate. See "vnfr:host-aggregate" on page 359.
aws-construct	empty		
openmano-construct	empty		
vsphere-construct	empty		
mock-construct	empty		

ID	Type	Cardinality	Description
cloudsim-construct	empty		

vnfr:availability-zone

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/placement-groups-info/STRING/availability-zone

ID	Type	Cardinality	Description
name	string	1	Name of the availability zone.

vnfr:server-group

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/placement-groups-info/STRING/server-group

ID	Type	Cardinality	Description
name	string	1	Name of the affinity/anti-affinity server group.

vnfr:host-aggregate

/vnfr:vnfr-catalog/vnfr/STRING/vdur/STRING/placement-groups-info/STRING/host-aggregate/STRING

ID	Type	Cardinality	Description
metadata-key	string	1	
metadata-value	string	1	

vnfr:http-endpoint

List of http endpoints to be used by monitoring parameters.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/http-endpoint/STRING

Fields

ID	Type	Cardinality	Description
path	string	1	The HTTP path on the management server.
https	boolean	1	[Default <i>false</i>] Pick HTTPS instead of HTTP.
port	uint16	1	HTTP port to connect to.
username	string	1	HTTP basic auth user name.
password	string	1	HTTP basic auth password.
polling_interval_secs	uint8	1	[Default 2] HTTP polling interval in seconds.
method	enum	1	Method to be performed at the URI. Supported values: <ul style="list-style-type: none"> • GET (default) • POST • PUT • GET • DELETE • PATCH • OPTIONS

ID	Type	Cardinality	Description
data	string	1	The data to be sent with POST.
headers	list	0..n	List of custom HTTP headers to put on the HTTP request. See " vnfr:headers " on page 361.

vnfr:headers

/vnfr:vnfr-catalog/vnfr/STRING/http-endpoint/STRING/headers/STRING

ID	Type	Cardinality	Description
key	string	1	HTTP header key.
value	string	1	HTTP header value.

vnfr:monitoring-param

List of monitoring parameters at the network service level.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/monitoring-param/STRING

Fields

ID	Type	Cardinality	Description
id	string	1	Identifier for the monitoring parameter.
name	string	1	Name of the monitoring parameter.
http-endpoint-ref	leafref	1	Reference to the HTTP endpoint. This is a leafref path: ../..../http-endpoint/path See "vnfd:http-endpoint" on page 238 .
json-query-method	enum	1	The method to extract a value from a JSON response. Supported values: <ul style="list-style-type: none"> NAMEKEY: [Default] Use the name as the key for a non-nested value. JSONPATH: Use jsonpath-rw implementation to extract a value. OBJECTPATH: Use objectpath implementation to extract a value.
json-query-params	container	1	Object for JSON query parameters. See "vnfr:json-query-params" on page 364 .

ID	Type	Cardinality	Description
description	string	1	Description of the monitoring parameter.
group-tag	string	1	Tag to group monitoring parameters.
widget-type	enum	1	Type of the widget, typically used by the UI. Supported values: <ul style="list-style-type: none"> • HISTOGRAM • BAR • GAUGE • SLIDER • COUNTER • TEXTBOX
units	string	1	Units for the monitoring parameter, such as megabits per second.
value-type	enum	1	The type of the parameter value. Supported values: <ul style="list-style-type: none"> • INT (default) • DECIMAL • STRING
numeric-constraints	container	1	Constraints for the numbers. See "vnfr:numeric-constraints" on page 364.
text-constraints	container	1	Constraints for the text strings. See "vnfr:text-constraints" on page 365.

ID	Type	Cardinality	Description
value-integer	int64	1	Current value for integer parameter.
value-decimal	decimal164	1	Current value for decimal parameter, up to 4 fraction digits.
value-string	string	1	Current value for the string parameter.

vnfr:json-query-params

/vnfr:vnfr-catalog/vnfr/STRING/monitoring-param/STRING/json-query-params

ID	Type	Cardinality	Description
json-path	string	1	The JSON path used to extract value from the JSON structure.
object-path	string	1	The object path to use to extract value form the JSON structure.

vnfr:numeric-constraints

/vnfr:vnfr-catalog/vnfr/STRING/monitoring-param/STRING/numeric-constraints

ID	Type	Cardinality	Description
min-value	uint64	1	Minimum value for the parameter.
max-value	uint64	1	Maximum value for the parameter.

vnfr:text-constraints

/vnfr:vnfr-catalog/vnfr/STRING/monitoring-param/STRING/text-constraints

ID	Type	Cardinality	Description
min-length	uint8	1	Minimum string length for the parameter.
max-length	uint8	1	Maximum string length for the parameter.

vnfr:placement-groups-info

Placement groups to which this VDU belongs and its cloud construct.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/placement-groups-info/STRING

Fields

ID	Type	Cardinality	Description
name	string	1	Placement group name.
requirement	string	1	<p>Describes the intent/rationale behind this placement group.</p> <hr/> <p>Note: This free-text field is for human consumption only.</p> <hr/>
strategy	enum	1	<p>Strategy associated with this placement group.</p> <p>Supported values:</p> <ul style="list-style-type: none"> • COLOCATION: [Default] Share the physical infrastructure (hypervisor/network) among all members of this group. • ISOLATION: Do not share the physical infrastructure (hypervisor/network) among the members of this group

ID	Type	Cardinality	Description
cloud-type	enum	1	Cloud account type: <ul style="list-style-type: none"> • aws • cloudsim • cloudsim_proxy • mock • openmano • openstack • vsphere • openvim • prop_cloud1
availability-zone	container	1	Name of the availability zone. See "vnfr:placement-groups-info" on page .
server-group	container	1	Name of the affinity/anti-affinity server group. See "vnfr:server-group" on page 368.
host-aggregate	list	0..n	Name of the host aggregate. See "vnfr:host-aggregate" on page 368.
aws-construct	empty		
openmano-construct	empty		
vsphere-construct	empty		
mock-construct	empty		

ID	Type	Cardinality	Description
cloudsim-construct	empty		

vnfr:availability-zone

/vnfr:vnfr-catalog/vnfr/STRING/placement-groups-info/STRING/availability-zone

ID	Type	Cardinality	Description
name	string	1	Name of the availability zone.

vnfr:server-group

/vnfr:vnfr-catalog/vnfr/STRING/placement-groups-info/STRING/server-group

ID	Type	Cardinality	Description
name	string	1	Name of the affinity/anti-affinity server group.

vnfr:host-aggregate

/vnfr:vnfr-catalog/vnfr/STRING/placement-groups-info/STRING/host-aggregate/STRING

ID	Type	Cardinality	Description
metadata-key	string	1	
metadata-value	string	1	

vnfr:cloud-config

List of public keys and users.

REST URI path

/vnfr:vnfr-catalog/vnfr/STRING/cloud-config

Fields

ID	Type	Cardinality	Description
key-pair	list	0..n	Used to configure the list of public keys to be injected as part of network service instantiation. See "vnfr:key-pair" on page 369 .
user	list	0..n	List of users to be added through cloud-config. See "vnfr:cloud-config" on page .

vnfr:key-pair

/vnfr:vnfr-catalog/vnfr/STRING/cloud-config/key-pair/STRING

ID	Type	Cardinality	Description
name	string	1	Name of this key pair.
key	string	1	Key associated with this key pair.

vnfr:user

/vnfr:vnfr-catalog/vnfr/STRING/cloud-config/user/STRING

ID	Type	Cardinality	Description
name	string	1	Name of the user.
user-info	string	1	The user's real name.
key-pair	string	1	Used to configure the list of public keys to be injected as part of metwprk service instantiation. See " vnfr:key-pair " on page 370.

vnfr:key-pair

/vnfr:vnfr-catalog/vnfr/STRING/cloud-config/user/STRING/key-pair/STRING

ID	Type	Cardinality	Description
name	string	1	Name of this key pair.
key	string	1	Key associated with this key pair.

API Examples

This section provides API examples for configuring a cloud account, uploading an image, descriptor configuration, onboarding descriptors and starting, monitoring, and terminating network services. It also provides examples for executing config primitives on a network service and working with scaling instances.

For some of the examples, you might want to refer to the following external resources:

- OpenStack Image Server APIs [version 1](#)
- OpenStack Image Server APIs [version 2](#)
- [OpenVIM Usage Guide](#)
- OpenVIM Northbound API ([PDF](#))
- [OpenVIIM Install Guide](#)
- [OpenVIM Compute Node Configuration](#)

Configure Cloud Account

Create cloud account

cURL

```
curl -i -X POST
https://<orchestrator_ip/fqdn>:8008/api/config/cloud/account/Grunt192.66.4.17
-u admin:admin --insecure -H "Accept: application/json" -d @/tmp/cloud.txt
```

URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/cloud/account/{name}
```

Method

POST

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}
```

Payload

OpenStack data

The `auth_url` refers to your OpenStack system. The orchestrator must be able to reach this URL.

Supported versions of the Openstack Nova API are v2, v2.1, v3.

```
{
  "account": [
    {
      "name": "Grunt192.66.4.17",
      "account-type": "openstack",
      "openstack": {
        "admin": "false",
        "mgmt-network": "private",
        "dynamic-flavor-support": "true",
        "plugin-name": "rwcsl_openstack",
        "key": "",
        "tenant": "demo",
        "cert-validate": "false",
        "auth_url": "http://<keystone_url>/<version>",
        "secret": ""
      }
    }
  ]
}
```

OpenVIM data

"host" is the IP address of the host on which OpenVIM is running.

```
{
  "account": [
    {
      "name": "Grunt192.66.4.36",
      "account-type": "openvim",
      "openvim": {
        "host": "192.66.4.36",
        "mgmt-network": "default",
        "tenant-name": "demo",
        "image-management": {
          "username": "",
          "password": ""
        }
      }
    }
  ]
}
```

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```
{
  "rpc-reply": {
    "ok": ""
  }
}
```

Delete cloud account

cURL

```
curl -i -X DELETE
https://<orchestrator_ip/fqdn>:8008/api/config/cloud/account/Grunt192.66.4.17
-u admin:admin --insecure -H "Accept: application/json"
```

URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/cloud/account/{name}
```

Method

DELETE

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}
```

Payload

None

Response

On error: HTTP 405 with an error object

On success: HTTP 200 with following payload:

```
{
  "rpc-reply": {
    "ok": ""
  }
}
```

Upload Image

Generate the MD5 checksum of the QCOW2 image and upload it to the cloud account from the ["Configure Cloud Account" on page 371](#) example.

cURL

```
curl -X POST -H "Content-Type: application/vnd.yang.data+json" -H "Accept:
application/vnd.yang.data+json" -u admin:admin -d @/tmp/rpc2.txt --insecure
https://<orchestrator_ip/fqdn>:8008/api/operations/create-upload-job
```

URL

```
https://<orchestrator_ip/fqdn>:8008/api/operations/create-upload-job
```

Method

POST

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}
```

Payload

```
{
  "input": {
    "cloud-account": "Grunt192.66.4.36",
    "external-url": {
      "image-url": "http://www.example.com/XN65E06D499AA624.qcow2",
      "disk-format": "qcow2",
      "container-format": "bare",
      "image-name": "XN65E06D499AA624.qcow2",
      "image-checksum": "c9dd9dad03d944858c5228ed492398f3"
    }
  }
}
```

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```
{
  "rpc-reply": {
    "ok": ""
  }
}
```

OpenStack Image Management

For more information, refer to the OpenStack Image Server API documentation, [version 1](#) and/or [version 2](#).

Authentication

You must first obtain the Auth-Token.

cURL

```
curl -i -H "Content-Type: application/json" -d @/tmp/authreq.txt
http://<keystone_url>:5000/v3/auth/tokens
```

URL

```
http://<keystone_url>:5000/v3/auth/tokens
```

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
}
```

Payload

```
{
  "auth": {
    "identity": {
      "methods": ["password"],
      "password": {
        "user": {
          "name": " ",
          "domain": { "id": "default" },
          "password": " "
        }
      }
    },
    "scope": {
      "project": {
        "name": "demo",
        "domain": { "id": "default" }
      }
    }
  }
}
```

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```
{
  "rpc-reply": {
    "ok": ""
  }
}
```

Create image

cURL

```
curl -i -X POST -H 'x-image-meta-container_format: bare' -H 'X-Auth-Token: c1927a55f6f241fab1c8767ddb90157c' -H 'Content-Type: application/octet-stream' -H 'x-image-meta-disk_format: qcow2' -H 'x-image-meta-name: XN7F5709970052C7.qcow2' --data-binary @/tmp/XN7F5709970052C7.qcow2 http://<keystone_url>:9292/v1/images
```

URL

```
http://<keystone_url>:9292/v1/images
```

Method

POST

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/octet-stream",
  "x-image-meta-disk_format": "qcow2",
  "x-image-meta-name": "XN7F5709970052C7.qcow2",
  "Authorization": "X-Auth-Token: c1927a55f6f241fab1c8767ddb90157c"
}
```

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```
{
  "rpc-reply": {
    "ok": ""
  }
}
```

Delete image

cURL

```
curl -i -X DELETE -H 'X-Auth-Token: c1927a55f6f241fab1c8767ddb90157c'
http://<keystone_url>:9292/v2/images?name= XN7F5709970052C7.qcow2
```

URL

```
http://<keystone_url>:9292/v2/images?name={id}.qcow2
```

Method

DELETE

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Authorization": "X-Auth-Token: c1927a55f6f241fab1c8767ddb90157c"
}
```

Payload

None

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```
{
  "rpc-reply": {
    "ok": ""
  }
}
```

OpenVIM Image Management

For more information, refer to the the OpenVIM Northbound API ([PDF](#)).

Get tenants

Obtain the tenant ID to use in create-image and delete-image APIs.

cURL

```
curl -X GET -H "Content-Type: application/json"
http://192.66.4.36:9080/openvim/tenants
```

URL

```
https://192.66.4.36:9080/api/config/cloud
```

Method

GET

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}
```

Create image

1. Upload the image to the OpenVIM host:

```
scp -i ~/.ssh/id_grunt -o StrictHostKeyChecking=no -o
UserKnownHostsFile=/dev/null XN65E06D499AA624.qcow2
root@192.66.4.36:/opt/VNF/images/XN65E06D499AA624.qcow2
```

2. Create image on the OpenVIM controller:

```
curl -X POST -H "Content-Type: application/json"
http://192.66.4.36:9080/openvim/a9df2b10-3fc3-11e6-849e-001e6724811f/images
-d @/tmp/openvim.txt
```

```
{
  "image": {
    "path": "/opt/VNF/images/XN65E06D499AA624.qcow2",
    "name": "XN65E06D499AA624.qcow2"
  }
}
```

Delete image

1. Run GET command to obtain the ID of the image to delete:

```
curl -X GET -H "Content-Type: application/json"
http://192.66.4.36:9080/openvim/a9df2b10-3fc3-11e6-849e-001e6724811f/images
```

2. Delete the image from the OpenVIM controller:

```
curl -X DELETE -H "Content-Type: application/json"
http://192.66.4.36:9080/openvim/a9df2b10-3fc3-11e6-849e-001e6724811f/images/7b0fdc1c-4856-11e6-849e-001e6724811f
```

3. Delete the image from the OpenVIM host:

```
ssh -i ~/.ssh/id_grunt -o StrictHostKeyChecking=no -o
UserKnownHostsFile=/dev/null root@192.66.4.36 rm -f
/opt/VNF/images/XN65E06D499AA624.qcow2
```

Configure a VNF Descriptor

Create VNFD

cURL

```
curl -i -X POST https://<orchestrator_ip/fqdn>:8008/api/config/vnfd-
catalog/vnfd/XN65E06D499AA624 -u admin:admin --insecure -H "Accept:
application/json" -d @/tmp/vnfd.txt
```

URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/vnfd-catalog/vnfd/{id}
```

Method

POST

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}
```

Payload

```
{
  "vnfd": [
    {
      "vdu": [
        {
          "image": "XN65E06D499AA624.qcow2",
          "vm-flavor": {
            "vcpu-count": 2,
            "storage-gb": 32,
            "memory-mb": 4096
          },
          "id": "iovdu_0",
          "count": 1,
          "name": "iovdu_0"
        }
      ],
      "mgmt-interface": {
        "vdu-id": "iovdu_0"
      },
      "version": "1.0",
      "vendor": "",
      "id": "XN65E06D499AA624",
      "short-name": "XN65E06D499AA624",
      "name": "XN65E06D499AA624",
      "description": " "
    }
  ]
}
```

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```
{
  "rpc-reply": {
    "ok": ""
  }
}
```

Delete VNFD

cURL

```
curl -i -X DELETE https://<orchestrator_ip/fqdn>:8008/api/config/vnfd-catalog/vnfd/XN65E06D499AA624 -u admin:admin --insecure -H "Accept: application/json"
```

URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/vnfd-catalog/vnfd/{id}
```

Method

DELETE

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}
```

Payload

None

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```
{
  "rpc-reply": {
    "ok": ""
  }
}
```

Configure a Network Service Descriptor

Create NSD

cURL

```
curl -i -X POST https://<orchestrator_ip/fqdn>:8008/api/config/nsd-catalog/nsd/XN65E06D499AA624_nsd -u admin:admin --insecure -H "Accept: application/json" -d @/tmp/nsd.txt
```

URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/nsd-catalog/nsd/{id}
```

Method

POST

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}
```

Payload

```
{
  "nsd": [
    {
      "constituent-vnfd":
        [{
          "member-vnf-index": 1,
          "vnfd-id-ref": "XN65E06D499AA624"
        }],
      "vendor": "",
      "version": "1.0",
      "description": " ",
      "short-name": "XN65E06D499AA624_nsd",
      "name": "XN65E06D499AA624_nsd",
      "id": "XN65E06D499AA624_nsd"
    }
  ]
}
```

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```
{
  "rpc-reply": {
    "ok": ""
  }
}
```

Delete NSD

cURL

```
curl -i -X DELETE https://<orchestrator_ip/fqdn>:8008/api/config/nsd-catalog/nsd/XN65E06D499AA624_nsd -u admin:admin --insecure -H "Accept: application/json"
```

URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/nsd-catalog/nsd/{id}
```

Method

DELETE

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}
```

Payload

None

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```
{
  "rpc-reply": {
    "ok": ""
  }
}
```

Instantiate the Network Service

Create NSR

cURL

```
curl --insecure --request POST
'https://<orchestrator_ip/fqdn>:8008/api/config/ns-instance-
config/nsr/XN65E06D499AA624' -u 'admin:admin' -H
'Accept:application/vnd.yang.data+json' -H "Content-
type:application/vnd.yang.data+json" -d @/tmp/nsr.txt
```

URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/ns-instance-config/{id}
```

Method

POST

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}
```

Payload

```
{
  "nsr": [
    {
      "id": "90b024f4-79a3-4acb-818a-c93728220b3d",
      "name": "TestXN65E06D499AA624",
      "short-name": "Test",
      "description": " ",
      "admin-status": "ENABLED",
      "cloud-account": "Grunt192.66.4.36",
    }
  ]
}
```

```

    "nsd": {
      "id": "XN65E06D499AA624.qcow2_nsd",
      "name": "XN65E06D499AA624.qcow2_nsd",
      "short-name": "XN65E06D499AA624.qcow2_nsd",
      "description": " ",
      "constituent-vnfd": [
        {
          "vnfd-id-ref": "XN65E06D499AA624.qcow2",
          "member-vnf-index": 1
        }
      ]
    }
  ]
}

```

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```

{
  "rpc-reply": {
    "ok": ""
  }
}

```

Delete NSR

To obtain an NSR ID, GET the network service records, identify the record to remove, and then run DELETE.

GET URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/ns-instance-config/nsr
```

DELETE cURL

```
curl -i -X DELETE https://<orchestrator_ip/fqdn>:8008/api/config/nsd-catalog/nsd/XN65E06D499AA624_nsd -u admin:admin --insecure -H "Accept: application/json"
```

DELETE URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/ns-instance-config/nsr/{id}
```

HTTP headers

```

{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}

```

Payload

None

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```
{
  "rpc-reply": {
    "ok": ""
  }
}
```

Manage the Network Service using Ping-Pong

The examples in this topic use the [Ping-Pong sample network service](#). Download the Ping-Pong package from <https://open.riftio.com/download/>.

Associating a VIM account with your orchestrator instance

URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/cloud
```

Method

POST

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}
```

Payload

```
{
  "account": [
    {
      "name": "MyOpenstackAccount",
      "account-type": "openstack",
      "params": [
        {
          "label": "Key",
          "ref": "key"
        },
        {
          "label": "Secret",
          "ref": "secret"
        }
      ]
    }
  ]
}
```



```
    },
    {
      "label": "Authentication URL",
      "ref": "auth_url"
    },
    {
      "label": "Tenant",
      "ref": "tenant"
    },
    {
      "label": "Management Network",
      "ref": "mgmt-network"
    },
    {
      "label": "Floating IP Pool",
      "ref": "floating-ip-pool",
      "optional": true
    }
  ],
  "openstack": {
    "key": "key",
    "secret": "secret",
    "auth_url": "http://192.66.4.18:5000/v3",
    "tenant": "demo",
    "mgmt-network": "private"
  }
}
]
```

Note: Change the `auth_url` to your OpenStack system. The orchestrator must be able to reach this URL. Supported versions of the Openstack Nova API are v2, v2.1, v3.

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```
{
  "rpc-reply": {
    "ok": ""
  }
}
```

Onboarding preconfigured VNF descriptors

Part 1: Onboard the ping VNFD

This example shows how to onboard the preconfigured `ping` VNFD using the Ping-Pong network service package.

URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/vnfd-catalog
```

Method

POST

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}
```

Payload

```
{
  "vnfd": {
    "description": "This is an example VNF",
    "name": "ping_vnfd",
    "vendor": "",
    "id": "7faf9e0e-f196-11e5-a1e9-6cb3113b406f",
    "vdu": [
      {
        "count": 1,
        "name": "iovdu_0",
        "guest-epa": {
          "cpu-pinning-policy": "ANY"
        },
        "image-checksum": "a6ffaa77f949a9e4ebb082c6147187cf",
        "external-interface": [
          {
            "name": "eth0",
            "virtual-interface": {
              "type": "VIRTIO"
            },
            "vnfd-connection-point-ref": "ping_vnfd/cp0"
          }
        ],
        "cloud-init": "#cloud-config\npassword: fedora\nchpasswd: {
expire: False }\nssh_pwauth: True\nruncmd:\n - [ systemctl, daemon-reload
]\n - [ systemctl, enable, ping.service ]\n - [ systemctl, start, --no-
block, ping.service ]\n - [ ifup, eth1 ]\n",
        "id": "7fb0223e-f196-11e5-a1e9-6cb3113b406f",
        "vm-flavor": {

```

```

        "memory-mb": 512,
        "vcpu-count": 1,
        "storage-gb": 4
    },
    "image": "Fedora-x86_64-20-20131211.1-sda-ping.qcow2"
}
],
"mgmt-interface": {
    "vdu-id": "7fb0223e-f196-11e5-a1e9-6cb3113b406f",
    "port": 18888,
    "dashboard-params": {
        "path": "/api/v1/ping/stats"
    }
},
"connection-point": [
    {
        "name": "ping_vnfd/cp0",
        "type": "VPORT"
    }
],
"short-name": "ping_vnfd",
"service-function-chain": "UNAWARE",
"version": 1,
"monitoring-param": [
    {
        "description": "number of ping requests",
        "value-type": "INT",
        "group-tag": "Group1",
        "units": "packets",
        "widget-type": "COUNTER",
        "name": "ping-request-tx-count",
        "json-query-method": "NAMEKEY",
        "id": 1,
        "http-endpoint-ref": "api/v1/ping/stats"
    },
    {
        "description": "number of ping responses",
        "value-type": "INT",
        "group-tag": "Group1",
        "units": "packets",
        "widget-type": "COUNTER",
        "name": "ping-response-rx-count",
        "json-query-method": "NAMEKEY",
        "id": 2,
        "http-endpoint-ref": "api/v1/ping/stats"
    }
],
"http-endpoint": [
    {
        "path": "api/v1/ping/stats",
        "https": "false",
        "method": "GET",
        "port": 18888,
        "polling_interval_secs": 2
    }
]

```

```
}  
}
```

Note: The image listed in the VNFD (Fedora-x86_64-20-20131211.1-sda-ping.qcow2 in the above example) must already be uploaded to your OpenStack controller before you try to initiate the service.

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```
{  
  "rpc-reply": {  
    "ok": ""  
  }  
}
```

Part 2: Onboard the pong VNFD

This example shows how to onboard the preconfigured `pong` VNFD using the Ping-Pong network service package.

URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/vnfd-catalog
```

Method

POST

HTTP headers

```
{  
  "Accept": "application/vnd.yang.data+json",  
  "Content-Type": "application/vnd.yang.data+json",  
  "Authorization": "Basic YWRtaW46YWRtaW4="  
}
```

Payload

```
{  
  "vnfd": {  
    "description": "This is an example VNF",  
    "name": "pong_vnfd",  
    "vendor": "",  
    "id": "7fb05722-f196-11e5-a1e9-6cb3113b406f",  
    "vdu": [  
      {  
        "count": 1,  
        "name": "iovd_u_0",  
      }  
    ]  
  }  
}
```

```

    "guest-epa": {
      "cpu-pinning-policy": "ANY"
    },
    "image-checksum": "977484d95575f80ef8399c9cf1d45ebd",
    "external-interface": [
      {
        "name": "eth0",
        "virtual-interface": {
          "type": "VIRTIO"
        },
        "vnfd-connection-point-ref": "pong_vnfd/cp0"
      }
    ],
    "cloud-init": "#cloud-config\npassword: fedora\nchpasswd: {
expire: False }\nssh_pwauth: True\nruncmd:\n - [ systemctl, daemon-reload
]\n - [ systemctl, enable, pong.service ]\n - [ systemctl, start, --no-
block, pong.service ]\n - [ ifup, eth1 ]\n",
    "id": "7fb0842c-f196-11e5-a1e9-6cb3113b406f",
    "vm-flavor": {
      "memory-mb": 512,
      "vcpu-count": 1,
      "storage-gb": 4
    },
    "image": "Fedora-x86_64-20-20131211.1-sda-pong.qcow2"
  }
],
"mgmt-interface": {
  "vdu-id": "7fb0842c-f196-11e5-a1e9-6cb3113b406f",
  "port": 18889,
  "dashboard-params": {
    "path": "/api/v1/pong/stats"
  }
},
"connection-point": [
  {
    "name": "pong_vnfd/cp0",
    "type": "VPORT"
  }
],
"short-name": "pong_vnfd",
"service-function-chain": "UNAWARE",
"version": 1,
"monitoring-param": [
  {
    "description": "number of pong requests",
    "value-type": "INT",
    "group-tag": "Group1",
    "units": "packets",
    "widget-type": "COUNTER",
    "name": "ping-request-rx-count",
    "json-query-method": "NAMEKEY",
    "id": 1,
    "http-endpoint-ref": "api/v1/pong/stats"
  },
  {
    "description": "number of pong responses",

```

```

        "value-type": "INT",
        "group-tag": "Group1",
        "units": "packets",
        "widget-type": "COUNTER",
        "name": "ping-response-tx-count",
        "json-query-method": "NAMEKEY",
        "id": 2,
        "http-endpoint-ref": "api/v1/pong/stats"
    }
],
"http-endpoint": [
    {
        "path": "api/v1/pong/stats",
        "https": "false",
        "method": "GET",
        "port": 18889,
        "polling_interval_secs": 2
    }
]
}

```

Note: The image listed in the VNFD (Fedora-x86_64-20-20131211.1-sda-pong.qcow2 in the above example) must already be uploaded to your OpenStack controller before you try to initiate the service

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```

{
  "rpc-reply": {
    "ok": ""
  }
}

```

Onboarding the preconfigured network service descriptor

This example shows how to onboard the Ping-Pong network service package, which has connectivity between the VNFs.

URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/nsd-catalog
```

Method

POST


```

    "vnfd-id-ref": "7faf9e0e-f196-11e5-a1e9-6cb3113b406f"
  },
  {
    "member-vnf-index": 2,
    "vnf-configuration": {
      "config-template": "\n#!/usr/bin/bash\n\n# Rest API
configuration\npong_mgmt_ip='<rw_mgmt_ip>'\npong_mgmt_port=18889\n#
username=<rw_username>\n# password=<rw_password>\n\n# VNF specific
configuration\npong_server_ip='<rw_connection_point_name
pong_vnfd/cp0>'\nserver_port=5555\n\n# Make Rest API calls to configure
VNF\nncurl -D /dev/stdout \\\n      -H \"Accept: application/vnd.yang.data+xml\"
\\\n      -H \"Content-Type: application/vnd.yang.data+json\" \\\n      -X POST
\\\n      -d \"{\\\"ip\\\":\\\"$pong_server_ip\\\", \\\"port\\\":$server_port}\\\" \\\n
http://${pong_mgmt_ip}:${pong_mgmt_port}/api/v1/pong/server\nrc=$?\nif [ $rc
-ne 0 ]\nthen\n      echo \"Failed to set server(own) info for pong!\"\n\n
exit $rc\nfi\n\nncurl -D /dev/stdout \\\n      -H \"Accept:
application/vnd.yang.data+xml\" \\\n      -H \"Content-Type:
application/vnd.yang.data+json\" \\\n      -X POST \\\n      -d
\\\"{\\\"enable\\\":true}\\\" \\\n
http://${pong_mgmt_ip}:${pong_mgmt_port}/api/v1/pong/adminstatus/state\nrc=$?
\nif [ $rc -ne 0 ]\nthen\n      echo \"Failed to enable pong service!\"\n\n
exit $rc\nfi\n\nexit 0\n      ",
      "script": {
        "script-type": "bash"
      },
      "config-type": "script",
      "input-params": {
        "config-priority": 1,
        "config-delay": 60
      }
    },
    "vnfd-id-ref": "7fb05722-f196-11e5-a1e9-6cb3113b406f"
  }
],
"config-primitive": [
  {
    "name": "ping config",
    "user-defined-script": "ping_config.py"
  }
],
"name": "ping_pong_nsd",
"vendor": "",
"id": "7fb09dea-f196-11e5-a1e9-6cb3113b406f",
"version": 1,
"vld": [
  {
    "description": "Toy VL",
    "vnfd-connection-point-ref": [
      {
        "vnfd-connection-point-ref": "ping_vnfd/cp0",
        "member-vnf-index-ref": 1,
        "vnfd-id-ref": "7faf9e0e-f196-11e5-a1e9-6cb3113b406f"
      },
      {
        "vnfd-connection-point-ref": "pong_vnfd/cp0",
        "member-vnf-index-ref": 2,

```



```

        "vnfd-id-ref": "7fb05722-f196-11e5-a1e9-6cb3113b406f"
      }
    ],
    "short-name": "ping_pong_vld",
    "name": "ping_pong_vld",
    "vendor": "",
    "id": "7fb0cd42-f196-11e5-a1e9-6cb3113b406f",
    "version": 1,
    "type": "ELAN"
  }
]
}

```

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```

{
  "rpc-reply": {
    "ok": ""
  }
}

```

Instantiating the network service

URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/ns-instance-config
```

Method

POST

HTTP headers

```

{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}

```

Payload

```

{
  "nsr": [
    {
      "id": "90b024f4-79a3-4acb-818a-c93728220b3d",
      "nsd-ref": "7fb09dea-f196-11e5-a1e9-6cb3113b406f",
      "name": "TestPingPongNS",
      "short-name": "TestPingPongNS",
      "description": "a description for 90b024f4-79a3-4acb-818a-c93728220b3d",
    }
  ]
}

```

```
    "admin-status": "ENABLED",
    "cloud-account": "MyOpenstackAccount"
  }
]
}
```

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```
{
  "rpc-reply": {
    "ok": ""
  }
}
```

Monitoring the instantiated network service

URL

```
https://<orchestrator_ip/fqdn>:8008/api/operational/ns-instance-
opdata/nsr/<nsr_id>?deep
```

Method

GET

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}
```

Payload

None

Response

On error: HTTP 405 with an error object

On success: HTTP 200 with payload similar to the following.

```
{
  "nsr:nsr": {
    "config-status": "configuring",
    "create-time": 1458833812,
    "vlr": [
      {
        "vlr-ref": "0aa96ce8-ceb4-43f4-83f7-43aa52d7f3fd",
        "vnfr-connection-point-ref": [
          {

```

```

        "connection-point": "ping_vnfd/cp0",
        "vnfr-id": "759a43dc-4596-4628-817d-f9c882470cf5"
    },
    {
        "connection-point": "pong_vnfd/cp0",
        "vnfr-id": "c6196a63-e175-43b2-9bf6-74536c3bc3ed"
    }
]
}
],
"rw-nsr:nfvi-metrics": {
    "internal-ports": {
        "label": "INTERNAL PORTS",
        "total": 0
    },
    "storage": {
        "utilization": 0,
        "used": 0,
        "label": "STORAGE",
        "total": 8000000000
    },
    "vcpu": {
        "utilization": 0,
        "label": "VCPU",
        "total": 2
    },
    "network": {
        "incoming": {
            "bytes": 0,
            "packets": 0,
            "label": "INCOMING NETWORK TRAFFIC",
            "packet-rate": 0,
            "byte-rate": 0
        },
        "outgoing": {
            "bytes": 0,
            "packets": 0,
            "label": "OUTGOING NETWORK TRAFFIC",
            "packet-rate": 0,
            "byte-rate": 0
        },
        "label": "NETWORK TRAFFIC"
    },
    "external-ports": {
        "label": "EXTERNAL PORTS",
        "total": 2
    },
    "vm": {
        "inactive-vm": 0,
        "label": "VM",
        "active-vm": 2
    },
    "memory": {
        "utilization": 0,
        "used": 0,
        "label": "MEMORY",

```

```

    "total": 1024000000
  }
},
"scaling-group-record": [
  {
    "scaling-group-name-ref": "ping_group"
  }
],
"vnfr-monitoring-param": [
  {
    "vnfr-id-ref": "c6196a63-e175-43b2-9bf6-74536c3bc3ed",
    "monitoring-param": [
      {
        "description": "no of ping responses",
        "value-type": "INT",
        "group-tag": "Group1",
        "units": "packets",
        "widget-type": "COUNTER",
        "value-integer": 0,
        "name": "ping-response-tx-count",
        "json-query-method": "NAMEKEY",
        "id": 2,
        "http-endpoint-ref": "api/v1/pong/stats"
      },
      {
        "description": "no of ping requests",
        "value-type": "INT",
        "group-tag": "Group1",
        "units": "packets",
        "widget-type": "COUNTER",
        "value-integer": 0,
        "name": "ping-request-rx-count",
        "json-query-method": "NAMEKEY",
        "id": 1,
        "http-endpoint-ref": "api/v1/pong/stats"
      }
    ]
  },
  {
    "vnfr-id-ref": "759a43dc-4596-4628-817d-f9c882470cf5",
    "monitoring-param": [
      {
        "description": "no of ping responses",
        "value-type": "INT",
        "group-tag": "Group1",
        "units": "packets",
        "widget-type": "COUNTER",
        "value-integer": 0,
        "name": "ping-response-rx-count",
        "json-query-method": "NAMEKEY",
        "id": 2,
        "http-endpoint-ref": "api/v1/ping/stats"
      },
      {
        "description": "no of ping requests",
        "value-type": "INT",

```

```

        "group-tag": "Group1",
        "units": "packets",
        "widget-type": "COUNTER",
        "value-integer": 0,
        "name": "ping-request-tx-count",
        "json-query-method": "NAMEKEY",
        "id": 1,
        "http-endpoint-ref": "api/v1/ping/stats"
    }
  ]
},
"operational-status": "running",
"cloud-account": "MyOpenstackAccount",
"nsd-name-ref": "ping_pong_nsd",
"rw-nsr:operational-events": [
  {
    "id": 1,
    "description": "Instatiation Request Received NSR Id:90b024f4-79a3-4acb-818a-c93728220b3d",
    "event": "instantiating",
    "timestamp": 1458833812
  },
  {
    "id": 2,
    "description": "Fetched NSD with descriptor id 7fb09dea-f196-11e5-a1e9-6cb3113b406f",
    "event": "nsd-fetched",
    "timestamp": 1458833812
  },
  {
    "id": 3,
    "description": "Instantiating 1 external VLs for NSR id 90b024f4-79a3-4acb-818a-c93728220b3d",
    "event": "begin-external-vls-instantiation",
    "timestamp": 1458833812
  },
  {
    "id": 4,
    "description": "Finished instantiating 1 external VLs for NSR id 90b024f4-79a3-4acb-818a-c93728220b3d",
    "event": "end-external-vls-instantiation",
    "timestamp": 1458833815
  },
  {
    "id": 5,
    "description": "Instantiating 2 VNFS for NSR id 90b024f4-79a3-4acb-818a-c93728220b3d",
    "event": "begin-vnf-instantiation",
    "timestamp": 1458833815
  },
  {
    "id": 6,
    "description": "Finished instantiating 2 VNFS for NSR id 90b024f4-79a3-4acb-818a-c93728220b3d",
    "event": "end-vnf-instantiation",

```

```

      "timestamp": 1458833815
    },
    {
      "id": 7,
      "description": "NSR in running state for NSR id 90b024f4-79a3-4acb-818a-c93728220b3d",
      "event": "ns-running",
      "timestamp": 1458833815
    }
  ],
  "constituent-vnfr-ref": [
    {
      "vnfr-id": "c6196a63-e175-43b2-9bf6-74536c3bc3ed"
    },
    {
      "vnfr-id": "759a43dc-4596-4628-817d-f9c882470cf5"
    }
  ],
  "ns-instance-config-ref": "90b024f4-79a3-4acb-818a-c93728220b3d",
  "name-ref": "TestPingPongNS"
}
}

```

Monitoring underlying VNFs

URL

```
https://<orchestrator_ip/fqdn>:8008/api/operational/vnfr-catalog/vnfr?deep
```

Method

GET

HTTP headers

```

{
  "Accept": "application/vnd.yang.collection+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}

```

Payload

None

Response

On error: HTTP 405 with an error object

On success: HTTP 200 with payload-like:

```

{
  "collection": {
    "vnfr:vnfr": [
      {
        "description": "This is an example VNF",

```

```

"vnf-configuration": {
  "config-access": {
    "mgmt-ip-address": "10.66.218.250"
  },
  "config-template": "\n#!/usr/bin/bash\n\n# Rest API
configuration\npong_mgmt_ip=<rw_mgmt_ip>\npong_mgmt_port=18889\n#
username=<rw_username>\n# password=<rw_password>\n\n# VNF specific
configuration\npong_server_ip=<rw_connection_point_name
pong_vnfd/cp0>\nserver_port=5555\n\n# Make Rest API calls to configure
VNF\nncurl -D /dev/stdout \\\n      -H \"Accept: application/vnd.yang.data+xml\"
\\\n      -H \"Content-Type: application/vnd.yang.data+json\" \\\n      -X POST
\\\n      -d \"{\\\"ip\\\":\\\"$pong_server_ip\\\", \\\"port\\\":$server_port}\" \\\n
http://${pong_mgmt_ip}:${pong_mgmt_port}/api/v1/pong/server\nrc=$?\nif [ $rc
-ne 0 ]\nthen\n  echo \"Failed to set server(own) info for pong!\"\n
exit $rc\nfi\nncurl -D /dev/stdout \\\n      -H \"Accept:
application/vnd.yang.data+xml\" \\\n      -H \"Content-Type:
application/vnd.yang.data+json\" \\\n      -X POST \\\n      -d
\"{\\\"enable\\\":true}\" \\\n
http://${pong_mgmt_ip}:${pong_mgmt_port}/api/v1/pong/adminstatus/state\nrc=$?
\nif [ $rc -ne 0 ]\nthen\n  echo \"Failed to enable pong service!\"\n
exit $rc\nfi\n\nexit 0\n      ",
  "script": {
    "script-type": "bash"
  },
  "config-type": "script",
  "input-params": {
    "config-priority": 1,
    "config-delay": 60
  }
},
"config-status": "configuring",
"connection-point": [
  {
    "name": "pong_vnfd/cp0",
    "ip-address": "11.0.0.2",
    "vlr-ref": "0aa96ce8-ceb4-43f4-83f7-43aa52d7f3fd",
    "connection-point-id": "3c6ffdad-d450-4f3a-9a7d-9499cec9bb9e"
  }
],
"vendor": "",
"id": "c6196a63-e175-43b2-9bf6-74536c3bc3ed",
"mgmt-interface": {
  "ip-address": "10.66.218.250",
  "port": 18889
},
"name": "TestPingPongNS..pong_vnfd.2",
"vnfd-ref": "7fb05722-f196-11e5-a1e9-6cb3113b406f",
"vdur": [
  {
    "vm-management-ip": "10.0.218.233",
    "guest-epa": {
      "cpu-pinning-policy": "ANY"
    },
    "management-ip": "10.66.218.250",
    "vdu-id-ref": "7fb0842c-f196-11e5-a1e9-6cb3113b406f",
    "external-interface": [

```

```

        {
            "name": "pong_vnfd/cp0",
            "vnfd-connection-point-ref": "pong_vnfd/cp0"
        }
    ],
    "id": "a186ec29-598d-4eef-baa4-70fb69baf490",
    "flavor-id": "500d30e6-41ce-40d4-ad7d-fe14b113e6bf",
    "vim-id": "2f51c1ea-0c3a-43ea-878b-21c8efce8217",
    "vm-flavor": {
        "memory-mb": 512,
        "vcpu-count": 1,
        "storage-gb": 4
    },
    "operational-status": "running",
    "image-id": "d96eda6d-4a48-4f9d-bd8c-3a5a26a64b71"
}
],
"short-name": "pong_vnfd",
"operational-status": "running",
"cloud-account": "MyOpenstackAccount",
"dashboard-url": "http://10.66.218.250:80/api/v1/pong/stats",
"version": 1,
"member-vnf-index-ref": 2,
"monitoring-param": [
    {
        "description": "no of ping requests",
        "value-type": "INT",
        "group-tag": "Group1",
        "units": "packets",
        "widget-type": "COUNTER",
        "value-integer": 0,
        "name": "ping-request-rx-count",
        "json-query-method": "NAMEKEY",
        "id": 1,
        "http-endpoint-ref": "api/v1/pong/stats"
    },
    {
        "description": "no of ping responses",
        "value-type": "INT",
        "group-tag": "Group1",
        "units": "packets",
        "widget-type": "COUNTER",
        "value-integer": 0,
        "name": "ping-response-tx-count",
        "json-query-method": "NAMEKEY",
        "id": 2,
        "http-endpoint-ref": "api/v1/pong/stats"
    }
]
},
{
    "description": "This is an example VNF",
    "vnf-configuration": {
        "config-access": {
            "mgmt-ip-address": "10.66.218.251"
        }
    },

```



```

    "config-template": "\n#!/usr/bin/bash\n\n# Rest API
config\nping_mgmt_ip='<rw_mgmt_ip>'\nping_mgmt_port=18888\n\n# VNF specific
configuration\npong_server_ip='<rw_connection_point_name
pong_vnfd/cp0>'\nping_rate=5\nserver_port=5555\n\n# Make rest API calls to
configure VNF\nncurl -D /dev/stdout \\\n    -H \"Accept:
application/vnd.yang.data+xml\" \\\n    -H \"Content-Type:
application/vnd.yang.data+json\" \\\n    -X POST \\\n    -d
\"{\n\"ip\": \"\${ping_mgmt_ip}\", \"port\": \${server_port}}\" \\\n
http://\${ping_mgmt_ip}:\${ping_mgmt_port}/api/v1/ping/server\nrc=?\nif [ $rc
-ne 0 ]\nthen\n    echo \"Failed to set server info for ping!\"\n    exit
$rc\nfi\nncurl -D /dev/stdout \\\n    -H \"Accept:
application/vnd.yang.data+xml\" \\\n    -H \"Content-Type:
application/vnd.yang.data+json\" \\\n    -X POST \\\n    -d
\"{\n\"rate\": \${ping_rate}\" \\\n
http://\${ping_mgmt_ip}:\${ping_mgmt_port}/api/v1/ping/rate\nrc=?\nif [ $rc -
ne 0 ]\nthen\n    echo \"Failed to set ping rate!\"\n    exit
$rc\nfi\n\noutput=$(curl -D /dev/stdout \\\n    -H \"Accept:
application/vnd.yang.data+xml\" \\\n    -H \"Content-Type:
application/vnd.yang.data+json\" \\\n    -X POST \\\n    -d
\"{\n\"enable\": true}\" \\\n
http://\${ping_mgmt_ip}:\${ping_mgmt_port}/api/v1/ping/adminstatus/state)\nif
[[ $output == *\"Internal Server Error\"* ]]\nthen\n    echo $output\n
exit 3\nelse\n    echo $output\nfi\n\n\n\nexit 0\n    ",
    "script": {
        "script-type": "bash"
    },
    "config-type": "script",
    "input-params": {
        "config-priority": 2,
        "config-delay": 0
    }
},
"config-status": "configuring",
"connection-point": [
    {
        "name": "ping_vnfd/cp0",
        "ip-address": "11.0.0.3",
        "vlr-ref": "0aa96ce8-ceb4-43f4-83f7-43aa52d7f3fd",
        "connection-point-id": "114b5015-6006-4cd0-8e29-683fd886a1a"
    }
],
"vendor": "",
"id": "759a43dc-4596-4628-817d-f9c882470cf5",
"mgmt-interface": {
    "ip-address": "10.66.218.251",
    "port": 18888
},
"name": "TestPingPongNS..ping_vnfd.1",
"vnfd-ref": "7faf9e0e-f196-11e5-a1e9-6cb3113b406f",
"vdur": [
    {
        "vm-management-ip": "10.0.218.236",
        "guest-epa": {
            "cpu-pinning-policy": "ANY"
        },
        "management-ip": "10.66.218.251",

```

```

    "vdu-id-ref": "7fb0223e-f196-11e5-a1e9-6cb3113b406f",
    "external-interface": [
      {
        "name": "ping_vnfd/cp0",
        "vnfd-connection-point-ref": "ping_vnfd/cp0"
      }
    ],
    "id": "a6e5c57d-890c-469f-82d7-5808ed523c31",
    "flavor-id": "500d30e6-41ce-40d4-ad7d-fe14b113e6bf",
    "vim-id": "aaf88b0e-8577-4b09-b8c0-c3316010e36c",
    "vm-flavor": {
      "memory-mb": 512,
      "vcpu-count": 1,
      "storage-gb": 4
    },
    "operational-status": "running",
    "image-id": "1b38b7d1-1146-424e-a831-eb765bc89a07"
  }
],
"short-name": "ping_vnfd",
"operational-status": "running",
"cloud-account": "MyOpenstackAccount",
"dashboard-url": "http://10.66.218.251:80/api/v1/ping/stats",
"version": 1,
"member-vnf-index-ref": 1,
"monitoring-param": [
  {
    "description": "no of ping requests",
    "value-type": "INT",
    "group-tag": "Group1",
    "units": "packets",
    "widget-type": "COUNTER",
    "value-integer": 0,
    "name": "ping-request-tx-count",
    "json-query-method": "NAMEKEY",
    "id": 1,
    "http-endpoint-ref": "api/v1/ping/stats"
  },
  {
    "description": "no of ping responses",
    "value-type": "INT",
    "group-tag": "Group1",
    "units": "packets",
    "widget-type": "COUNTER",
    "value-integer": 0,
    "name": "ping-response-rx-count",
    "json-query-method": "NAMEKEY",
    "id": 2,
    "http-endpoint-ref": "api/v1/ping/stats"
  }
]
}
]
}
}
}

```

Terminating the Ping-Pong NS

URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/ns-instance-  
config/nsr/<nsr_id>
```

Method

DELETE

HTTP request headers

```
{  
  "Accept": "application/vnd.yang.data+json",  
  "Authorization": "Basic YWRtaW46YWRtaW4="  
}
```

Payload

None

HTTP response headers

On error: HTTP 405 with an error object

On success: HTTP 200 with following payload:

```
{  
  "rpc-reply": {  
    "ok": ""  
  }  
}
```

Trigger Config Primitives on Network Service

If your network services have configuration primitives defined in the descriptor, you can trigger those primitives with the RPC API described in this topic.

Note: Primitives can be triggered only after the initial configuration has completed. Check the status by looking at the "config-status" parameter. See the response payload for "Monitoring the instantiated network service" in ["Manage the Network Service using Ping-Pong" on page 384](#).

URL

```
https://<orchestrator_ip/fqdn>:8008/api/operations/exec-ns-config-primitive
```

Method

POST

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Authorization": "Basic YWRtaW46YWRtaW4="
}
```

Payload

Example to update IMS network service configuration through configuration primitives:

```
{
  "input": {
    "name": "Update Domain",
    "nsr_id_ref": "07497feb-4f01-411b-a0da-bc258ce6a30b",
    "vnf-list": [
      {
        "member_vnf_index_ref": "1",
        "vnfr-id-ref": "e8c65cc4-5e81-40b2-b2b0-87092defeb3d",
        "vnf-primitive": [
          {
            "name": "config",
            "index": "0",
            "parameter": [
              {
                "name": "base_number",
                "value": "1234567890"
              },
              {
                "name": "home_domain",
                "value": "abc.com"
              }
            ]
          }
        ]
      }
    ]
  }
}
```

```

        "name": "number_count",
        "value": "1000"
      },
      {
        "name": "password",
        "value": "cw-aio"
      }
    ]
  }
]
}
}
}

```

Response

On error: HTTP 405 with an error object

On success: HTTP 200 with the following payload:

```

{
  "rpc-reply": {
    "ok": ""
  }
}

```

Manage Scaling Group Instance

This topic describes how to use API calls to create and delete a scaling instance for a VNF. For more information, see [Scaling Group Descriptor](#) and [NFV Scaling](#).

Creating a scaling group instance

URL

```

https://<orchestrator_ip/fqdn>:8008/api/config/ns-instance-config/nsr/<nsr-id>/scaling-group/<scaling_group_name>/instance HTTP/1.1

```

Method

POST

HTTP headers

```

{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Connection: keep-alive",
  "Cache-Control: no-cache"
  "Authorization": "Basic YWRtaW46YWRtaW4=",
}

```

Payload

```
{
  "instance": [
    {
      "index": <instance_index_number>
    }
  ]
}
```

Response

On error: HTTP 405 with an error object

On success: HTTP 201 with following payload:

```
{
  "rpc-reply": {
    "ok": ""
  }
}
```

Deleting a scaled instance

URL

```
https://<orchestrator_ip/fqdn>:8008/api/config/ns-instance-config/nsr/<nsr-id>/scaling-group/<scaling_group_name>/instance/<instance_index_number>
HTTP/1.1
```

Method

DELETE

HTTP headers

```
{
  "Accept": "application/vnd.yang.data+json",
  "Content-Type": "application/vnd.yang.data+json",
  "Connection: keep-alive",
  "Cache-Control: no-cache"
  "Authorization": "Basic YWRtaW46YWRtaW4=",
}
```

Payload

None

Response

On error: HTTP 405 with an error object

On success: HTTP 200 with following payload:

```
{
  "rpc-reply": {
    "ok": ""
  }
}
```

```
}  
}
```